A Selected Bibliography of Scallop Literature

C. A. Hodgson, N. Bourne, and D. Mottershead

Department of Fisheries and Oceans
Fisheries Research Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

January 1988

Canadian Manuscript Report of Fisheries and Aquatic Sciences No. 1965

Fisheries and Oceans Pêches et Océans

Canada

88-04790/

Canadian Manuscript Report of Fisheries and Aquatic Sciences

Manuscript reports contain scientific and technical information that contributes to existing knowledge but which deals with national or regional problems. Distribution is restricted to institutions or individuals located in particular regions of Canada. However, no restriction is placed on subject matter, and the series reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Manuscript reports may be cited as full publications. The correct citation appears above the abstract of each report. Each report is abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-900 in this series were issued as Manuscript Reports (Biological Series) of the Biological Board of Canada, and subsequent to 1937 when the name of the Board was changed by Act of Parliament, as Manuscript Reports (Biological Series) of the Fisheries Research Board of Canada. Numbers 901-1425 were issued as Manuscript Reports of the Fisheries Research Board of Canada. Numbers 1426-1550 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Manuscript Reports. The current series name was changed with report number 1551.

Manuscript reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport manuscrit canadien des sciences halieutiques et aquatiques

Les rapports manuscrits contiennent des renseignements scientifiques et techniques qui constituent une contribution aux connaissances actuelles, mais qui traitent de problèmes nationaux ou régionaux. La distribution en est limitée aux organismes et aux personnes de régions particulières du Canada. Il n'y a aucune restriction quant au sujet; de fait, la série reflète la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports manuscrits peuvent être cités comme des publications complètes. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports manuscrits sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 900 de cette série ont été publiés à titre de manuscrits (série biologique) de l'Office de biologie du Canada, et après le changement de la désignation de cet organisme par décret du Parlement, en 1937, ont été classés comme manuscrits (série biologique) de l'Office des recherches sur les pêcheries du Canada. Les numéros 901 à 1425 ont été publiés à titre de rapports manuscrits de l'Office des recherches sur les pêcheries du Canada. Les numéros 1426 à 1550 sont parus à titre de rapports manuscrits du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 1551.

Les rapports manuscrits sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Manuscript Report of

Fisheries and Aquatic Sciences No. 1965

January 1988

A SELECTED BIBLIOGRAPHY OF SCALLOP LITERATURE

by

C. A. Hodgson, N. Bourne, and D. Mottershead

Department of Fisheries and Oceans
Fisheries Research Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

(C)Minister of Supply and Services Canada 1988

Cat. No. Fs97-4/1965E ISSN 0706-6473

Correct citation for this publication:

Hodgson, C. A., N. Bourne, and D. Mottershead. 1988. A selected bibliography of scallop literature. Can. MS Rep. Fish. Aquat. Sci. 1965: 133 p.

ABSTRACT

Hodgson, C. A., N. Bourne, and D. Mottershead. 1988. A selected bibliography of scallop literature. Can. MS Rep. Fish. Aquat. Sci. 1965: 133 p.

This bibliography presents 589 references mainly in the field of scallop culture. Key words and groupings by author, species, geographic and subject indices are given.

RÉSUMÉ

Hodgson, C. A., N. Bourne, and D. Mottershead. 1988. A selected bibliography of scallop literature. Can. MS Rep. Fish. Aquat. Sci. 1965: 133 p.

La présente bibliographie contient 589 références qui portent surtout sur la pectiniculture. Elles sont répertoriées selon les motsclés et les groupements auteur-espèce-index géographique-contenu.

CONTENTS

PAGE

INTRODUCTION 1

BIBLIOGRAPHY 2

AUTHOR INDEX 113

SPECIES INDEX 120

GEOGRAPHIC INDEX 123

SUBJECT INDEX 126

INTRODUCTION

Literature on scallop culture has been growing at a rapid rate with studies published in journals, government documents, symposia, and secondary publications. This bibliography was compiled to facilitate access to this information.

Two other bibliographies have been published on scallops. A partial bibliography on Argopecten irradians was done by Tabarini (1980) and Mottet (1979) compiled a general literature review of scallops. A particular advantage of Mottet's work was that it reviewed much of the Japanese literature not readily available to readers in North America, written at a time when the Japanese were developing their scallop culture industry. Since publication of these two bibliographies much more information on scallops has become available.

In 1981, a program was initiated at the Pacific Biological Station to investigate the feasibility of scallop culture in British Columbia. This program is jointly funded by the Department of Fisheries and Oceans, Canada, and the British Columbia Provincial Ministry of Agriculture and Fisheries. Part of the program included acquiring and reviewing publications on scallop culture. Work on this bibliography began in February 1986 when Ms. D. Mottershead was employed under a Job Development Project sponsored by the Department of Employment and Immigration, Canada. This provided an opportunity to undertake an intensive review of scallop literature.

This bibliography focuses on scallop culture literature and is intended primarily for researchers and industry people involved in the field of scallop culture. Most of the references are of papers published in English but an effort was made to review scallop literature in other languages. This bibliography was compiled using literature searches and the Biosis and ASFA (Aquatic Sciences and Fisheries Abstracts) databases. Each reference lists the author(s), year of publication, title, journal or publishing agency, and key words. In order to facilitate users, all references have been cross-referenced under four indices: author, species, geographic region, and subject.

The literature search was concluded in March 1987 and a total of 589 references were reviewed. Although a thorough attempt was made to record all references on scallop culture some were probably missed. The authors would be grateful if any omissions known to the reader were communicated to them.

This bibliography was produced by existing bibliographic computer programs available at the Pacific Biological Station that were modified for our use by Mr. G. Miller. These programs automatically formulated the main body of the bibliography and compiled the author, species, geographic, and subject indices.

We acknowledge with sincere appreciation the help and guidance of librarians at the Pacific Biological Station, G. Miller and P. Olsen, who gave freely of their time to assist us in compiling this bibliography.

BIBLIOGRAPHY

1

Allen, D.M. 1979.
Biological aspects of the calico scallop *Argopecten gibbus*. -- Nautilus 94(4): 107-119.

KEYWORDS: *Argopecten gibbus* / Atlantic, Western / Florida / Size frequency / Settlement and metamorphosis / Spat collectors / Behaviour / Spawning / Adults / Distribution / Larvae / Habitat / Morphology / Juveniles / Equipment design / Juvenile growth / Age/height relation

2

Allen, D.M., and T.J. Costello. 1972.
The calico scallop, *Argopecten gibbus*. -- NOAA Tech. Rep. NMFS SSRF 656: 19 p.

KEYWORDS: *Argopecten gibbus* / Atlantic, Western / North Carolina / Florida / Gulf of Mexico / Adults / Fishery / Reproduction / Adult growth / Habitat / Distribution

3

Allen, J.A. 1953.
Observations on the epifauna of the deep-water muds of the Clyde Sea area, with special reference to *Chlamys septemradiata* (Müller). -- J. Anim. Ecol. 22(2): 240-260.

KEYWORDS: *Chlamys septemradiata* / Great Britain / Atlantic, Eastern / Adults / Distribution / Habitat

4

Amirthalingham, C. 1928.
On lunar periodicity in reproduction of *Pecten opercularis* near Plymouth in 1927-28. -- J. Mar. Biol. Assoc. U.K. 15: 605-641.

KEYWORDS: *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Reproduction / Gametogenesis / Adults / Physiology / Spawning / Gonad index / Histology

5

Anonymous. 1962.
Large New Bedford scallop fleet is $50 million boom to area, many depend on healthy state of fishery. -- Natl. Fisherman 43(5): 25.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Massachusetts / Adults / Economics / Fishery

6

Anonymous. 1979.
Report of the Working Group on Assessment of Scallop Stocks. Dublin, 4-6 April 1979. -- Int. Counc. Explor. Sea C.M. 1979/K:6: 25p.

KEYWORDS: *Pecten maximus* / *Chlamys opercularis* / Atlantic, Eastern / France / Iceland / Great Britain / Ireland / Management / Fishery / Mortality / Recruitment / Adults / Height/weight relation

7

Anonymous. 1984.
Multi-year program on pectinids. -- Can. Transl. Fish. Aquat. Sci. 5070: 7 p.

[Translation from French: Centre Ocèanologique de Bretagne, CNEXO: 7 p. (1984).]

KEYWORDS: *Pecten maximus* / *Chlamys varia* / Atlantic, Eastern / France / Economics / Fishery / Juveniles / Recruitment / Management / Adults

8

Anonymous. 1985.
Abstracts, 5th Pectinid Workshop, La Coruña, Spain, 6-10 March 1985. -- [Unpublished.] -- Instituto Español de Oceanografia, Centre Costero de la Coruña, La Coruña, Spain. -- 35 p.

KEYWORDS: *Argopecten irradians* / *Pecten maximus* / *Placopecten magellanicus* / *Chlamys varia* / *Chlamys islandica* / *Pecten jacobaeus* / *Amusium papyraceum* / *Amusium laurenti* / *Aequipecten lineolaris* / Atlantic, Eastern / Spain / France / Great Britain / Europe / Aquaculture / Bibliography

9

Ansell, A.D. 1974.
Seasonal changes in biochemical composition of the bivalve *Chlamys septemradiata* from the Clyde Sea area. -- Mar. Biol. 25: 85-99.

KEYWORDS: *Chlamys septemradiata* / Atlantic, Eastern / Great Britain / Adults / Recruitment / Production / Gonad index / Biochemical composition / Energetics

10

Antoine, L., P. Arzel, A. Laurec, and E. Morize. 1979.
La croissance de la coquille Saint-Jacques (Pecten maximus (*L*.)) dans les divers gisements francais. [Growth of the scallop Pecten maximus (*L*.) from different beds in French waters.] -- Rapp. P-v. Rèun. Cons. Int. Explor. Mer 175: 85-90.

In French; English abstract.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / France / Juveniles / Adult growth / Age/height relation / Population

11

Aravindakshan, I. 1955.
Studies on the biology of the queen scallop, *Chlamys opercularis* (L.). -- Ph.D. thesis. -- Liverpool University, Liverpool, England. -- 79 p.

KEYWORDS: *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Adults / Larvae / Juvenile development / Gametogenesis / Reproduction / Spawning / Age composition / Adult growth / Gonad index / Histology / Distribution / Habitat / Taxonomy

12

Arima, K, H. Shimazaki, T. Matsui, and T. Sugiya. 1975.
The results of mass-planting scallop seed to Mori and Yakumo in Funka Bay, Hokkaido. -- J. Hokkaido Fish. Exper. Stn. 31(10): 1-21.

In Japanese.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Aquaculture / Nursery / Juveniles / Juvenile growth

13

Asakawa, M., M. Takagi, and K. Oishi. 1985.
Anatomical distribution of the toxins in PSP-infested scallops from Funka Bay, Hokkaido. -- Eisei Kagaku 31(3): 201-204.

In Japanese; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Toxicity / Paralytic shellfish poisoning / Adults

14

Aurell, T. 1976.
A comparative study of freezing qualities of seafoods obtained by using different freezing methods. -- J. Food Sci. 41(5): 1165-1167.

KEYWORDS: *Chlamys islandica* / Adults / Fishery

15

Auster, P.J., and L.L. Stewart. 1984.
Compensatory growth in the bay scallop *Argopecten irradians* (L.). -- J. Northw. Atl. Fish. Sci. 5(1): 103-104.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Connecticut / Adults / Juvenile growth / Population

16

Baird, R.H. 1952.
The English Channel escallop beds. -- Fish. News 2064: 9.

KEYWORDS: *Pecten maximus* / Atlantic, Western / Great Britain / Fishery / Distribution / Population

17

Baird, R.H. 1958.
On the swimming behaviour of escallops (*Pecten maximus* L.). -- Proc. Malacol. Soc. London 33: 67-71.

KEYWORDS: *Pecten maximus* / Behaviour / Juveniles / Adults

18

Baird, R.H. 1966.
Notes on an escallop (*Pecten maximus*) population in Holyhead Harbour. -- J. Mar. Biol. Assoc. U.K. 46: 33-47.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Age composition / Spawning / Adults / Fishery

19

Baird, R.H., and F.A. Gibson. 1956.
Underwater observations on escallop (*Pecten maximus*) beds. -- J. Mar. Biol. Assoc. U.K. 35: 555-562.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Behaviour / Distribution / Adults / Age composition / Fishery

20

Baird, Jr., F.T. 1954.
Migration of the deep sea scallop *Pecten magellanicus*. -- Maine Dept. Sea Shore Fish. Fish. Circ. 14: 8 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Maine / Distribution / Tagging / Population / Adults / Size distribution / Behaviour

21

Baird, Jr., F.T. 1954.
Meat yield of Maine scallops (*Pecten magellanicus*). -- Maine Dept. Sea Shore Fish. Res. Bull. 16: 3 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Maine / Fishery

22

Baird, Jr., F.T. 1953.
Observations on the early life history of the giant scallop (*Pecten magellanicus*). -- Maine Dept. Sea Shore Fish. Res. Bull. 14: 7 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Maine / Spawning / Juvenile development

23

Baqueiro, C.E., R.I. Pena, and R.J.A. Masso. 1981.
[Analysis of an overexploited population of Argopecten circularis (Sowerby, 1835) in La Paz Bay, Baja California, Mexico.] -- Cienc. Pesq. 1(2): 57-65.

In Spanish; English abstract.

KEYWORDS: Argopecten circularis / Pacific, Eastern / Mexico / Adults / Fishery / Adult growth / Management / Distribution / Population

24

Barber, B.J., and N.J. Blake. 1981.
Energy storage and utilization in relation to gametogenesis in Argopecten irradians concentricus (Say). -- J. Exp. Mar. Biol. Ecol. 52: 121-134.

KEYWORDS: Argopecten irradians / Atlantic, Western / Florida / Gametogenesis / Adults / Energetics / Physiology / Reproduction / Biochemical composition

25

Barber, B.J., and N.J. Blake. 1983.
Growth and reproduction of the bay scallop, Argopecten irradians (Lamark) at its southern distributional limit. -- J. Exp. Mar. Biol. Ecol. 66: 247-256.

KEYWORDS: Argopecten irradians / Atlantic, Western / Florida / Reproduction / Temperature / Population / Gametogenesis / Adult growth

26

Barber, B.J., and N.J. Blake. 1985.
Intra-organ biochemical transformations associated with oogenesis in the bay scallop, Argopecten irradians concentricus (Say), as indicated by ^{14}C incorporation. -- Biol. Bull. (Woods Hole) 168: 39-49.

KEYWORDS: Argopecten irradians / Energetics / Adults / Physiology / Gametogenesis / Reproduction / Biochemical composition

27

Barber, B.J., and N.J. Blake. 1985.
Substrate catabolism related to reproduction in the bay scallop Argopecten irradians concentricus, as determined by O/N and R/Q physiological indexes. -- Mar. Biol. 87: 13-18.

KEYWORDS: Argopecten irradians / Reproduction / Adults / Gametogenesis / Physiology / Energetics / Respiration / Production

28

Barber, B.J., and N.J. Blake. 1986.
Reproductive effort and cost in the bay scallop, Argopecten irradians concentricus. -- Int. J. Invertebr. Reprod. Dev. 1C(1): 51-58.

KEYWORDS: Argopecten irradians / Adults / Reproduction / Production / Energetics / Physiology

29

Barichiuith, J.U., and D.L. Stefoni 1980.
Fijacion primaria y variaciones morfolgicas, durante la metamorfosis de algunos bivalvos chilenos. [Primary settlement and morphological changes during metamorphosis of some Chilean bivalves.] -- Bolm. Inst. Oceanogr. (Sao Paulo) 29(2): 367-369.

In Spanish; English abstract.

KEYWORDS: Chlamys patriae / Hinge morphology / Larvae / Settlement and metamorphosis

30

Bayliss, L.E., E. Boyland, and A.D. Ritchie. 1930.
The adductor mechanisim of Pecten -- Proc. R. Soc. London B. Biol. Sci. 106: 363-376.

KEYWORDS: Chlamys varia / Chlamys opercularis / Placopecten magellanicus / Pecten maximus / Adults / Behaviour / Morphology

31

Beaumont, A.R. 1982.
Geographic variation in allele frequencies at three loci in Chlamys opercularis from Norway to the Brittany coast. -- J. Mar. Biol. Assoc. U.K. 62: 243-261.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Genetics / Adults

32

Beaumont, A.R. 1982.
Variations in heterozygosity at two loci between year classes of a population of Chlamys opercularis (L.) from a Scottish sea-loch. -- Mar. Biol. Lett. 3(1982): 25-33.

KEYWORDS: Chlamys opercularis / Adults / Genetics

33
Beaumont, A.R., and C.M. Beveridge. 1984.
Electrophoretic survey of genetic variation in Pecten maximus, Chlamys opercularis, C. varia and C. distorta from the Irish Sea. -- Mar. Biol. 81: 299-306.

KEYWORDS: Pecten maximus / Chlamys opercularis / Chlamys varia / Chlamys distorta / Adults / Genetics

34
Beaumont, A.R., and M.D. Budd. 1982.
Delayed growth of mussel (Mytilus edulis) and scallop (Pecten maximus) veligers at low temperatures. -- Mar. Biol. 71: 97-100.

KEYWORDS: Pecten maximus / Mortality / Temperature / Larval growth

35
Beaumont, A.R., and M.D. Budd. 1983.
Effects of self-fertilization and other factors on the early development of the scallop Pecten maximus. -- Mar. Biol. 76: 285-289.

KEYWORDS: Pecten maximus / Spawning / Reproduction / Mortality / Larvae / Genetics / Larval development / Larval growth

36
Beaumont, A.R., T.R. Day, and G. Gäde. 1980.
Genetic variation at the octapine dehydrogenase locus in the adductor muscle of Cerastoderma edule (L.) and six other bivalve species. -- Mar. Biol. Lett. 1(1980): 137-148.

KEYWORDS: Chlamys distorta / Chlamys varia / Chlamys opercularis / Pecten maximus / Adults / Genetics

37
Beaumont, A.R., E.M. Gosling, C.M. Beveridge, M.D. Budd, and G.M. Burnell. 1985.
Studies on heterozygosity and size in the scallop, Pecten maximus. Pp. 443-454 in P.E. Gibbs. (ed.) Proceedings of the Nineteenth European Marine Biology Symposium, Plymouth, Devon, England, Sept. 16-21, 1984. -- Cambridge University Press, New York, N.Y.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Adults / Histology / Juveniles / Juvenile growth / Genetics

38
Beaumont, A.R., and Ll.D. Gruffydd. 1974.
Studies on the chromosomes of the scallop Pecten maximus (L.) and related species. -- J. Mar. Biol. Assoc. U.K. 54: 713-718.

KEYWORDS: Pecten maximus / Placopecten magellanicus / Chlamys varia / Chlamys distorta / Chlamys islandica / Chlamys opercularis / Genetics / Adults

39

Beaumont, A.R., and Ll.D. Gruffydd. 1975.
A polymorphic system in the sarcoplasm of *Chlamys opercularis*. -- J. Cons. Int. Explor. Mer 36(2): 190-192.

KEYWORDS: *Chlamys opercularis* / Adults / Genetics

40

Belding, D.L. 1931.
The scallop fishery of Massachusetts, including an account of the natural history of the common scallop. -- Mass. Div. Fish Game Mar. Fish. Ser. 5: 51 p.

KEYWORDS: *Argopecten irradians* / *Placopecten magellanicus* / Atlantic, Western / Massachusetts / Embryology / Larvae / Habitat / Life history / Spawning / Distribution / Behaviour / Diet / Predators / Morphology / Adults / Reproduction / Larval development / Juveniles / Settlement and metamorphosis / Juvenile growth / Adult growth / Fishery / Management

41

Belogrudov, E.A. 1974.
Growth of the sea scallop *Mizuhopecten yessoensis* in submerged cages. -- Fish. Mar. Serv. (Can.) Transl. Ser. 3266: 4 p.

[Translation from Russian: Izvestiya Tikhooheanskigo Naushno-Issledovatel'skoge Instituta Rybnogo Khozyaistva: Okeanograff (TINRO) [Proc. Pac. Sci. Res. Inst. Mar. Fish. Oceanography] 87: 127-129 (1973).]

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / USSR / Aquaculture / Juvenile growth / Hanging culture / Juveniles

42

Belogrudov, E.A. 1978.
[On the character of the settling of sea scallop larvae and the peculiarities of their growth on different substances.] -- [Unpublished translation], -- 4 p.

[Translation from Russian: E.A. Belogrudov. Invest. Biol. Fishes Fishery Oceanography, (TINRO, Vladivostok) 4: 87-90 (1973).]

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / USSR / Juveniles / Habitat / Population / Spat collectors / Fecundity / Life history / Predators / Settlement and metamorphosis

43

Beninger, P.G. 1987.
A qualitative and quantitative study of the reproductive cycle of the giant scallop, *Placopecten magellanicus*, in the Bay of Fundy (New Brunswick, Canada). -- Can. J. Zool. 65(3): 495-498.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / New Brunswick / Adults / Reproduction / Histology / Gametogenesis / Gonad index

44

Bergman, K.M., R.W. Elner, and M.J. Rish. 1982.
The influence of *Polydora websteri* borings on the strength of the shell of the sea scallop, *Placopecten magellanicus*. -- Can. J. Zool. 60(11): 2551-2556.

KEYWORDS: *Placopecten magellanicus* / Predators / Adults / Shell morphology / Fouling organisms

45

Bernard, F.R. 1970.
A distributional checklist of the marine molluscs of British Columbia based on faunistic surveys since 1950. -- Syesis 3: 75-94.

KEYWORDS: *Chlamys hastata* / *Chlamys rubida* / *Cyclopecten* sp. / *Patinopecten caurinus* / *Propeamussium* sp. / *Chlamys gigantea* / Pacific, Eastern / British Columbia / Taxonomy

46

Bernard, F.R. 1983.
Physiology and the mariculture of some northeastern Pacific bivalve molluscs. -- Can. Spec. Publ. Fish. Aquat. Sci. 63: 24 p.

KEYWORDS: *Patinopecten caurinus* / Pacific, Eastern / British Columbia / Aquaculture / Physiology / Habitat / Adults

47

Bernier, L., and L. Poirer. 1982.
Les stocks de pètoncles d'Islande, *Chlamys islandica* Muller de la région de Mingan, en 1979. [Iceland scallop (*Chlamys islandica* Muller) stocks in Mingan region, 1979.] -- Que. Minist. Agric. Pech. Aliment. Dir. Gen. Pech. Marit. Cah. Info. 96: 31 p.

In French; English abstract.

KEYWORDS: *Chlamys islandica* / Atlantic, Western / Quebec / Adults / Distribution / Population / Fishery / Management / Size distribution

48

Blake, J.A., and J.W. Evans. 1973.
Polydora and related genera as borers in mollusc shells and other calcareous substrates. -- Veliger 15(3): 235-249.

KEYWORDS: *Placopecten magellanicus* / *Argopecten irradians* / *Patinopecten caurinus* / *Aequipecten gibbus* / *Chlamys gigantea* / Adults / Parasites / Fouling organisms / Shell morphology

49

Bourne, N. 1960.
Outlook for the Georges Bank scallop fishery. -- Fish. Res. Board Can. Biol. Stn. St. Andrews Gen. Ser. Circ. 33: 2 p.

KEYWORDS: *Chlamys islandica* / *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Fishery / Adults / Management

50

Bourne, N. 1964.
Scallops and the offshore fishery of the Maritimes. -- Fish. Res. Board Can. Biol. Stn. St. Andrews Bull. 145: 61 p.

KEYWORDS: *Placopecten magellanicus* / *Chlamys islandica* / Atlantic, Western / Fishery / Distribution / Spawning / Adult growth / Behaviour / Habitat / Adults / Morphology / Equipment design / Larvae / Feeding / Predators / Management

51

Bourne, N. 1965.
Paralytic shellfish poison in sea scallops (*Placopecten magellanicus*, Gmelin). -- J. Fish. Res. Board Can. 22(5): 13 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Gulf of St. Lawrence / Bay of Fundy / Paralytic shellfish poisoning / Adults

52

Bourne, N. 1965.
A comparison of catches by 3- and 4-inch rings on offshore scallop drags. -- J. Fish Res. Board Can. 22(2): 313-333.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Equipment design / Fishery / Sampling / Adults / Juveniles / Population / Size frequency

53

Bourne, N. 1966.
Relative fishing efficiency and selection of three types of scallop drags. -- Int. Comm. Northw. Atl. Fish. Res. Bull. 3: 11 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Fishery / Adults / Equipment design

54

Bourne, N. 1969.
Scallop resources of British Columbia. -- Fish. Res. Board Can. Tech. Rep. 104: 60 p.

KEYWORDS: *Chlamys gigantea* / *Chlamys rubida* / *Chlamys hastata* / *Patinopecten caurinus* / Pacific, Eastern / British Columbia / Fishery / Adults

55

Bourne, N. 1984.
Scallop size limits. Pp. 67-71 in G.S. Jamieson (ed.) 1982 shellfish management advice, Pacific region. -- Can. Manuscr. Rep. Fish. Aquat. Sci. 1774.

KEYWORDS: *Patinopecten caurinus* / *Chlamys gigantea* / *Chlamys rubida* / *Chlamys hastata* / Pacific, Eastern / British Columbia / Adults / Fishery / Distribution / Population / Management

56

Bourne, N., and E.G. Bligh. 1965.
Orange-red meats in sea scallops. -- J. Fish. Res. Board Can. 22(3): 861-864.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Fishery

57

Bourne, N., and A. McIver. 1961.
Gulf of St. Lawrence scallop explorations - 1961. -- Fish. Res. Board Can. Gen. Ser. Circ. 35: 4 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Gulf of St. Lawrence / Fishery / Distribution / Adults

58

Brand, A.R., J.D. Paul, and J.N. Hoogesteger. 1980.
Spat settlement of the scallops *Chlamys opercularis* (L.) and *Pecten maximus* (L.) on artificial collectors. -- J. Mar. Biol. Assoc. U.K. 60: 379-390.

KEYWORDS: *Chlamys opercularis* / *Pecten maximus* / Atlantic, Eastern / Great Britain / Spat collectors / Recruitment / Juvenile development / Settlement and metamorphosis / Juveniles

59

Briggs, R.P. 1980.
Shell morphology and growth in relation to minimum landing size of the escallop, *Pecten maximus* L., from Northern Ireland waters. -- Rec. Agric. Res. (Belfast) 28: 41-48.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Ireland / Shell morphology / Fishery / Spawning / Age/length relation / Juvenile growth / Adult growth / Length/height relation / Size distribution / Age composition / Population

Broom, M.J. 1976. 60
Synopsis of biological data on scallops. (*Chlamys* (*Aequipecten*) *opercularis* (Linnaeus), *Argopecten irradians* (Lamark) and *Argopecten gibbus* (Linnaeus)). -- FAO Fish. Synop. 114: 43 p.

KEYWORDS: *Chlamys opercularis* / *Argopecten irradians* / *Argopecten gibbus* / Atlantic, Eastern / Europe / Morocco / Atlantic, Western / Gulf of Mexico / United States / Taxonomy / Morphology / Distribution / Spawning / Embryonic development / Larval development / Diet / Juvenile development / Adult growth / Reproduction / Recruitment / Distribution / Gametogenesis / Life history / Predators / Parasites / Disease / Behaviour / Age composition / Size distribution / Mortality / Population / Fishery / Equipment design

Broom, M.J., and J. Mason. 1978. 61
Growth and spawning in the pectinid *Chlamys opercularis* in relation to temperature and phytoplankton concentration. -- Mar. Biol. 47: 277-285.

KEYWORDS: *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Spawning / Temperature / Phytoplankton / Juvenile growth / Adult growth / Spawning / Shell morphology / Gametogenesis

Brun, E. 1971. 62
Predation of *Chlamys islandica* (O.F. Müller) by eiders *Somateria* spp. -- Astarte 4: 23-29.

KEYWORDS: *Chlamys islandica* / Atlantic, Eastern / Norway / Predators / Adults

Buestel, D. 1979. 63
L'exploitation de la coquille St. Jacques *Patinopecten yessoensis* J. au Japan, possibilitès d'application du modèle de development Japonais a l'espèce francaise *Pecten maximus L*. [Culture of scallops, *Patinopecten yessoensis*, in Japan: possible application of Japanese method for the French species *Pecten maximus*.] -- Actes de Colloque du CNEXO 12: 15-32.

In French; English abstract.

KEYWORDS: *Patinopecten yessoensis* / *Pecten maximus* / Atlantic, Eastern / France / Aquaculture / Hanging culture / Juveniles / Fishery / Adults / Bottom culture

64

Buestel, D. 1984.
Artificial production of scallop spat Pecten maximus (L.). first results in Brest harbour: -- Can. Transl. Fish. Aquat. Sci. 5086: 15 p.

[Translation from French: Vie mar. 4: 24-28 (1982).]

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Adults / Reproduction / Spawning / Hatchery / Nursery / Equipment design / Temperature / Settlement and metamorphosis / Larval development / Aquaculture / Juvenile growth / Hanging culture

65

Buestel, D., P. Arzel, P. Cornillet, and J.C. Dao. 1979.
Production of juvenile Pecten maximus (L.). -- Scotl. Dept. Agric. Fish. Mar. Lab. Aberdeen. Transl. 2081: 5 p.

[Translation from French: Actes de Colloque du CNEXO 4: 307-315 (1977).]

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Recruitment / Hatchery / Aquaculture / Spat collectors / Juvenile development / Settlement and metamorphosis / Larval development

66

Buestel, D., and J.C. Dao. 1979.
Extensive scallop farming (1). The results of an experimental sowing. -- Scotl. Dept. Agric. Fish. Mar. Lab. Aberdeen. Transl. 2065: 10 p.

[Translation from French: Contr. Dept. Sci. Cent. Oceanol. Bretagne Cont. 624.]

KEYWORDS: Pecten maximus / Chlamys opercularis / Chlamys varia / Atlantic, Eastern / France / Aquaculture / Juvenile development / Adult growth / Adults / Predators / Spat collectors / Bottom culture / Juveniles

67

Buestel, D., J.C. Dao, and G. Lemarie. 1979.
The collection of pectinid spats in Brittany. -- Scotl. Dept. Agric. Fish. Mar. Lab. Aberdeen. Transl. 2080: 6 p.

[Translation from French: Rapp. P-v. Rèun. Cons. Int. Explor. Mer 175: 80-84 (1979).]

KEYWORDS: Pecten maximus / Chlamys opercularis / Chlamys varia / Atlantic, Eastern / France / Spat collectors / Settlement and metamorphosis / Aquaculture / Juveniles / Mortality / Age/height relation

68

Bull, M.F. 1976.
Aspects of the biology of the New Zealand scallop, Pecten novaezelandiae Reeve 1853, in the Marlborough Sounds. -- Ph.D. thesis. -- Victoria University, Wellington, N.Z. -- 175 p.

KEYWORDS: Pecten novaezelandiae / Pacific, Western / New Zealand / Age/height relation / Age/weight relation / Histology / Economics / Juvenile growth / Tagging / Equipment design / Management / Life history / Adult growth / Recruitment / Behaviour / Aquaculture / Fishery / Taxonomy / Distribution / Habitat / Temperature / Salinity / Predators / Parasites / Fouling organisms / Reproduction / Size frequency / Gametogenesis / Fecundity / Spat collectors / Nursery / Larvae / Settlement and metamorphosis / Mortality

69

Bull, M.F. 1980.
Scallop farming studies. Pp. 16-20 in P. Dinamani and R.W. Hickman (comp.) Proceedings of the Aquaculture Conference. -- Fish. Res. Div. Occas. Publ. (N.Z.) 27: 104 p.

KEYWORDS: Pecten novaezelandiae / Pacific, Western / New Zealand / Spat collectors / Aquaculture / Juveniles / Gonad index / Recruitment

70

Bullis, Jr., H.R., and R. Cummins, Jr. 1961.
An interim report of the Cape Canaveral calico scallop bed. -- Commer. Fish. Rev. 23(10): 8.

KEYWORDS: Argopecten gibbus / Atlantic, Western / Florida / Fishery / Adults

71

Bullis, Jr., H.R., and R.M. Ingle. 1958.
A new fishery for scallops in western Florida. -- Proc. Gulf Caribb. Fish. Inst. 11: 75-78.

KEYWORDS: Argopecten gibbus / Atlantic, Western / Florida / Fishery / Adults

72

Bullis, Jr., H.R., and T.D. Love. 1961.
Application of steaming and vacuum to shucking and cleaning scallops. -- Commer. Fish. Rev. 23(5): 4.

KEYWORDS: Argopecten gibbus / Adults / Fishery

73

Burle, E., and W.W. Kirby-Smith. 1979.
Growth of the bay scallop, Argopecten irradians, fed an artificial diet rich in protein. [Abstract] -- Estuaries 2(3): 206-208.

KEYWORDS: Argopecten irradians / Diet / Equipment design / Juvenile growth / Artificial diet / Biochemical composition

74

Burnell, G.M. 1983.
Growth and reproduction of the scallop, Chlamys varia (L.), on the west coast of Ireland. -- Ph.D. thesis. -- National University of Ireland, Galway, Ireland. -- 295 p.

KEYWORDS: Chlamys varia / Atlantic, Eastern / Ireland / Temperature / Salinity / Reproduction / Gametogenesis / Gonad index / Spat collectors / Behaviour / Spawning / Larvae / Fishery / Distribution / Morphology / Diet / Recruitment / Aquaculture / Hanging culture / Nursery / Phytoplankton / Juvenile growth / Adult growth / Biochemical composition / Settlement and metamorphosis / Production / Bottom culture / Tagging / Habitat

75

Burnell, G.M., and T. Berry. 1981.
The potential of scallop culture in Ireland. -- Aquacul. Tech. Bull. (Ireland) 3: 1-33.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Aquaculture / Economics / Juvenile growth / Hanging culture / Equipment design / Predators / Spat collectors

76

Cabello, G.R., and A.P. Camacho. 1976.
Cultivo de larvas de vieira, Pecten maximus (Linnaeus), en laboratorio. [Cultivation of scallop larvae, Pecten maximus (Linnaeus), in the laboratory.] -- Bol. Inst. Esp. Oceanogr. 223: 1-17.

In Spanish; English abstract.

KEYWORDS: Pecten maximus / Larvae / Diet / Larval growth / Larval development / Mortality / Fecundity

77

Caddy, J.F. 1968.
Underwater observations on scallop (Placopecten magellanicus) behaviour and drag efficiency. -- J. Fish. Res. Board Can. 25(10): 2123-2141.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Gulf of St. Lawrence / Fishery / Adults / Behaviour / Habitat / Sampling / Equipment design / Mortality

78

Caddy, J.F. 1970.
A method of surveying scallop populations from a submersible. -- J. Fish. Res. Board Can. 27: 535-549.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Northumberland Strait / Distribution / Sampling / Adults / Population

79

Caddy, J.F. 1971.
Recent scallop recruitment and apparent reduction in cull size by the Canadian fleet on Georges Bank. -- Int. Comm. Northw. Atl. Fish. Redb. 1971(3): 147-155.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Fishery / Adults / Recruitment / Juveniles / Population

80

Caddy, J.F. 1972.
Size selectivity of the Georges Bank offshore dredge and mortality estimate for scallops from the northern edge of Georges Bank in the period June 1970 to 1971. -- Int. Comm. Northw. Atl. Fish. Redb. 1972(3): 79-86.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Fishery / Adults / Mortality

81

Caddy, J.F. 1972.
Some recommendations for conservation of Georges Bank scallop stocks. -- Int. Comm. Northw. Atl. Fish. Ser. 2689; Res. Doc. 72/6: 7 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Fishery / Adults / Management

82

Caddy, J.F. 1972.
Progressive loss of byssus attachment with size in the sea scallop *Placopecten magellanicus*. -- J. Exp. Mar. Biol. Ecol. 9: 179-190.

KEYWORDS: *Placopecten magellanicus* / Juveniles / Behaviour

83

Caddy, J.F. 1975.
Spatial model for an exploited shellfish population, and its application to the Georges Bank scallop fishery. -- J. Fish. Res. Board Can. 32: 1305-1328.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Fishery / Adults / Distribution / Mortality / Management / Recruitment / Modelling

84
Caddy, J.F. 1977.
The future of the Northumberland Strait scallop fishery. -- Fish. Mar. Serv. (Can.) Fishermen's Info. Bull. 77-5E: 4 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Northumberland Strait / Fishery / Adults

85
Caddy, J.F. 1979.
Long-term trends and evidence for production cycles in the Bay of Fundy scallop fishery. -- Rapp. P-v. Rèun. Cons. Int. Explor. Mer 175: 97-108.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Nova Scotia / Bay of Fundy / Fishery / Adults / Population / Management / Recruitment / Temperature

86
Caddy, J.F., R.A. Chandler, and E.I. Lord. 1970.
Bay of Fundy scallop surveys (1966 and 1967), with observations on the commercial fishery. -- Fish. Res. Board Can. Manuscr. Rep. Ser. 965: 56 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Bay of Fundy / Fishery / Sampling / Population / Adults / Habitat / Age composition / Distribution / Size distribution / Recruitment

87
Caddy, J.F., and E.I. Lord. 1968.
Recent developments in the Georges Bank scallop fishery. -- Int. Comm. Northw. Atl. Fish. Redb. 1968(3): 89-93.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Fishery / Adults

88
Caddy, J.F., and A. Sreedharam. 1971.
The effect of recent recruitment to the Georges Bank scallop fishery on meat sizes landed by the offshore fleet in the summer of 1970. -- Fish. Res. Board Can. Tech. Rep. 256: 36 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Adults / Fishery / Recruitment

89

Cary, S.C. 1982.
Food and feeding strategies in early purple-hinge rock scallops, Hinnites multirugosus (Gale). -- M.Sc. thesis. -- San Diego State University, San Diego, California. -- 100 p.

KEYWORDS: Crassadoma gigantea / Diet / Larval growth / Juvenile growth / Mortality / Aquaculture

90

Cary, S.C., D.L. Leighton, and C.F. Phleger. 1981.
Food and feeding strategies in culture of larval and early juvenile purple-hinge rock scallops, Hinnites multirugosis (Gale). -- J. World Maricul. Soc. 12(1): 156-169.

KEYWORDS: Crassadoma gigantea / Larval development / Phytoplankton / Diet / Larvae / Juveniles / Aquaculture

91

Cary, S.C., C.F. Phleger, and D.L. Leighton. 1982.
Advances in culture of the purple-hinge rock scallop. [Abstract] -- J. Shellfish Res. 2(1): 116-117.

KEYWORDS: Crassadoma gigantea / Aquaculture / Hatchery / Phytoplankton / Diet / Larvae / Juveniles / Toxicity / Mortality

92

Castagna, M. 1975.
Culture of the bay scallop Argopecten irradians, in Virginia. -- Mar. Fish. Rev. 37(1): 19-24.

KEYWORDS: Argopecten irradians / Atlantic, Western / Virginia / Aquaculture / Fishery / Adults / Reproduction / Larval development / Phytoplankton / Disease / Settlement and metamorphosis / Juvenile development / Predators

93

Castagna, M., and W. Duggan. 1971.
Rearing the bay scallop, Aequipecten irradians. -- Proc. Nat. Shellfish. Assoc. 61: 80-85.

KEYWORDS: Argopecten irradians / Atlantic, Western / Virginia / North Carolina / Aquaculture / Hatchery / Spawning / Larval development / Juvenile development / Settlement and metamorphosis / Mortality / Adults

94

Cavanaugh, C. 1977.
Portable scallop hatchery spurs hope for Irish. -- Natl. Fisherman 57(13): 148-149.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Aquaculture / Hatchery / Adults / Reproduction / Spat collectors / Spawning / Larvae / Hatchery

95

Chanley, P. 1972.
Laboratory cultivation of assorted bivalve mollusks. Pp. 297-318 in W.L. Smith and M.H. Chanley (eds.) Culture of marine invertebrate animals. -- Plenum Press, New York.

KEYWORDS: Argopecten irradians / Disease / Aquaculture / Hatchery / Antibiotics / Adults / Settlement and metamorphosis / Spawning / Phytoplankton / Larvae / Larval growth

96

Chew, K.K. 1984.
Recent advances in the cultivation of molluscs in the Pacific United States and Canada. -- Pp. 69-81 in D. E. Morse, K. K. Chew and R. Mann (eds.) Recent innovations in cultivation of Pacific molluscs: proceedings of an international symposium, La Jolla, California, December 1982. Aquaculture 39.

KEYWORDS: Patinopecten yessoensis / Patinopecten caurinus / Chlamys gigantea / Pacific, Eastern / British Columbia / Washington / Aquaculture

97

Chiasson, L.P. 1951.
Scallop investigations and explorations in the southern Gulf of St. Lawrence - 1950. -- Fish. Res. Board Can. Manuscr. Rep. 423: 42 p.

KEYWORDS: Chlamys islandica / Placopecten magellanicus / Atlantic, Western / Gulf of St. Lawrence / Equipment design / Mortality / Fishery / Adults / Management

98

Chipman, W.A., and J.G. Hopkins. 1954.
Water filtration by the bay scallop, Pecten irradians, as observed with the use of radioactive plankton. -- Biol. Bull. (Woods Hole) 107: 80-91.

KEYWORDS: Argopecten irradians / Adults / Behaviour / Feeding / Physiology

99

Choat, J.H. 1960.
Scallop investigation Tasman Bay 1959-60. -- N.Z. Mar. Dept. Fish. Tech. Rep. 2: 51 p.

KEYWORDS: Pecten novaezelandiae / Pacific, Western / New Zealand / Distribution / Habitat / Parasites / Mortality / Fouling organisms / Spawning / Gametogenesis / Juvenile growth / Adult growth / Population / Size distribution / Equipment design / Predators / Recruitment

100

Chouinard, G.A. 1984.
Growth of the sea scallop (Placopecten magellanicus) on the Tormentine Bed, Northumberland Strait. -- CAFSAC Res. Doc. 84/61: 16 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Northumberland Strait / Adults / Size distribution / Distribution / Temperature / Population

101

Clark II, G.R. 1971.
The influence of water temperature on the morphology of Leptopecten latiauratus (Conrad 1837). -- Veliger 13 (3): 269-272.

KEYWORDS: Leptopecten latiauratus / Pacific, Eastern / California / Temperature / Morphology / Adults

102

Clark II, G.R. 1974.
Calcification on an unstable substrate : marginal growth in the mollusk Pecten diegensis. -- Science 183: 938-970.

KEYWORDS: Pecten diegensis / Shell morphology / Adults / Physiology

103

Clark II, G.R. 1976.
Shell convexity in Argopecten gibbus: variation with depth in Harrington Sound, Bermuda. -- Bull. Mar. Sci. 6(4): 605-610.

KEYWORDS: Argopecten gibbus / Atlantic, Western / Bermuda / Population / Habitat / Juveniles / Adults / Shell morphology

104

Clarke, A.H., Jr., D.J. Stanley, J.C. Medcof, and R.E. Drinnan. 1967.
Ancient oyster and bay scallop shells from Sable Island. -- Nature 125(5106): 1146-1148.

KEYWORDS: Argopecten irradians / Atlantic, Western / Sable Island / Adults / Distribution / Paleontology

105

Comely, C.A. 1972.
Larval culture of the scallop Pecten maximus (L.). -- J. Cons. Int. Explor. Mer 34(3): 365-378.

KEYWORDS: Pecten maximus / Larval development / Spawning / Mortality / Diet / Juvenile development / Hatchery / Aquaculture

106

Comely, C.A. 1974.
Seasonal variations in the flesh weights and biochemical content of the scallop Pecten maximus L. in the Clyde Sea area. -- J. Cons. Int. Explor. Mer 35(3): 281-295.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Population / Morphology / Biochemical composition / Adult growth / Energetics / Production

107

Conan, G., and M.S. Shafee. 1978.
Growth and biannual recruitment of the black scallop Chlamys varia (L.) in Lanveoc area, Bay of Brest. -- J. Exp. Mar. Biol. Ecol. 35: 59-71.

KEYWORDS: Chlamys varia / Atlantic, Eastern / France / Distribution / Tagging / Size distribution / Juvenile growth / Adult growth / Hanging culture / Age composition / Recruitment

108

Cooke, C.A. 1986.
Embryogenesis and morphology of larval structures in Chlamys hastata, with an examination of the effect of temperature on larval development and factors affecting settlement and metamorphosis. -- M.Sc. thesis. -- University of Victoria, Victoria, British Columbia. -- 143 p.

KEYWORDS: Chlamys hastata / Embryonic development / Larval development / Shell morphology / Hinge morphology / Larval growth / Settlement and metamorphosis / Spawning / Mortality / L-Dopa / GABA / Temperature

109

Cooper, K.R., and W. Durfee. 1982.
A one-year disease survey of four commercially important, Rhode Island bivalve mollusks: Mya arenaria, Argopecten irradians irradians, Crassostrea virginica, and Mercenaria mercenaria. [Abstract] -- J. Shellfish Res. 2(1): 93.

KEYWORDS: Argopecten irradians / Atlantic, Western / Rhode Island / Parasites / Disease / Adults

110

Cooper, R.A., and N. Marshall. 1963.
Condition of the bay scallop, *Aequipecten irradians*, in relation to age and the environment. -- Chesapeake Sci. 4(3): 126-134.

KEYWORDS: *Aequipecten irradians* / Atlantic, Western / Connecticut / Adults / Age composition / Habitat / Fecundity / Reproduction

111

Costello, T.J., J.H. Hudson, J.L. Dupuy, and S. Rivkin. 1973.
Larval culture of the calico scallop, *Argopecten gibbus*. -- Proc. Natl. Shellfish. Assoc. 63: 72-76.

KEYWORDS: *Argopecten gibbus* / Hatchery / Larval development / Spawning / Larvae

112

Couturier, C.Y. 1986.
Aspects of reproduction and larval production in *Placopecten magellanicus* held in a semi-natural environment. -- M.Sc. thesis. -- Dalhousie University, Halifax, Nova Scotia. -- 108 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Nova Scotia / Energetics / Hanging culture / Histology / Reproduction / Larval growth / Production / Aquaculture / Juveniles / Gametogenesis / Adults / Biochemical composition / Spawning

113

Cox, R.K. 1977.
Some effects of copper, zinc and boron on the spiny scallop. *Chlamys hastata hericia*. -- M.Sc. thesis. -- University of Victoria, Victoria, British Columbia. -- 165 p.

KEYWORDS: *Chlamys hastata* / Adults / Toxicity / Heavy Metals / Mortality

114

Cragg, S.M. 1980.
Swimming behaviour of the larvae of *Pecten maximus* (L.) (Bivalvia). -- J. Mar. Biol. Assoc. U.K. 60: 551-564.

KEYWORDS: *Pecten maximus* / Embryos / Larvae / Behaviour

115

Culliney, J.L. 1974.
Larval development of the giant scallop *Placopecten magellanicus*. -- Biol. Bull. (Woods Hole) 147: 321-332.

KEYWORDS: *Placopecten magellanicus* / Larval development / Settlement and metamorphosis / Salinity / Spawning / Temperature

116

Cummins, Jr., R. 1971.
Calico scallops of the southeastern United States, 1959-1969. -- NOAA Tech. Rep. NMFS SSRF 637: 22 p.

KEYWORDS: *Argopecten gibbus* / Atlantic, Western / North Carolina / Florida / Fishery / Adults / Population / Parasites

117

D'Amours, D., and S. Pilote. 1982.
Donnèes biologiques sur le pètoncle d'Islande (*Chlamys islandica*) et le pètoncle gèant (*Placopecten magellanicus*) del la basse-coTe-nord du Quèbec (secteur de la Tabatière). [On the biology of the Iceland scallop (*Chlamys islandica*) and the giant scallop (*Placopecten magellanicus*) along the lower north shore of Quebec (La Tabatière).] -- Que. Minist. Agric. Pèches Aliment. Dir. Gen. Pech. Marit. Cah. Info. 99: 48 p.

In French; English abstract.

KEYWORDS: *Chlamys islandica* / *Placopecten magellanicus* / Atlantic, Western / Quebec / Habitat / Population / Distribution / Age/length relation / Fishery / Size distribution / Age composition / Adults / Recruitment / Adult growth / Length/weight relation

118

Dao, J.C., and H. Didou. 1984.
Experiments in scallop restocking. -- Can. Transl. Fish. Aquat. Sci. 5076: 6 p.

[Translation from French: Les essais de repeuplement en coquille Saint-Jacques. Prèsentè à un colloque, Brest, France, 2-7 November 1982: 6 p.]

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / France / Spat collectors / Juveniles / Aquaculture / Predators / Hanging culture / Nursery / Adults / Recruitment / Bottom culture

119

Dautov, S.Sh., and A.A. Karpenko. 1983.
Behaviour and mechanisms of locomotion of two species of scallops from the Sea of Japan. -- Sov. J. Mar. Biol. 9(5): 271-275.

KEYWORDS: *Patinopecten yessoensis* / *Swiftopecten swifti* / Behaviour / Adults / Predators / Morphology

120

Davenport, J., Ll.D. Gruffydd, and A.R. Beaumont. 1975.
An apparatus to supply water of fluctuating salinity and its use in a study of the salinity tolerances of larvae of the scallop _Pecten maximus_ L. -- J. Mar. Biol. Assoc. U.K. 55: 391-409.

KEYWORDS: _Pecten maximus_ / Salinity / Equipment design / Mortality / Larvae

121

Davies, I.M., J.C. McKie, and J.D. Paul. 1986.
Accumulation of tin and tributyltin from anti-fouling paint by cultivated scallops (_Pecten maximus_) and Pacific oysters (_Crassostrea gigas_). -- Aquaculture 55: 103-114.

KEYWORDS: _Pecten maximus_ / Atlantic, Eastern / Great Britain / Toxicity / Juveniles / Adults / Hanging culture

122

Davies, I.M., and J.D. Paul. 1986.
Accumulation of copper and nickel from anti-fouling compounds during cultivation of scallops (_Pecten maximus_ L.) and Pacific oysters (_Crassostrea gigas_ Thun.). -- Aquaculture 55: 93-102.

KEYWORDS: _Pecten maximus_ / Atlantic, Eastern / Great Britain / Toxicity / Adults / Hanging culture / Juveniles

123

Davis, L., and N. Marshall. 1961.
The feeding of the bay scallop, _Aequipecten irradians_. -- Proc. Natl. Shellfish Assoc. 52: 25-29.

KEYWORDS: _Aequipecten irradians_ / Atlantic, Western / Connecticut / Rhode Island / Adults / Behaviour / Feeding / Diet

124

de Zwann, A., R.J. Thompson, and D.R. Livingstone. 1980.
Physiological and biochemical aspects of the valve snap and valve closure responses in the giant scallop _Placopecten magellanicus_ : II. Biochemistry. -- J. Comp. Physiol. 137: 105-114.

KEYWORDS: _Placopecten magellanicus_ / Physiology / Behaviour / Energetics / Adults

125

Deguchi, Y., T. Kobashi, N. Masahiko, S. Ninomiya, and I. Densaburd. 1975.

On rearing of the scallop, *Patinopecten* (*Mizuhopecten*) *yessoensis*, in Tanoura Bay. -- Bull. Coll. Agri. Vet. Med. Nihon Univ. 33: 429-438.

In Japanese; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Adult growth / Mortality / Aquaculture

126

Dickie, L.M. 1953.

Fluctuations in abundance of the giant scallop *Placopecten magellanicus* (Gmelin), in the Digby area of the Bay of Fundy. -- Fish. Res. Board Can. Manuscr. Rep. Biol. Stn. 526: 148 p.

Ph.D. thesis - University of Toronto.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Bay of Fundy / Distribution / Fishery / Population / Size distribution / Temperature / Equipment design / Larval development / Recruitment

127

Dickie, L.M. 1955.

Fluctuations in abundance of the giant scallop, *Placopecten magellanicus* (Gmelin), in the Digby area of the Bay of Fundy. -- J. Fish Res. Board Can. 12(6): 797-857.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Bay of Fundy / Fishery / Adults / Population / Mortality / Size distribution / Age composition / Temperature / Height/weight relation / Tagging / Recruitment

128

Dickie, L.M. 1958.

Effects of high temperature on survival of the giant scallop. -- J. Fish. Res. Board Can. 15(6): 1189-1211.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Gulf of St. Lawrence / Bay of Fundy / Temperature / Adults / Mortality / Behaviour

129

Dickie, L.M., and L.P. Chiasson. 1955.

Offshore and Newfoundland scallop explorations. -- Fish. Res. Board Can. Biol. Stn. St. Andrews Gen. Ser. Circ. 25: 1-4.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Newfoundland / Nova Scotia / Fishery / Adults / Population / Distribution

130

Dickie, L.M., and J.C. Medcof. 1956.
Environment and the scallop fishery. -- Can. Fisherman 43(9): 7-9.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Bay of Fundy / Fishery / Spawning / Larval development / Settlement and metamorphosis / Adult growth / Larvae / Life history / Adults / Mortality

131

Dickie, L.M., and J.C. Medcof. 1963.
Causes of mass mortalities of scallops (*Placopecten magellanicus*) in the southwestern Gulf of St. Lawrence. -- J. Fish. Res. Board Can. 20(2): 451-482.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Gulf of St. Lawrence / Adults / Mortality / Temperature / Predators / Disease

132

Dillon, J.F., and G.R. Clark II. 1980.
Growth-line analysis as a test for contemporaneity in populations. Pp. 395-415 in D.C. Rhoads and R.A. Lutz (eds.) Skeletal Growth of Aquatic organisms. -- Plenum Publishing Corporation, New York.

KEYWORDS: *Pecten maximus* / Population / Shell morphology / Adult growth

133

Dionne, S., A. Fedoruk, and B. Kingzett. 1986.
A preliminary investigation into the suitability of rock and pink scallops to earhanging culture. -- [Unpublished.] -- Western Canadian Universities Marine Biological Station, Bamfield, British Columbia. -- 40 p.

KEYWORDS: *Chlamys hastata* / *Chlamys gigantea* / Pacific, Eastern / British Columbia / Hanging culture / Spat collectors / Juveniles / Aquaculture / Equipment design / Predators

134

Disalvo, L.H., E. Alarcon, E. Martinez, and E. Uribe. 1984.
Progress in mass culture of *Chlamys* (*Argopecten*) *purpurata* Lamark (1819) with notes on its natural history. -- Rev. Chil. Hist. Natur. 57: 35-45.

KEYWORDS: *Chlamys purpurata* / Pacific, Eastern / Chile / Larval development / Larval growth / Life history / Aquaculture / Hatchery / Hanging culture / Distribution / Temperature / Settlement and metamorphosis / Habitat / Mortality / Reproduction / Juvenile growth / Adults / Predators / Spawning / Nursery

135

Dix, T.G. 1976.
Larval development of the queen scallop, _Equiclamys_ _bifrons_. -- Aust. J. Mar. Freshwater Res. 27: 399-403.

KEYWORDS: _Equichlamys_ _bifrons_ / Pacific, Western / Australia / Larval development / Life history

136

Dix, T.G. 1981.
Preliminary experiments in commercial scallop (_Pecten_ _meridionalis_) culture in Tasmania. -- Tasmanian Fish. Res. 24: 18-24.

KEYWORDS: _Pecten_ _meridionalis_ / Pacific, Western / Tasmania / Spat collectors / Hanging culture / Nursery / Juveniles / Aquaculture / Hatchery

137

Dix, T.G., and M.J. Sjardin. 1975.
Larvae of the commercial scallop _Pecten_ _meridionalis_ from Tasmania, Australia. -- Aust. J. Mar. Freshwater Res. 26: 109-112.

KEYWORDS: _Pecten_ _meridionalis_ / Pacific, Western / Australia / Larval development / Life history

138

Doherty, R.M., G.P. Draheim, D.J. White, and C.L. Vaughn. 1963.
Sea scallop industry of Canada. -- Comm. Fish. Rev. 25(7): 11-16.

KEYWORDS: _Placopecten_ _magellanicus_ / Atlantic, Western / Nova Scotia / Georges Bank / Fishery / Management / Economics / Adults

139

Dow, R.L. 1956.
The Maine sea scallop fishery. -- Maine Dept. Sea Shore Fish. Fish. Circ. 19: 8 p.

KEYWORDS: _Placopecten_ _magellanicus_ / Atlantic, Western / Adults / Fishery / Distribution

140

Dow, R.L. 1962.
A method of predicting fluctuations in the sea scallop populations of Maine. -- Comm. Fish. Rev. 24(10): 4 p.

KEYWORDS: _Placopecten_ _magellanicus_ / Atlantic, Western / Maine / Population / Fishery / Temperature / Adults / Recruitment

141

Dow, R.L., and F.T. Baird, Jr. 1960.
Scallop resource of the United States Passamaquoddy area. -- U.S. Fish. Wildl. Serv. Spec. Sci. Rep. Fish. 367: 9 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Maine / Fishery / Spawning / Population / Juveniles / Habitat / Adults / Larvae

142

Dredge, M. 1980.
Scallops a bonus in southern Queensland. -- Aust. Fish. 39(4): 5-7.

KEYWORDS: Amusium balloti / Pacific, Western / Australia / Fishery / Equipment design / Adults / Management

143

Drew, G.A. 1906.
The habits, anatomy, and embryology of the giant scallop, (Pecten tenuicostatus, Mighels). -- Univ. Maine Stud. 6: 71p.

KEYWORDS: Placopecten magellanicus / Adults / Life history / Larval development / Embryonic development / Morphology / Distribution / Habitat / Behaviour

144

Drew, G.A. 1907.
The circulatory and nervous systems of the giant scallop (Pecten tenuicostatus, Mighels), with remarks on the possible ancestry of the Lamellibranchiata, and on a method for making series of anatomical drawings. -- Biol. Bull. (Woods Hole) 12(4): 225-259.

KEYWORDS: Placopecten magellanicus / Adults / Morphology

145

Drinkwater, J. 1981.
Cultivation of bivalve molluscs in Scotland. -- Scott. Fish. Bull. 46: 16-20.

KEYWORDS: Pecten maximus / Chlamys opercularis / Atlantic, Eastern / Great Britain / Aquaculture / Adults / Bottom culture / Spat collectors

146

Duggan, W.P. 1973.
Growth and survival of the bay scallop, Argopecten irradians, at various locations in the water column and at various densities. -- Proc. Nat. Shellfish. Assoc. 63: 68-71.

KEYWORDS: Argopecten irradians / Juvenile growth / Mortality / Aquaculture

147

Duggan, W.P. 1975.
Reactions of the bay scallop, Argopecten irradians, to gradual reductions in salinity. -- Chesapeake Sci. 16(4): 284-286.

KEYWORDS: Argopecten irradians / Salinity / Behaviour / Adults

148

Dupouy, H. 1983.
La pectiniculture à Saint-Pierre et Miquelon. [Scallop culture in Saint-Pierre and Miquelon.] -- Sci. Pèche Bull. Inst. Pèches Marit. 337: 17-29.

In French.

KEYWORDS: Placopecten magellanicus / Atlantic, Eastern / France / Adults / Temperature / Juveniles / Aquaculture / Spat collectors / Size distribution / Recruitment / Hanging culture

149

Dupouy, H. 1983.
Dilan et perspectives de la pèche et de la culture des Pectinides (coquilles Saint-Jacques et petoncles) dans le monde. [Present state and prospects of Pectinidae fishery and culture (common and variegated scallops) in the world.] -- Pèche Marit. 62(1269): 704-712.

In French.

KEYWORDS: Patinopecten caurinus / Patinopecten yessoensis / Chlamys purpuratus / Chlamys novaezelandiae / Chlamys islandica / Chlamys opercularis / Chlamys tehuelchus / Pecten maximus / Pecten meridionalis / Placopecten magellanicus / Argopecten gibbus / Argopecten irradians / Fishery / Adults / Distribution

150

Dupouy, H., G. De Kergariou, and D. Latrouite. 1983.
L'exploitation de la coquille Saint-Jacques Pecten maximus (L.) en France. 2. Evaluation et gestion du stock de la baie de Saint-Brieuc. [The exploitation of the scallop Pecten maximus (L.) in France. 2. Estimation and management of the stock in the Bay of Saint-Brieuc.] -- Sci. Pèche 331: 5-11.

In French.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Fishery / Management / Adults / Population

151

Eckman, J.E. 1987.
The role of hydrodynamics in recruitment, growth, and survival of *Argopecten irradians* (L.) and *Anomia simplex* (D'Orbigny) within eelgrass meadows. -- J. Exp. Mar. Biol. Ecol. 106: 165-191

KEYWORDS: *Argopecten irradians* / Atlantic, Western / New York / Juveniles / Recruitment / Behaviour / Juvenile growth / Mortality / Habitat / Water currents

152

Eggleston, D. 1961.
Spat of the scallop (*Pecten maximus* (L.)) from off Port Erin, Isle of Man. -- Rep. Mar. Biol. Stn. Port Erin 74: 29-32.

KEYWORDS: *Pecten maximus* / *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Juvenile development / Settlement and metamorphosis / Recruitment / Spat collectors

153

Elner, R.W., and G.S. Jamieson. 1979.
Predation of sea scallops, *Placopecten magellanicus*, by the rock crab, *Cancer irroratus*, and the American lobster, *Homarus americanus*. -- J. Fish. Res. Board Can. 36(5): 537-543.

KEYWORDS: *Placopecten magellanicus* / Predators / Mortality / Adults / Juveniles

154

Epifanio, C.E. 1976.
Shell deformity among scallops (*Argopecten irradians* Lamark) cultured in a recirculating seawater system. -- Aquaculture 9: 81-85.

KEYWORDS: *Argopecten irradians* / Aquaculture / Equipment design / Juveniles / Shell morphology

155

Evans, J.W. 1964.
Borers in the shell of the sea scallop, *Placopecten magellanicus*. -- Am. Zool. 9: 775-782.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Newfoundland / Predators / Temperature / Shell morphology / Adults / Fouling organisms

156

Farlinger, S., and K.T. Bates. 1985.
Review of shellfish fisheries in northern British Columbia to 1984. -- Can. Manuscr. Rep. Fish. Aquat. Sci. 1841: 35 p.

KEYWORDS: *Chlamys hastata* / *Chlamys rubida* / *Chlamys gigantea* / *Patinopecten caurinus* / Pacific, Eastern / British Columbia / Fishery / Adults / Management

157

Fatton, E., and M. Bongrain. 1980.
Stades juvèniles de coquilles de *pectinidès* (Bivalves): observations au microscope èlectronique à balayage. [Study of valves of juvenile scallops (Bivalves): Observations with a scanning electron microscope.] -- Bull. Mus. Natl. Hist. Nat. (Paris) 4 ser. sect. C: Sci. Terre Paleontol. Geol. Mineral. 2 (4): 291-319.

In French; English abstract.

KEYWORDS: *Pecten subarcuatus* / *Chlamys multistriata* / *Chlamys radians* / *Chlamys assimilata* / *Chlamys albina* / Larvae / Juveniles / Shell morphology / Paleontology

158

Felix Pico, E., H.R. Morales, A.M. Cota, C.J. Singh, and H.J. Werdugo. 1980.
[Preliminary culture of *Argopecten circularis* in La Paz Bay, Mexico.] -- Mem. 2nd Latin Amer. Symp. Aquacult. 1: 823-844.

In Spanish.

KEYWORDS: *Argopecten circularis* / Pacific, Eastern / Mexico / Aquaculture / Economics / Spat collectors / Hanging culture / Juvenile growth / Juveniles

159

Fleming, C.A. 1957.
The genus *Pecten* in New Zealand. -- N.Z. Geol. Surv. Paleon. Bull. 26: 5-69.

KEYWORDS: *Pecten jacobaeus* / *Pecten benedictus* / Pacific, Western / New Zealand / Distribution / Adults / Paleontology / Taxonomy

160

Fleming, C.A. 1962.
On the Hawaiian scallops of the genus Pecten Muller (Pelecypoda). -- Pac. Sci. 16(2): 181-185.

KEYWORDS: *Pecten jacobaeus* / *Pecten diomedeus* / Pacific, Central / Hawaii / Taxonomy / Paleontology / Adults

161

Foltz, D.W., and E. Zouros. 1984.
Enzyme heterozygosity in the scallop *Placopecten magellanicus* (Gmelin) in relation to age and size. -- Mar. Biol. Lett. 5: 255-263.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Nova Scotia / Adults / Genetics

162

Forester, A.J. 1979.
The association between the sponge *Halichondria panicea* (Pallas) and scallop *Chlamys varia* (L.): a commensal-protective mutualism. -- J. Exp. Mar. Biol. Ecol. 36: 1-10.

KEYWORDS: *Chlamys varia* / Atlantic, Eastern / Great Britain / Adults / Behaviour / Predators / Fouling organisms

163

Frair, W. 1961.
Abstracts of recent unpublished research. Serological studies of scallop blood. --Serol. Mus. Bull. 28: 8.

KEYWORDS: *Placopecten magellanicus* / Adults / Physiology

164

Franklin, A., G.D. Pickett, and P.M. Connor. 1980.
The scallop and its fishery in England and Wales. -- Gt. Britain Dir. Fish. Res. Lab. Leafl. (Lowestoft) 51: 19 p.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Life history / Recruitment / Mortality / Predators / Fishery / Spat collectors / Distribution / Juvenile growth / Adult growth / Equipment design / Aquaculture / Age/length relation / Length/height relation

165

Franklin, A., G.D. Pickett, N.A. Holme, and R.L. Barrett. 1980.
Surveying stocks of scallops (*Pecten maximus*) and queens (*Chlamys opercularis*) with underwater television. -- J. Mar. Biol. Assoc. U.K. 60: 181-191.

KEYWORDS: *Pecten maximus* / *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Population / Distribution / Adults / Mortality / Fishery

166

Fraser, D.I. 1983.
Observations on the settlement of Pectinid spat off the west coast of Scotland in 1982. -- Int. Counc. Explor. Sea C.M. 1983/K:40: 12 p.

KEYWORDS: *Pecten maximus* / *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Juveniles / Spat collectors / Equipment design / Aquaculture

167

Fritz, L.W., and D.S. Haven. 1981.
An investigation of sea scallops (*Placopecten magellanicus*) of the mid-Atlantic from commercial samples in 1979. [Abstract] -- J. Shellfish Res. 1(1): 114.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / North Carolina / New Jersey / Long Island / Population / Distribution / Adults / Juveniles / Size distribution / Age composition

168

Fuji, A. 1977.
Energy budget of the cultured scallop. -- Proc. Jpn.-Sov. Jt. Symp. Aquacul., 5(1976): 103-116.

In Japanese; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Adults / Energetics / Physiology / Respiration / Population / Production

169

Fuji, A., and M. Hashizume. 1974.
Energy budget for a Japanese common scallop, *Patinopecten yessoensis* (Jay), in Mutsu Bay. -- Bull. Fac. Fish. Hokkaido Univ. 25(1): 7-19.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Energetics / Juvenile growth / Adult growth / Diet / Production / Respiration / Population / Physiology

170

Fullarton, J.H. 1889.
On the development of the common scallop (*Pecten opercularis*, L.). -- Fish. Board Scotl. Annu. Rep. 8: 290-299.

KEYWORDS: *Chlamys opercularis* / Adults / Life history / Hermaphroditism / Morphology / Gametogenesis / Reproduction / Embryonic development / Larval development

171

Gagayev, D.D., and C.A. Kalashnikova. 1980.
Rearing of *Patinopecten yessoensis* larvae up to settling stage. -- Biol. Morya (Vladivostok) 1980(5): 85-87.

In Russian; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / USSR / Spat collectors / Larvae / Juveniles / Nursery / Aquaculture / Hatchery

172

Gibbons, M.C., and M. Castagna. 1984.
Serotonin as an inducer of spawning in six bivalve species. -- Aquaculture 40: 189-191.

KEYWORDS: *Argopecten irradians* / Adults / Spawning / Serotonin

173

Gibson, F.A. 1953.
Tagging of escallops (*Pecten maximus* L.) in Ireland. -- J. Cons. Int. Explor. Mer 21(2): 204-208.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Ireland / Tagging / Adults / Distribution / Population

174

Gibson, F.A. 1956.
Escallops (Pecten maximus L.) in Irish waters. -- Sci. Proc. R. Dublin Soc. 27: 253-270.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Fishery / Size distribution / Spawning / Adult growth / Mortality / Tagging / Population

175

Gibson, F.A. 1957.
Escallop fishing around Ireland. -- Ireland Dept. Lands Rep. Sea Inland Fish. (1957): 3-8.

KEYWORDS: Atlantic, Eastern / Ireland / Fishery / Distribution / Adults / Behaviour / Management

176

Gibson, F.A. 1959.
Notes on the escallop (Pecten maximus L.) in three closely associated bays in the west of Ireland. -- J. Cons. Int. Explor. Mer 24(2): 366-371.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Fishery / Size distribution / Population / Reproduction / Adults

177

Gilmour, T.H.J. 1964.
The structure, ciliation and function of the lip-apparatus of Lima and Pecten (Lamellibranchia). -- J. Mar. Biol. Assoc. U.K. 44: 485-498.

KEYWORDS: Pecten maximus / Physiology / Morphology / Adults

178

Glude, J.B., and K.K. Chew. 1982.
Shellfish aquaculture in the Pacific Northwest. Pp. 291-304 in B.R. Melteff and R.A. Neve (eds.). Proceedings of the North Pacific Aquaculture Symposium. -- Alaska Sea Grant Rep. 82-2.

KEYWORDS: Patinopecten caurinus / Chlamys gigantea / Pacific, Eastern / Washington / Aquaculture / Fishery / Adults

179

Gould, E. 1983.
Seasonal biochemical patterns for a single population of sea scallops, Placopecten magellanicus, and their use in interpretting field data. -- Int. Counc. Explor. Sea C.M. 1983/E:57: 17 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Maine / New Hampshire / Massachusetts / Rhode Island / New Jersey / Delaware / Virginia / Maryland / Adults / Energetics / Population / Biochemical composition / Mortality / Management / Production / Distribution

180

Graham, R. 1984.
Bay scallop mariculture. -- Underwat. Naturalist 14(4) 14-17.

KEYWORDS: *Argopecten irradians* / Aquaculture / Adults / Fecundity / Equipment design / Reproduction / Nursery / Hanging culture / Juveniles

181

Grau, G. 1959.
Pectinidae of the eastern Pacific. -- Allan Hancock Pac. Exped. 23: 308 p.

KEYWORDS: Pectinidae / *Chlamys gigantea* / *Chlamys hastata* / *Chlamys rubida* / *Patinopecten caurinus* / Pacific, Eastern / British Columbia / Oregon / Washington / California / Alaska / Taxonomy / Distribution / Habitat / Adults / Morphology

182

Greve, L., and T.J. Samuelsen. 1970.
A population of *Chlamys islandica* (O.F. Müller) found in western Norway. -- Sarsia 45: 17-24.

KEYWORDS: *Chlamys islandica* / Atlantic, Eastern / Norway / Population / Distribution / Habitat / Size distribution / Length/height relation / Adults

183

Griffith, D.G. 1981.
Mullroy Bay scallop research 1980. -- Ireland (Eire) Dept. Fish. For. Fish. Leafl. 106: 18 p.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Ireland / Population / Adults / Spat collectors / Temperature / Water currents / Salinity / Habitat / Fouling organisms / Juvenile growth / Distribution / Age composition / Height/weight relation

184

Gruffydd, Ll.D. 1972.
Mortality of scallops on a Manx scallop bed due to fishing. -- J. Mar. Biol. Assoc. U.K. 52: 449-455.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Mortality / Fishery / Tagging / Equipment design / Adults

185

Gruffydd, Ll.D. 1974.
The influence of certain environmental factors on the maximum length of the scallop, *Pecten maximus*. -- J. Cons. Int. Explor. Mer 35(3): 300-302.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Population / Adults / Habitat / Adult growth

186
Gruffydd, Ll.D. 1974.
An estimate of natural mortality in an unfished population of the scallop Pecten maximus (L.). -- J. Cons. Int. Explor. Mer 35(2): 209-210.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Mortality / Population / Adults / Age composition

187
Gruffydd, Ll.D. 1975.
The development of the larvae of Chlamys islandica in the plankton and its salinity tolerance in the laboratory (Lamellibranchia, Pectinidae). -- Astarte 8: 61-67.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Settlement and metamorphosis / Salinity / Mortality / Behaviour / Larval development

188
Gruffydd, Ll.D. 1976.
Swimming in Chlamys islandica in relation to current speed and an investigation of hydrodynamic lift in this and other scallops. -- Norw. J. Zool. 24: 365-378.

KEYWORDS: Chlamys islandica / Pecten maximus / Chlamys opercularis / Placopecten magellanicus / Adults / Behaviour / Juveniles

189
Gruffydd, Ll.D. 1978.
The byssus and byssus glands in Chlamys islandica and other scallops (Lamellibranchia). -- Zool. Scr. 7(4): 277-285.

KEYWORDS: Chlamys islandica / Morphology / Histology / Adults

190
Gruffydd, Ll.D. 1981.
Observations on the rate of production of external ridges on the shell of Pecten maximus in the laboratory. -- J. Mar. Biol. Assoc. U.K. 61: 401-411.

KEYWORDS: Pecten maximus / Shell morphology / Juveniles / Temperature / Adult growth

191
Gruffydd, Ll.D., and A.R. Beaumont. 1970.
Determination of the optimum concentration of eggs and spermatozoa for the production of normal larvae in Pecten maximus (Mollusca, Lamellibranchia). -- Helgol. Wiss. Meeresunters. 20: 486-497.

KEYWORDS: Pecten maximus / Spawning / Larval development / Reproduction

192
Gruffydd, Ll.D., and A.R. Beaumont. 1972.
A method for rearing Pecten maximus larvae in the laboratory. -- Mar. Biol. 15: 350-355.

KEYWORDS: Pecten maximus / Spawning / Larval development / Hatchery / Diet / Juvenile development

193
Gruffydd, Ll.D., A. Budiman, and J.A. Nott. 1979.
The ultrastructure of the byssus and byssus glands in Chlamys varia L. (Lamellibranchia). -- J. Mar. Biol. Assoc. U.K. 59: 597-603.

KEYWORDS: Chlamys varia / Histology / Adults / Morphology

194
Gruffydd, Ll.D., D.J.W. Lane, and A.R. Beaumont. 1975.
The glands of the larval foot in Pecten maximus L. and possible homologues in other bivalves. -- J. Mar. Biol. Assoc. U.K. 55: 463-476.

KEYWORDS: Pecten maximus / Histology / Larvae / Behaviour / Morphology

195
Guida, G.M., Yu.E. Bregman, L.G. Makarova, and G.I. Viktorovskaya. 1986.
Production of viable spat of the Japanese scallop Mizuhopecten yessoensis in the laboratory. -- Biol. Morya (Vladivostok) 1986(1): 64-67.

In Russian; English abstract.

KEYWORDS: Patinopecten yessoensis / Diet / Larval growth / Juvenile growth

196
Gulka, G., and P.W. Chang. 1984.
Pathogenicity and infectivity of a rickettsia-like organisim in the sea scallop, Placopecten magellanicus. -- J. Fish. Dis. 8: 309-318.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Rhode Island / Georges Bank / Adults / Histology / Mortality / Disease / Behaviour / Parasites

197
Gulka, G., P.W. Chang, and K.A. Marti. 1983.
Prokaryotic infection associated with a mass mortality of the sea scallop, Placopecten magellanicus. -- J. Fish. Dis. 6: 355-364.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Rhode Island / Disease / Mortality / Histology / Adults

198

Gutsell, J.S. 1931.
Natural history of the bay scallop. -- Bull. Bur. Fish. (U.S.) 46(193): 569-632.

KEYWORDS: *Argopecten gibbus* / Atlantic, Western / North Carolina / Economics / Taxonomy / Reproduction / Larval development / Juvenile development / Life history / Adults / Habitat / Predators / Disease / Morphology / Spawning

199

Hamilton, L.D. 1981.
Scallops: potential for mariculture in British Columbia. -- B.C. Minist. Environ. Mar. Resour. Br. Info. Rep. 3: 18 p.

KEYWORDS: *Patinopecten caurinus* / *Chlamys gigantea* / Pacific, Eastern / British Columbia / Adults / Economics / Equipment design / Aquaculture / Distribution / Larval development / Fishery / Predators

200

Hammarstrom, L.F., and M.F. Merritt. 1985.
A survey of Pacific weathervane scallops (*Pecten caurinus*) in Kamishak Bay, Alaska. -- Alaska Dept. Fish and Game Info. Leafl. 252: 23p.

KEYWORDS: *Patinopecten caurinus* / Pacific, Eastern / Alaska / Adults / Population / Distribution / Juveniles / Adult growth / Age composition / Age/height relation / Height/weight relation

201

Hayakawa, Y., S. Nishiyama, and T. Hondo. 1987.
The production of scallop seed. -- Can. Transl. Fish. Aquat. Sci. 5291: 14 p.

[Translation from Japanese: Aomori-ken Suisan Zoshoku Kenkyusho Jigyo Gaiyo [Bull. Aomori Prefectural Aquacul. Inst.]: 1969: 275-282.]

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Adults / Spawning / Aquaculture / Juveniles / Spat collectors / Nursery

202

Hayakawa, Y., S. Nishiyama, and T. Hondo. 1987.
The production of scallop seed in 1970. -- Can. Transl. Fish. Aquat. Sci. 5292: 6 p.

[Translation from Japanese: Aomori-ken Suisan Zoshuku Kenkyusho Jigyo Gaiyo 3: 5-7 (1974).]

KEYWORDS: *Patinopecten yessoensis* / Aquaculture / Spawning / Larval development / Juveniles / Hatchery / Nursery

203

Hayakawa, Y., S. Nishiyama, and T. Hondo. 1987.
The production of scallop seed in 1971. -- Can. Transl. Fish. Aquat. Sci. No. 5293: 11 p.

[Translation from Japanese: Aomori-ken Suisan Zoshuku Kenkyusho Jigyo Gaiyo 3: 8-13 (1974).]

KEYWORDS: Patinopecten yessoensis / Aquaculture / Spawning / Larvae / Diet / Hatchery

204

Hayashi, T., K. Tomita, T. Wakui, H. Ito, and M. Matsuya. 1976.
[Propagation of scallop by transplantation of seed in the Okhotsk sea coast of northern Hokkaido.] -- J. Hokkaido Fish. Exp. Stn. 33(9): 1-16.

In Japanese

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Aquaculture / Nursery / Juveniles / Bottom culture

205

Haynes, E. 1970.
Age and growth of giant Pacific sea scallops in the Gulf of Alaska. [Abstract] -- Proc. Natl. Shellfish. Assoc. 60: 14.

KEYWORDS: Patinopecten caurinus / Gulf of Alaska / Adult growth / Population / Size distribution

206

Haynes, E.B. 1966.
Length-weight relation of the sea scallop, Placopecten magellanicus (Gmelin). -- Int. Comm. Northw. Atl. Fish. Res. Bull. 3: 32-48.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Maine / Adults / Length/weight relation / Distribution / Fishery / Population

207

Haynes, E.B., and C.R. Hitz. 1971.
Age and growth of the giant Pacific sea scallop, Patinopecten caurinus, from the Strait of Georgia and outer Washington coast. -- J. Fish. Res. Board Can. 28: 1335-1341.

KEYWORDS: Patinopecten caurinus / Pacific, Eastern / British Columbia / Washington / Adult growth / Population / Distribution / Disease / Habitat / Size distribution

208
Haynes, E.B., and J.C. McMullen. 1970.
Relationship between meat weight and shell height of the giant Pacific sea scallop, Patinopecten caurinus, from the Gulf of Alaska. -- Proc. Natl. Shellfish. Assoc. 60: 50-53.

KEYWORDS: Patinopecten caurinus / Pacific, Eastern / Gulf of Alaska / Adults / Height/weight relation / Population / Fishery

209
Haynes, E.B., and G.C. Powell. 1968.
A preliminary report on the Alaska sea scallop: fishery exploration, biology and commercial processing. -- Alaska Dept. Fish Game Info. Leafl. 125: 20 p.

KEYWORDS: Patinopecten caurinus / Pacific, Eastern / Alaska / Recruitment / Fishery / Adults / Population / Distribution / Size distribution / Gametogenesis / Reproduction

210
Heald, D.I., and N. Caputi. 1981.
Some aspects of growth, recruitment and reproduction in the southern saucer scallop, Amusium balloti (Bernardi, 1861) in Shark Bay, Western Australia. -- Fish. Res. Bull. (West. Aust.) 25: 1-33.

KEYWORDS: Amusium balloti / Pacific, Western / Australia / Tagging / Reproduction / Age/height relation / Recruitment / Size distribution / Reproduction / Juvenile growth / Adult growth / Height/weight relation / Gametogenesis / Behaviour

211
Hennick, D. 1970.
The weathervane scallop fishery of Alaska with notes on occurence in Washington and Oregon. -- Pac. Mar. Fish. Comm. Annu. Rep. 22: 33-34.

KEYWORDS: Patinopecten caurinus / Pacific, Eastern / Washington / Oregon / Alaska / Adults / Fishery / Population / Distribution

212
Hennick, D.P. 1970.
Reproductive cycle, size at maturity, and sexual composition of commercially harvested weathervane scallops (Patinopecten caurinus) in Alaska. -- J. Fish. Res. Board Can. 27: 2112-2119.

KEYWORDS: Patinopecten caurinus / Pacific, Eastern / Alaska / Reproduction / Spawning / Distribution / Population / Gametogenesis / Adults / Sex ratio

213

Hertlein, L.G. 1935.
The Templton Crocker expedition of the California Academy of Sciences, 1932: the recent Pectinidae. -- Proc. Calif. Acad. Sci. 4th Ser. 21(25): 301-328.

KEYWORDS: Pecten sp. / Chlamys sp. / Pacific, Eastern / California / Adults / Distribution / Taxonomy

214

Hidu, H., M.S. Richmond, and A.H. II Price. 1977.
Morphological variability in sea scallops, Placopecten magellanicus (Gmelin) related to meat yield. -- Proc. Natl. Shellfish. Assoc. 67: 75-79.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Maine / Morphology / Adults

215

Hitz, C.R. 1969.
BCF Research report. -- Fish. Bus. Wkly. 4(8): 4-5.

KEYWORDS: Patinopecten caurinus / Distribution / Population / Adults / Fishery

216

Howell, T.R.W., and D.I. Fraser. 1984.
Observations on the dispersal and mortality of the scallop, Pecten maximus (L.). -- Int. Couns. Explor. Sea. C.M. 1984/K:35: 13 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Mortality / Tagging / Adults / Distribution / Behaviour

217

Hudson, J.H. 1972.
Marking scallops with quick-setting cement. -- Proc. Natl. Shellfish. Assoc. 62: 59-61.

KEYWORDS: Argopecten gibbus / Adults / Tagging / Juveniles

218

Ichisugi, T., H. Kanneko, and H. Takahashi. 1975.
Studies on the culture of the scallop, Patinopecten yessoensis of Saroma Lake. 1. Investigations of the yield rate of the adductor muscle. -- J. Hokkaido Fish. Exp. Stn. 32(5): 15-24.

In Japanese.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Aquaculture / Bottom culture / Adult growth / Adults / Economics

219

Imai, T. 1978.
The evolution of scallop culture. Part III (pp.261-352) in Imai,T. (ed.) Aquaculture in Shallow Seas: Progress in Shallow Sea Culture. -- Amerind Publishing Co. Pvt. Ltd, New Delhi.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Taxonomy / Morphology / Distribution / Habitat / Reproduction / Mortality / Physiology / Larval development / Juveniles / Adult growth / Aquaculture / Fecundity / Spawning / Equipment design / Disease / Predators / Fishery / Spat collectors / Hanging culture / Bottom culture / Population

220

Ito, S. 1977.
Present techniques and problems on the culture of scallops in Mutsu Bay. -- Proc. Jpn.-Sov. Jt. Symp. Aquacul. 5(1976): 283-295.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Recruitment / Distribution / Spat collectors / Mortality / Predators / Adults / Aquaculture / Bottom culture / Hanging culture

221

Ito, S., H. Kanno, and K. Takahashi. 1975.
Some problems on culture of the scallop in Mutsu Bay. -- Bull. Mar. Biol. Stn. Asamushi 15(2): 89-100.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Spat collectors / Distribution / Recruitment / Habitat / Adults / Aquaculture / Bottom culture / Hanging culture

222

Jacobsen, F.R. 1977.
The reproductive cycle of the purple-hinge rock scallop Hinnites multirugosus Gale 1928 (Mollusca: Bivalvia). -- Ph.D. thesis. -- San Diego State University, San Diego. -- 72 p.

KEYWORDS: Chlamys gigantea / Pacific, Eastern / California / Reproduction / Gametogenesis / Histology / Hermaphroditism / Adults / Temperature / Population / Habitat / Spawning

223

Jamieson, G.S., and R.A. Chandler. 1983.
Paralytic shellfish poison in sea scallops (Placopecten magellanicus) in the west Atlantic. -- Can. J. Fish. Aquat. Sci. 40: 313-318.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Northumberland Strait / Georges Bank / Toxicity / Paralytic shellfish poisoning / Adults

224
Jamieson, G.S., G. Kerr, and M.J. Lundy. 1981.
Assessment of scallop stocks on Browns and German Banks. -- Can. Tech. Rep. Fish. Aquat. Sci. 1014: 17 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Nova Scotia / Recruitment / Height/weight relation / Fishery / Population / Distribution / Adults / Age composition

225
Jamieson, G.S., H. Stone, and M. Etter. 1982.
Predation of sea scallops (*Placopecten magellanicus*) by lobsters (*Homarus americanus*) and rock crabs (*Cancer irroratus*) in underwater cage enclosures. -- Can. J. Fish. Aquat. Sci. 39(3): 499-505.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Northumberland Strait / Predators / Habitat / Mortality / Adults

226
Jamieson, G.S., N.B. Witherspoon, and M.J. Lundy. 1981.
Assessment of Northumberland Strait scallop stocks - 1979. -- Can. Tech. Rep. Fish. Aquat. Sci. 1013: 31 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Northumberland Strait / Nova Scotia / New Brunswick / Height/weight relation / Fishery / Population / Recruitment / Age composition / Distribution / Adults

227
Jamieson, G.S., N.B. Witherspoon, and M.J. Lundy. 1981.
Assessment of Northumberland Strait scallop stocks - 1980. -- Can. Tech. Rep. Fish. Aquat. Sci. 1017: 44 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Northumberland Strait / Height/weight relation / Population / Fishery / Recruitment / Adults / Age composition / Distribution

228
Johannessen, O.H. 1973.
Age determination in *Chlamys islandica* (O.F. Müller). -- Astarte 6: 15-20.

KEYWORDS: *Chlamys islandica* / Atlantic, Eastern / Norway / Aging / Size distribution / Adults / Hinge morphology

229

Kadowaki, S., T. Nakazono, S. Ioku, T. Kasedo, and H. Hirata. 1980.
Seed production of the scallop *Chlamys nobilis* (Reeve). II. Mixture diet of marine yeast and *Chlorella* sp. for the veliger larvae. -- Mem. Fac. Fish. Kagoshima Univ. 29: 209-215.

In Japanese: English abstract.

KEYWORDS: *Chlamys nobilis* / Aquaculture / Hatchery / Diet / Larval growth

230

Kaiser, R.J. 1986.
Characteristics of the Pacific weathervane scallop (*Pecten* [*Patinopecten*] *caurinus*, Gould 1850) fishery in Alaska. -- Alaska Department of Fish and Game, Division of Commercial Fish, Kodiak, Alaska. -- 100 p.

KEYWORDS: *Patinopecten caurinus* / Pacific, Eastern / Alaska / Taxonomy / Age composition / Distribution / Height/weight relation / Reproduction / Population / Larvae / Life history / Juveniles / Adults / Fishery / Morphology / Behaviour / Equipment design / Adult growth / Economics / Management / Habitat / Size distribution / Age/weight relation

231

Kalashnikov, V.Z. 1985.
Density dynamics of the Japanese scallop in artificial populations in Possiet Bay, Sea of Japan. -- Biol. Morya (Vladivostok) 1985(5): 58-63.

In Russian: English abstract.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / USSR / Bottom culture / Juveniles / Habitat / Aquaculture

232

Kalashnikova, C.A. 1984.
Some biological features of the scallop *Chlamys farreri nipponesis* in the Possiet Bay of the Sea of Japan. -- Biol. Morya (Vladivostok) 1984(1): 63-65.

KEYWORDS: *Chlamys farreri nipponensis* / Pacific, Western / USSR / Gonad index / Spawning / Temperature / Juveniles / Adults / Distribution

233

Kan-no, H., and T. Hayashi. 1974.
The present status of shellfish culture in Japan. Pp. 23-25 in W.N. Shaw (ed.) Proceedings of the First U.S. Japan Meeting on Aquaculture at Tokyo, Japan, October 18-19, 1971. -- NOAA Tech. Rep. NMFS Circ. 388.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Aquaculture / Spat collectors

234
Kang, H.W., S.C. Cheong, J.K. Lee, Y.J. Jo, and J.W. Chang. 1983.
The study on the artificial seed production of scallop Patinopecten yessoensis (Jay) in the hatchery. -- Can. Transl. Fish. Aquatic Sci. 5029: 15 p.

[Translation from Korean: Kukrip Susan Chinheung Weon Yeonku Poko (30): 111-118 (1982).]

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Korea / Adults / Recruitment / Spawning / Reproduction / Gonad index / Larval development / Spat collectors / Hatchery / Equipment design / Juveniles / Gametogenesis

235
Karma, M.Y. 1984.
The morphology of ovaries of the Iceland scallop during the spawning period. -- Biol. Morya (Vladivostok) 1984 (5): 66-68.

In Russian: English abstract.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / USSR / Adults / Morphology / Spawning / Gametogenesis

236
Karney, R.C. 1981.
Shellfish propagation on Martha's Vineyard. [Abstract] -- J. Shellfish Res. 1(1): 117.

KEYWORDS: Argopecten irradians / Adults / Management / Aquaculture

237
Katuku, T., and H. Ikenoue. 1983.
Scallop (Patinopecten yessoensis). Pp. 143-152 in T. Katuku and H. Ikenoue. Modern methods of aquaculture in Japan. -- Elsevier Scientific, New York.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Taxonomy / Larval development / Life history / Adult growth / Ecology / Aquaculture / Hatchery / Economics / Juveniles / Recruitment / Spat collectors / Bottom culture / Hanging culture / Fishery

238
Kawamata, K. 1983.
Reproductive cycle of the scallop, Patinopecten yessoensis (Jay), planted in Funka Bay, Hokkaido. -- Sci. Rep. Hokkaido Fish. Exper. Stn. 25: 15-20.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Reproduction / Adults / Gonad index / Spawning / Hermaphroditism / Gametogenesis

239

Kawamata, K. 1985.
Abnormal gonad development observed in the scallops, Patinopecten yessoensis (Jay), cultured in Funka Bay, Hokkaido. -- Sci. Rep. Hokkaido Fish. Exp. Stn. 27: 65-70.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Gametogenesis / Adults / Mortality / Gonad index / Aquaculture

240

Kellogg, R.L., J.E., Jr. Easley, and T. Johnson. 1985.
A bioeconomic model for determining the optimal timing of harvest for the North Carolina bay scallop fishery. -- Univ. North Carol. Sea Grant Publ. UNC-SG-85-25: 71p.

KEYWORDS: Argopecten irradians / Atlantic, Western / North Carolina / Fishery / Adults / Modelling / Management

241

King, M.R., and J.L. McKoy. 1984.
Scallop landings in the Nelson - Marlborough dredge fishery, 1959-80. -- Fish. Res. Div. Occas. Publ. (N.Z.): Data Ser. 14: 26 p.

KEYWORDS: Pecten novaezelandiae / Pacific, Western / New Zealand / Fishery / Adults

242

Kirby-Smith, W.W. 1970.
Growth of the scallops, Argopecten irradians concentricus (Say) and Argopecten gibbus (Linnè), as influenced by food and temperature. -- Ph.D. thesis. -- Duke University, Durham, North Carolina. -- 127 p.

KEYWORDS: Argopecten irradians / Argopecten gibbus / Atlantic, Western / North Carolina / Adult growth / Temperature / Diet / Habitat / Physiology / Respiration / Age/height relation

243

Kirby-Smith, W.W. 1972.
Growth of the bay scallop: the influence of experimental water currents. -- J. Exp. Mar. Biol. Ecol. 8: 7-18.

KEYWORDS: Argopecten irradians / Equipment design / Juvenile growth / Physiology

244

Kirby-Smith, W.W., and R.T. Barber. 1974.
Suspension-feeding aquaculture systems: effects of phytoplankton concentration and temperature on growth of the bay scallop. -- Aquaculture 3: 135-145.

KEYWORDS: *Argopecten irradians* / Equipment design / Temperature / Diet / Juvenile growth

245

Kodama, M., and T. Ogata. 1983.
Acrylic acid, as an antibacterial substance in scallop. -- Bull. Jpn. Soc. Sci. Fish. 49(7): 1103-1107.

KEYWORDS: *Patinopecten yessoensis* / Biochemical composition / Adults

246

Kraeuter, J.N., M. Castagna, and R. Van Dessel. 1982.
Egg size and larval survival of *Mercenaria mercenaria* (L.) and *Argopecten irradians* (Lamark). -- J. Exp. Mar. Biol. Ecol. 56: 3-8.

KEYWORDS: *Argopecten irradians* / Larvae / Spawning / Mortality / Embryonic development

247

Krantz, D.E., D.S. Jones, and D.F. Williams. 1984.
Growth rates of the sea scallop, *Placopecten magellanicus*, determined from the $^{18}O/^{16}O$ record in shell calcite. -- Biol. Bull. (Woods Hole) 167: 186-199.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Virginia / Aging / Shell morphology / Behaviour / Juvenile growth / Adult growth / Age/weight relation / Management

248

Kuniyoshi, M. 1972.
[Results of spat collecting experiments of the scallop (*Patinopecten yessoensis*) in the Saruru area, Hokkaido.] -- J. Hokkaido Fish. Exp. Stn. 29(10): 2-9.

In Japanese.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Aquaculture / Spat collectors / Juveniles

249

Langton, R.W., W.E. Robinson, and D. Schick. 1987.
Fecundity and reproductive effort of sea scallops *Placopecten magellanicus* from the Gulf of Maine. -- Mar. Ecol. Prog. Ser. 37: 19-25.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Maine / Adults / Production / Fecundity / Reproduction / Spawning

250

Larsen, P.F., and R.M. Lee. 1978.
Observations on the abundance, distribution and growth of postlarval sea scallops, Placopecten magellanicus, on Georges Bank. -- Nautilus 92(3): 112-116.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Distribution / Recruitment / Juvenile growth / Population / Mortality / Settlement and metamorphosis / Behaviour

251

Latrouite, D. 1979.
L'aquaculture des pètoncles; ètat prèsent et perspectives. [Scallop culture; past, present and future.] -- Actes de Colloque du CNEXO 12: 43-50.

In French; English abstract.

KEYWORDS: Chlamys varia / Chlamys opercularis / Pecten maximus / Atlantic, Eastern / France / Spat collectors / Aquaculture / Habitat / Juveniles / Adults

252

Latrouite, D., and S. Claude. 1979.
Essai de culture suspendue de la coquille Saint Jacques Pecten maximus: influence de la transplantation sur le dèvelopment gonadique. [Experiments of rope culture of scallops (Pecten maximus). Influence of transplantation on the gonad development.] -- Int. Counc. Explor. Sea C.M. 1979/F:16: 10 p.

In French; English abstract.

KEYWORDS: Pecten maximus / Atlantic, Eastern / France / Mortality / Adults / Gametogenesis / Gonad index / Hanging culture / Bottom culture / Aquaculture / Juveniles

253

Laurèn, D.J. 1982.
Oogenesis and protandry in the purple-hinge rock scallop, Hinnites giganteus, in upper Puget Sound, Washington, U.S.A. -- Can. J. Zool. 60: 2333-2336.

KEYWORDS: Chlamys gigantea / Pacific, Eastern / Washington / Gametogenesis / Spawning / Reproduction / Hermaphroditism / Gonad weight / Adults

254

Le Borgne, Y. 1981.

Nursery culturing of postlarvae. Key to further development for bivalve mollusc hatcheries. -- Pp. 141-149 in C. Claus, N. De Pauw, and E. Jaspers (eds). Nursery culturing of bivalve molluscs: Proceedings of the International Workshop on Nursery Culturing of Bivalve Molluscs, Ghent, Belgium, 24-26 February, 1981. European Mariculture Society Special Publication No. 7.

KEYWORDS: Pecten maximus / Aquaculture / Nursery / Juveniles / Management

255

Le Pennec, M. 1982.

Experimental rearing of Chlamys opercularis (L.) - (Bivalvia, Pectinidae). -- Vie Mar. 4: 29-36.

In French; English abstract.

KEYWORDS: Chlamys opercularis / Aquaculture / Conditioning / Spawning / Hatchery / Larval development / Shell morphology

256

Le Pennec, M., and C.R. Davalos. 1985.

Observations en microscopie a epifluorescence de l'ingestion et de la digestion d'algues unicellulaires chez des jeunes larves de Pecten maximus (Pectinidae, Bivalvia). [Observations on ingestion of unicellular algae in young larvae of Pecten maximus (Pectinidae, Bivalvia) using epifluorescence microscopy.] -- Aquaculture 47: 39-51.

In French; English abstract.

KEYWORDS: Pecten maximus / Phytoplankton / Larvae / Physiology / Diet

257

Lee, B.H., and S. Chang. 1977.

A study on the culture of scallop (Patinopecten yessoensis Jay). (1) Experiment on spat collection and culture by hanging in the eastern coast of Korea. -- Bull. Fish. Res. Dev. Agency (Korea) 16: 165-178.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Korea / Spat collectors / Larvae / Distribution / Juveniles / Hanging culture / Temperature

258

Lee, B.H., and M.K. Jo. 1980.
Study on spat collection method of scallop _Patinopecten yessoensis_ Jay in Yeongil Bay. -- Bull. Fish. Res. Dev. Agency (Korea) 24: 59-66.

In Korean; English abstract.

KEYWORDS: _Patinopecten yessoensis_ / Pacific, Western / Korea / Spat collectors / Spawning / Larvae / Temperature / Juveniles

259

Leighton, D.L. 1979.
The rock scallop.... a future in mariculture? -- Sea Front. 25(1): 18-19.

KEYWORDS: _Chlamys gigantea_ / Pacific, Eastern / California / Aquaculture / Adults / Economics

260

Leighton, D.L. 1979.
A floating laboratory applied to culture of abalone and rock scallops in Mission Bay, California. -- Proc. World Maricul. Soc. 10: 349-356.

KEYWORDS: _Chlamys gigantea_ / Pacific, Eastern / California / Equipment design / Spawning / Temperature / Diet / Juvenile growth / Aquaculture

261

Leighton, D.L. 1979.
A growth profile for the rock scallop _Hinnites multirugosus_ held at several depths of La Jolla, California. -- Mar. Biol. 51: 229-232.

KEYWORDS: _Chlamys gigantea_ / Pacific, Eastern / California / Equipment design / Juvenile growth / Size distribution / Temperature / Food

262

Leighton, D.L., and C.F. Phleger. 1977.
The purple-hinge rock scallop, a new candidate for marine aquaculture. -- Proc. World Maricul. Soc. 8: 457-469.

KEYWORDS: _Chlamys gigantea_ / Pacific, Eastern / California / Spawning / Equipment design / Recruitment / Juvenile development / Larval development / Settlement and metamorphosis / Adult growth / Diet / Size distribution / Aquaculture / Temperature

263

Leighton, D.L., and C.F. Phleger. 1981.
The suitability of the purple-hinge rock scallop to marine aquaculture. -- Calif. Sea Grant College Prog. Sea Grant Publ. Tech. T-CSGCP-001: 85p.

KEYWORDS: _Chlamys gigantea_ / Pacific, Eastern / California / Nursery / Biochemical composition / Hatchery / Juveniles / Adults / Spawning / Reproduction / Habitat / Larvae / Diet / Equipment design / Aquaculture

264

Liao, C.-Y., Y.-F. Xu, and Y.-L. Wang. 1983.
Reproductive cycle of the scallop *Chlamys farreri*, (Jones et Preston) at Quindado. -- J. Fish. China 7(1); 1-13.

In Chinese; English abstract.

KEYWORDS: *Chlamys farreri* / Pacific, Western / China / Adults / Reproduction / Spawning / Gonad index / Temperature / Gametogenesis

265

Llana, M.E.G., and V.L. Aprieto. 1980.
Reproductive biology of the Asian moon scallop *Amusium pleuronectes*. -- Fish. Res. J. Philipp. 5(2): 1-10.

KEYWORDS: *Amusium pleuronectes* / Pacific, Western / Philippines / Adults / Reproduction / Hermaphroditism / Gametogenesis / Histology / Condition index

266

Loosanoff, V.L., H.C. Davis, and P.E. Chanley. 1966.
Dimensions and shapes of larvae of some marine bivalve mollusks. -- Malacologia 4(2): 351-435.

KEYWORDS: *Argopecten irradians* / Morphology / Larvae / Length/width relation / Hinge morphology / Taxonomy

267

Lubet, P. 1959.
Recherches sur le cycle sexuel et l'emission des gametes chez les mytilides et des pectinides (Mollusques bivalves). [Studies on the reproductive cycle and spawning in mussels and scallops (Molluscs, bivalves).] -- Rev. Trav. Inst. Pèches Marit. 23(4): 396-548.

In French.

KEYWORDS: *Chlamys varia* / *Pecten maximus* / Hermaphroditism / Gametogenesis / Morphology / Reproduction / Histology / Adults

268

Luo, Y.-S., X.-H. Ling, H. Zhao, H. Chen, H. Zhao, X.-H. Chen, and J.-Z. Ren. 1983.
An investigation on exploitation of scallop spatfall waters in Zhimao Wan. -- J. Fish. China 7(3): 267-278.

In Chinese; English abstract.

KEYWORDS: *Chlamys farreri* / Pacific, Western / China / Aquaculture / Larvae / Distribution / Spat collectors

269

Lutz, R., J. Goodsell, M. Castagna, S. Chapman, C. Newell, H. Hidu, R. Mann, D. Jablonski, V. Kennedy, S. Siddall, R. Goldberg, H. Beattie, C. Falmagne, A. Chestnut, and A. Partridge. 1982.
Preliminary observations on the usefulness of hinge structures for identification of bivalve larvae. -- J. Shellfish Res. 2(1): 65-70.

KEYWORDS: *Argopecten irradians* / *Placopecten magellanicus* / Larvae / Morphology / Hinge morphology / Species identification

270

MacDonald, B.A. 1984.
The partioning of energy between growth and reproduction in the giant scallop, *Placopecten magellanicus* (Gmelin). -- Ph.D. thesis. -- Memorial University of Newfoundland, St. John's. -- 202 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Newfoundland / New Brunswick / New Jersey / Population / Reproduction / Gametogenesis / Fecundity / Diet / Temperature / Energetics / Respiration / Mortality / Adult growth / Spawning / Recruitment / Size distribution / Production / Physiology / Distribution

271

MacDonald, B.A., and N.F. Bourne. 1987.
Growth, reproductive output, and energy partitioning in weathervane scallops, *Patinopecten caurinus*, from British Columbia. -- Can. J. Fish. Aquat. Sci. 44(1): 152-160.

KEYWORDS: *Patinopecten caurinus* / Pacific, Eastern / British Columbia / Adults / Reproduction / Production / Spawning / Habitat / Energetics

272

MacDonald, B.A., and R.J. Thompson. 1985.
Influence of temperature and food availability on the ecological energetics of the giant scallop *Placopecten magellanicus*. I. Growth rates of shell and somatic tissue. -- Mar. Ecol. Prog. Ser. 25: 279-294.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Newfoundland / New Brunswick / Temperature / Size distribution / Phytoplankton / Population / Energetics / Diet / Adult growth / Age/height relation / Height/weight relation

273

MacDonald, B.A., and R.J. Thompson. 1985.
Influence of temperature and food availability on the ecological energetics of the giant scallop *Placopecten magellanicus*. II. Reproductive output and total production. -- Mar. Ecol. Prog. Ser. 25: 295-303.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Newfoundland / New Brunswick / Adults / Gametogenesis / Reproduction / Temperature / Diet / Energetics / Production

274
MacDonald, B.A., and R.J. Thompson. 1986.
Influence of temperature and food availability on the ecological energetics of the giant scallop Placopecten magellanicus. III. Physiological ecology, the gametogenic cycle and scope for growth. -- Mar. Biol. 93: 37-48.

KEYWORDS: Placopecten magellanicus / Temperature / Energetics / Gametogenesis / Adults / Respiration / Diet / Physiology / Reproduction / Production

275
MacDonald, B.A., and R.J. Thompson. 1986.
Production, dynamics and energy partitioning in two populations of the giant scallop Placopecten magellanicus (Gmelin). -- J. Exp. Mar. Biol. Ecol. 101: 285-299.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Newfoundland / Adults / Production / Reproduction / Energetics / Population

276
Mackay, J., and S.E. Shumway. 1980.
Factors affecting oxygen consumption in the scallop Chlamys delicatula (Hutton). -- Ophelia 19(1): 19-26.

KEYWORDS: Chlamys delicatula / Physiology / Adults / Behaviour / Respiration

277
MacKenzie, C.L., Jr. 1979.
Biological and fisheries data on sea scallop, Placopecten magellanicus (Gmelin). -- NOAA. NMFS. Northeast Fish. Cent. Sandy Hook Lab. Tech. Ser. Rep. 19: 34 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Taxonomy / Morphology / Distribution / Behaviour / Population / Parasites / Predators / Adults / Mortality / Management / Fishery / Length/weight relation / Spawning / Larval development / Settlement and metamorphosis / Recruitment

278
MacKenzie, C.L., Jr., A.S. Merrill, and F.M. Serchuk. 1978.
Sea scallop resources off the northeastern U.S. coast, 1975. -- Mar. Fish. Rev. 40(2): 19-23.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Adults / Recruitment / Distribution / Population / Spawning / Fishery

279

Macleod, J.A.A., J.P. Thorpe, and N.A. Duggan. 1985.
A biochemical genetic study of population structure in queen scallop (Chlamys opercularis) stocks in the northern Irish Sea. -- Mar. Biol. 87: 77-82.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Population / Adults / Distribution / Genetics / Recruitment

280

MacPhail, J.S. 1954.
The inshore scallop fishery of the Maritime provinces. -- Fish. Res. Board Can. Gen. Ser. Circ. 22: 4 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Bay of Fundy / Fishery / Distribution / Economics / Equipment design / Adults

281

Maiolo, J.R. 1981.
Implications of proposed management measures for the North Carolina sea scallop industry. -- Univ. N. Carolina. Sea Grant College Publ. UNC-SG-WP-81-7: 14 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / North Carolina / Fishery / Management / Adults / Economics

282

Manahan, D.T., and D.J. Crisp. 1983.
Autoradiographic studies on the uptake of dissolved amino acids from sea water by bivalve larvae. -- J. Mar. Biol. Assoc. U.K. 63: 673-682.

KEYWORDS: Pecten maximus / Larvae / Respiration / Histology / Physiology / Feeding

283

Mann, R., and R.E. Taylor. 1981.
Growth of the bay scallop, Argopecten irradians, in a waste recycling aquaculture system. -- Aquaculture 24: 45-52.

KEYWORDS: Argopecten irradians / Mortality / Juvenile growth / Diet

284

Marshall, N. 1947.
An abundance of bay scallops in the absence of eelgrass. -- Ecology 28(3): 321-322.

KEYWORDS: Argopecten irradians / Atlantic, Western / Connecticut / Habitat / Adults

285

Marshall, N. 1960.
Studies of the Niantic River, Connecticut with special reference to the bay scallop, *Aequipecten irradians*. -- Limnol. Oceanogr. 5(1): 86-105.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Connecticut / Habitat / Size distribution / Fishery / Juvenile development / Adults / Spawning / Settlement and metamorphosis / Predators / Population

286

Marshall, N. 1972.
Mortality rates and the life span of the bay scallop, *Aquipecten irradians*. -- Proc. Natl. Shellfish. Assoc. 54: 87-92.

KEYWORDS: *Argopecten irradians* / Mortality / Predators / Juveniles / Adults

287

Marti, K.A. 1982.
Population age structure and mortality determination for the sea scallop *Placopecten magellanicus*. -- M.Sc. thesis. -- University of Rhode Island, Rhode Island. -- 60 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Rhode Island / Population / Mortality / Size distribution / Adults / Age/length relation

288

Marti, K.A., J.M. Hoenig, and S.B. Saila. 1982.
A catastrophic decline in a population of sea scallops (*Placopecten magellanicus*). -- Int. Counc. Explor. Sea C.M. 1982/K:20: 7 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Rhode Island / Mortality / Population / Disease / Adults

289

Maru, K. 1972.
Morphological observations on the veliger larvae of a scallop, *Patinopecten yessoensis* (Jay). -- Sci. Rep. Hokkaido Fish. Exp. Stn. 14: 55-62.

In Japanese; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Morphology / Larval development / Taxonomy / Hinge morphology

290

Maru, K. 1976.
Studies on the reproduction of a scallop, Patinopecten yessoensis (Jay). 1. Reproductive cycle of the cultured scallop. -- Sci. Rep. Hokkaido Fish. Exp. Stn. 18: 9-25.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Adults / Reproduction / Histology / Gametogenesis / Hermaphroditism / Gonad index

291

Maru, K. 1978.
Studies on the reproduction of a scallop, Patinopecten yessoensis (Jay). 2. Gonad development in 1 year-old scallops. -- Sci. Rep. Hokkaido Fish. Exp. Stn. 20: 13-26.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Histology / Gametogenesis / Juveniles / Reproduction / Gonad index

292

Maru, K. 1978.
Studies on the reproduction of a scallop, Patinopecten yessoensis (Jay). 3. Observations on hermaphroditic gonads. -- Sci. Rep. Hokkaido Fish. Exp. Stn. 20: 27-33.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Reproduction / Adults / Hermaphroditism / Gametogenesis / Histology

293

Maru, K. 1982.
The present situation regarding the natural seed collection of scallops. -- Can. Transl. Fish. Aquatic Sci. 4881: 12 p.

[Translation from Japanese: Abashiri Suisan Shikenjo Saroma Bunjo [The Abashiri Fisheries Experimental Station, Saroma Branch Station] (1973): 1-6.]

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Adults / Spawning / Temperature / Aquaculture / Hatchery / Larvae / Distribution / Spat collectors

294

Maru, K. 1985.
Ecological studies on the seed production of scallop, Patinopecten yessoensis (Jay). -- Sci. Rep. Hokkaido Fish. Exp. Stn. 27: 1-54.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Aquaculture / Hatchery / Fishery / Settlement and metamorphosis / Larval growth / Juvenile growth / Adults / Gametogenesis / Spawning / Gonad index / Distribution / Spat collectors / Population / Temperature / Hinge morphology / Histology / Mortality / Reproduction

295

Maru, K. 1985.
Tolerance of scallop, Patinopecten yessoensis (Jay) to temperature and specific gravity during early developmental stages. -- Sci. Rep. Hokkaido Fish. Exp. Stn. 27: 55-64.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Larvae / Embryos/ Physiology / Temperature / Juveniles / Mortality / Adults / Respiration

296

Maru, K., and A. Obara. 1967.
Studies on the ecology of the scallop, Patinopecten yessoensis (Jay). 1. On the growth and annual ring formation of the shell. -- Sci. Rep. Hokkaido Fish. Exp. Stn. 7: 72-85.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Adult growth / Shell morphology / Gonad weight

297

Maru, K., and A. Obara. 1973.
Studies on the ecology of the scallop, Patinopecten yessoensis (Jay). 2. On the seasonal variation of the fatness of soft body. -- Sci. Rep. Hokkaido Fish. Exp. Stn. 15: 23-32.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Adults / Ecology / Gonad index / Production / Reproduction / Length/weight relation

298

Maru, K., A. Obara, K. Kiruchi, and H. Okesaku. 1973.
Studies on the ecology of the scallop, *Patinopecten yessoensis* (Jay). 3. On the diurnal vertical distribution of scallop larvae. -- Sci. Rep. Hokkaido Fish. Exp. Stn. 15: 33-47.

In Japanese; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Distribution / Behaviour / Larvae

299

Mason, J. 1957.
The age and growth of the scallop, *Pecten maximus* (L.) in Manx waters. -- J. Mar. Biol. Assoc. U.K. 36: 473-492.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Adult growth / Fishery / Population / Size distribution / Length/height relation

300

Mason, J. 1957.
Scallops and scallop dredges. -- World Fish. 6(4): 35-37.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Adults / Fishery

301

Mason, J. 1958.
A possible lunar periodicity in the breeding of the scallop, *Pecten maximus* (L.). -- Ann. Mag. Nat. Hist. 13(1): 601-602.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Spawning / Adults / Reproduction

302

Mason, J. 1958.
The breeding of the scallop, *Pecten maximus* (L.), in Manx waters. -- J. Mar. Biol. Assoc. U.K. 37: 653-671.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Histology / Gametogenesis / Reproduction / Juveniles / Adults / Spawning / Larvae

303

Mason, J. 1959.
The food value of the scallop, *Pecten maximus* (L.) from Manx inshore waters. -- Rep. Mar. Biol. Stn. Port Erin 71: 47-52.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Great Britain / Fishery / Adults / Population / Length/weight relation / Biochemical composition

Mason, J. 1959. 304
The state of Manx scallop stocks, 1950-53. -- Rep. Mar. Biol. Stn. Port Erin 71: 39-46.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Adults / Distribution / Fishery / Population

Mason, J. 1981. 305
The Scottish queen fishery. -- Scott. Fish. Bull. 46: 3-7.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Fishery / Adults

Mason, J., comp. 1983. 306
The 4th pectinid Workshop, Aberdeen, May 1983. -- Int. Counc. Explor. Sea C.M. 1983/K:37: 20 p.

Abstracts of papers presented at Workshop.

KEYWORDS: Placopecten magellanicus / Chlamys islandica / Pecten maximus / Chlamys opercularis / Atlantic, Eastern / France / Ireland / Spain / Great Britain / Atlantic, Western / Newfoundland / New Brunswick / Digestion / Production / Fouling organisms / Energetics / Population / Fishery / Habitat / Behaviour / Diet / Gonad index / Nursery / Recruitment / Predators / Larvae / Equipment design / Adults / Management / Reproduction / Recruitment / Gametogenesis / Distribution / Spat collectors / Mortality / Tagging / Juvenile growth

Mason, J. 1983. 307
Scallop and queen fisheries in the British Isles. -- Fishing News Books Ltd, Farnham, Surrey, England. -- 144 p.

KEYWORDS: Chlamys opercularis / Pecten maximus / Atlantic, Eastern / Great Britain / Ireland / Gonad index / Morphology / Hermaphroditism / Habitat / Life history / Production / Nursery / Aquaculture / Fishery / Larvae / Behaviour / Equipment design / Reproduction / Shell morphology / Management / Juvenile growth / Gametogenesis / Adult growth / Spawning / Age/length relation / Spat collectors / Hanging culture

Mason, J., C.J. Chapman, and J.A.M. Kinnear. 1979. 308
Population abundance and dredge efficiency studies on the scallop, Pecten maximus (L.). -- Rapp. P-v. Rèun. Cons. Int. Explor. Mer 175: 91-96.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Population / Equipment design / Sampling / Age composition / Adults / Distribution / Management / Size distribution

309

Mason, J., and J.S. Colman. 1955.

Note on a short-term marking experiment on the scallop Pecten maximus in the Isle of Man. -- Rep. Mar. Biol. Stn. Port Erin 67: 2 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Adults / Distribution / Tagging

310

Mason, J., J. Drinkwater, T.R.W. Howell, and D.I. Fraser. 1982.

A comparison of methods of determining the distribution and density of the scallop, Pecten maximus (L.). -- Int. Counc. Explor. Sea C.M. 1982/K:24: 9 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Adults / Distribution / Equipment design / Sampling

311

Mason, J., and A.D. McIntyre. 1963.

The Scottish scallop fishery. -- Marine Laboratory, Marine Research Department of Agriculture and Fisheries for Scotland, Aberdeen, Scotland. -- 11 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Adults / Fishery / Equipment design / Distribution

312

Mason, J., M.D. Nicholson, and A.M. Shanks. 1979.

A comparison of exploited populations of the scallop, Pecten maximus (L.). -- Rapp. P-v. Rèun. Cons. Int. Explor. Mer 175: 114-120.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Population / Fishery / Mortality / Recruitment

313

Mason, J., A.M. Shanks, and D.I. Fraser. 1980.

An assessment of scallop, Pecten maximus (L.), stocks off south-west Scotland. -- Int. Counc. Explor. Sea C.M. 1980/K:27: 11 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Fishery / Management / Population / Age composition / Mortality / Recruitment / Age/weight relation

314

Mason, J., R.G.J. Shelton, J. Drinkwater, and F.G. Howard. 1983.

Shellfish resources in the Inner Hebrides. -- Proc. Royal Soc. Edinburgh Sect. B (Biol. Sci.) 83 (1): 599-610.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Distribution / Adults / Fishery

315

Masuda, K. 1963.
The so-called Patinopecten of Japan. -- Trans. Proc. Paleontol. Soc. Jpn. 52: 145-153.

KEYWORDS: Patinopecten yessoensis / Taxonomy / Paleontology

316

Mathers, N.F. 1976.
The effects of tidal currents on the rhythm of feeding and digestion in Pecten maximus L. -- J. Exp. Mar. Biol. Ecol. 24: 271-283.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Histology / Behaviour / Physiology / Digestion / Size distribution / Adults

317

Mathers, N.F., T. Smith, and N. Colins. 1979.
Monophasic and diphasic digestive cycles in Venerupis decussata and Chlamys varia. -- J. Molluscan Stud. 45: 68-81.

KEYWORDS: Chlamys varia / Physiology / Histology / Adults / Digestion

318

Matsuno, T., K. Hiraoka, and T. Maoka. 1981.
Carotenoids in the gonad of scallops. -- Bull. Jpn. Soc. Sci. Fish. 47(3): 385-390.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Adults / Physiology

319

Matsutani, T., and T. Nomura. 1982.
Induction of spawning by serotonin in the scallop, Patinopecten yessoensis (Jay). -- Mar. Biol. Lett. 3: 353-358.

KEYWORDS: Patinopecten yessoensis / Spawning / Adults / Serotonin

320

McLean, N. 1983.
An echinocephalid nematode in the scallop Argopecten aequisulcatus. -- J. Invertebr. Pathol. 42: 273-276.

KEYWORDS: Argopecten aequisulcatus / Parasites / Morphology / Adults

321

McLusky, D.S. 1973.
The effect of temperature on the oxygen consumption and filtration rate of Chlamys (Aequipecten) opercularis (L.) (Bivalvia). -- Ophelia 10: 141-154.

KEYWORDS: Chlamys opercularis / Temperature / Physiology / Adults / Respiration

322
McShane, P., and D. Gwyther. 1983.
Port Phillips bay scallop stocks low for 1983 season. -- Aust. Fish. 42(5): 14-15.

KEYWORDS: Pacific, Western / Australia / Adults / Fishery / Size distribution

323
Medcof, J.C., and N. Bourne. 1962.
Causes of mortality of the sea scallop (Placopecten magellanicus). -- Proc. Natl. Shellfish. Assoc. 53: 33-50.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Nova Scotia / Georges Bank / Mortality / Temperature / Predators / Salinity / Parasites / Adults

324
Mercaldo, R.S., and E.W. Rhodes. 1982.
Influence of reduced salinity on the Atlantic bay scallop Argopecten irradians (Lamark) at various temperatures. -- J. Shellfish Res. 2(2): 177-181.

KEYWORDS: Argopecten irradians / Temperature / Mortality / Salinity / Juveniles

325
Merrill, A.S. 1959.
A comparison of Cyclopecten nanus (Verril and Bush) and Placopecten magellanicus (Gmelin). -- Bull. Mus. Comp. Zool. 2(25): 209-228.

KEYWORDS: Placopecten magellanicus / Cyclopecten nanus / Taxonomy / Distribution / Adults

326
Merrill, A.S. 1960.
Abundance and distribution of sea scallops off the middle Atlantic coast. -- Proc. Natl. Shellfish. Assoc. 51: 74-80.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Fishery / Adults / Distribution / Population

327
Merrill, A.S. 1960.
Living inclusions in the shell of the sea scallop Placopecten magellanicus. -- Ecology 41(2): 385-386.

KEYWORDS: Placopecten magellanicus / Adults / Fouling organisms

Merrill, A.S. 1961. 328
Shell morphology in the larval and postlarval stages of the sea scallop, Placopecten magellanicus (Gmelin). -- Bull. Mus. Comp. Zool. 125(1): 3-20.

KEYWORDS: Placopecten magellanicus / Shell morphology / Adults / Larval development / Juvenile development / Morphology / Length/height relation

Merrill, A.S. 1961. 329
The sea scallop fishery. [Abstract] -- Bull. Am. Malacol. Union 28: 14.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Fishery / Adults

Merrill, A.S. 1961. 330
Living inclusions in the shell of Placopecten magellanicus. [Abstract] -- Bull. Am. Malacol. Union 28: 4-5.

KEYWORDS: Placopecten magellanicus / Adults / Fouling organisms

Merrill, A.S. 1966. 331
Shell repair in the sea scallop, Placopecten magellanicus. [Abstract] -- Am. Malacol. Union Annu. Rep. 1966: 35-36.

KEYWORDS: Placopecten magellanicus / Adults / Shell morphology

Merrill, A.S., and J.B. Burch. 1960. 332
Hermaphroditism in the sea scallop, Placopecten magellanicus (Gmelin). -- Biol. Bull. (Woods Hole) 119: 197-201.

KEYWORDS: Placopecten magellanicus / Hermaphroditism / Histology / Adults / Reproduction / Gametogenesis

Merrill, A.S., and J.A. Posgay. 1964. 333
Estimating the natural mortality rate of the sea scallop (Placopecten magellanicus). -- Int. Comm. Northw. Atl. Fish. Res. Bull. 1: 88-106.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Adults / Distribution / Sampling / Adult growth / Population / Age composition / Predators / Fishery / Size distribution / Temperature

Merrill, A.S., and J.A. Posgay. 1967. 334
Juvenile growth of the sea scallop, Placopecten magellanicus. [Abstract] -- Am. Malacol. Union Annu. Rep. 1967: 51-52.

KEYWORDS: Placopecten magellanicus / Juvenile growth

335

Merrill, A.S., J.A. Posgay, and F.E. Nichy. 1966.
Annual marks on shell and ligament of sea scallop (*Placopecten magellanicus*). -- Fish. Bull. (U.S.) 65(2): 299-311.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Shell morphology / Predators / Tagging / Adult growth / Hinge morphology

336

Meyhöer, E., and M.P. Morse. 1984.
Aspects of the structure and function of the excretory system of the scallop *Chlamys hastata*. [Abstract] -- Am. Zool. 24(3): 147A.

KEYWORDS: *Chlamys hastata* / Adults / Physiology

337

Middleton, K.C. 1983.
Bay scallops: A mariculture species whose time has come. -- Aquaculture 9(6): 16-20.

KEYWORDS: *Argopecten irradians* / Aquaculture / Juveniles / Hanging culture / Raceways / Nursery

338

Mikami, T. 1981.
Studies on the mechanization of the scallop culture. I. On a shell profile of scallop. -- Bull. Fac. Fish. Hokkaido Univ. 32(3): 242-249.

In Japanese; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Shell deformity / Adults / Shell morphology / Aquaculture

339

Mikami, T. 1981.
Studies on the mechanization of the scallop culture. II. Mechanical injury of culturing scallop. -- Bull. Fac. Fish. Hokkaido Univ. 32(4): 400-408.

KEYWORDS: *Patinopecten yessoensis* / Adults / Shell deformity / Juveniles / Shell morphology / Aquaculture

340

Mikulich, L.V., and E.A. Tsikhon-Lukanina. 1982.
Food of the scallop. -- Oceanology 21(5): 633-635.

In Russian; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Adults / Diet

341

Miller, G.C., D.M. Allen, T.J. Costello, and J.H. Hudson. 1980.
Maturation of the calico scallop, *Argopecten gibbus*, determined by ovarian color changes. -- Northeast Gulf Sci. 3(2): 96-103.

KEYWORDS: *Argopecten gibbus* / Atlantic, Western / Florida / Spawning / Adults / Fecundity / Gonad index / Gametogenesis / Reproduction

342

Miller, G.C., D.M. Allen, and T.J. Costello. 1981.
Spawning of the calico scallop *Argopecten gibbus* in relation to season and temperature. -- J. Shellfish Res. 1(1): 17-21.

KEYWORDS: *Argopecten gibbus* / Atlantic, Western / Florida / Adults / Spawning / Temperature / Predators / Population / Recruitment / Habitat

343

Minchin, D., ed. 1976.
A general summary of the scallop workshop held in Baltimore, Ireland, 11-16, May 1976. -- Int. Counc. Explor. Sea C.M. 1976/K:8: 7 p.

KEYWORDS: *Patinopecten yessoensis* / *Pecten maximus* / *Chlamys opercularis* / Fishery / Aquaculture / Spawning / Spat collectors

344

Minchin, D., comp. 1976.
Scallop workshop proceedings. Baltimore, Ireland 11th-16th May 1976. [Unpublished.] -- Department of Fisheries, Fisheries Research Centre, Abbotstown, Castleknock, County Dublin, Ireland. --23 p.

Summaries of papers presented at workshop.

KEYWORDS: *Patinopecten yessoensis* / *Pecten maximus* / *Argopecten irradians* / *Chlamys opercularis* / Atlantic, Eastern / Scotland / Ireland / France / Great Britain / Pacific, Western / Japan / Equipment design / Larvae / Larval development / Fishery / Economics / Settlement and metamorphosis / Population / Aquaculture / Hanging culture / Juvenile growth / Adults / Nursery / Diet / Production / Spat collectors / Management / Juveniles / Behaviour / Phytoplankton

345

Minchin, D. 1983.
Predation on young *Pecten maximus* (L.) (Bivalvia) by the anemone *Anthopleura ballii* (Locks). -- J. Molluscan Stud. 49: 228-231.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Ireland / Predators / Habitat / Juveniles

346

Minchin, D., and N.F. Mathers. 1982.
The escallop, Pecten maximus (L.), in Killary Harbour. -- Ir. Fish. Invest. Ser. B (Mar.) 25: 13 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Age composition / Population / Distribution / Behaviour / Juveniles / Adults

347

Mohn, R.K., G. Robert, and D.L. Roddick. 1984.
Status and harvesting strategies for Georges Bank scallop stock (NAFO SA 5ZE). -- Int. Counc. Explor. Sea C.M. 1984/K:15: 31 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Fishery / Adults / Management / Mortality / Recruitment

348

Mohn, R.K., G. Robert, and D.L. Roddick. 1984.
Georges Bank scallop stock assessment - 1983. -- CAFSAC Res. Doc. 84/12: 26 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Fishery / Adults / Management / Recruitment / Mortality / Distribution / Population

349

Mohn, R.K., G. Robert, and D.L. Roddick. 1985.
Georges Bank scallop stock assessment - 1984. -- CAFSAC Res. Doc. 85/36: 24 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Fishery / Management / Mortality / Recruitment / Adults / Adult growth / Distribution / Population

350

Monical, J.B., Jr. 1980.
Comparitive studies on growth of the purple-hinge rock scallop Hinnites multirugosus (Gale) in the marine waters of southern California. -- Proc. Natl. Shellfish. Assoc. 70: 14-21.

KEYWORDS: Chlamys gigantea / Pacific, Eastern / California / Juvenile growth / Hanging culture / Phytoplankton / Length/weight relation / Aquaculture

351

Moore, J.D., and E.R. Trueman. 1971.
Swimming of the scallop, Chlamys opercularis (L.). -- J. Exp. Mar. Biol. Ecol. 6: 179-185.

KEYWORDS: Chlamys opercularis / Behaviour / Adults

352

Moore, J.K., and N. Marshall. 1967.
An analysis of the movements of the bay scallop, *Aequipecten irradians*, in a shallow estuary. -- Proc. Natl. Shellfish. Assoc. 57: 77-82.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Connecticut / Behaviour / Adults / Population

353

Mori, K., W. Sato, T. Monura, and M. Imajima. 1985.
Infestation of the Japanese scallop *Patinopecten yessoensis* by the boring polychaetes, *Polydora*, on the Okhotsk sea coast of Hokkaidö, especially in Abashiri waters. -- Bull. Jpn. Soc. Sci. Fish. 51(3): 371-380.

In Japanese; English summary.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Adults / Disease / Morphology / Shell deformity / Parasites / Aquaculture

354

Morizur, Y. 1977.
Differenciation des juveniles de *Chlamys varia* et *Chlamys opercularis*. Etude comparee de leurs croissances. [Differentiation of *Chlamys varia* and *Chlamys opercularis* juveniles. Comparative study of their growth.] -- Centre Oceanologique de Bretagne, Brest, France. -- 51 p.

In French.

KEYWORDS: *Chlamys varia* / *Chlamys opercularis* / Atlantic, Eastern / France / Juveniles / Juvenile growth / Taxonomy / Species identification / Shell morphology / Length/height relation

355

Morrison, C., and G. Shum. 1982.
Chlamydia-like organisms in the digestive diverticula of the bay scallop, *Argopecten irradians* (Lmk.). -- J. Fish Dis. 5: 173-184.

KEYWORDS: *Argopecten irradians* / Histology / Disease / Adults / Parasites

356

Morrison, C., and G. Shum. 1983.
Rickettsias in the kidney of the bay scallop, *Argopecten irradians* (Lamark). -- J. Fish Dis. 6: 537-541.

KEYWORDS: *Argopecten irradians* / Adults / Disease / Histology / Morphology / Parasites

357

Morse, D.E., and N. Hooker. 1978.
Chemical control of reproduction in bivalve and gastropod mollusks, III: An inexpensive technique for mariculture of many species. -- Proc. World Maricul. Soc. 9: 543-547.

KEYWORDS: *Chlamys gigantea* / Spawning / Hydrogen peroxide

358

Morse, M.P., W.E. Robinson, W.E. Wehling, and S. Libby. 1981.
A problem of giant seed: A preliminary study of the bay scallop *Argopecten irradians* in Pleasant Bay, Cape Cod. [Abstract] -- J. Shellfish Res. 1(1): 119-120.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Massachusetts / Population / Adults / Histology / Gametogenesis / Reproduction

359

Motoda, S. 1977.
Biology and artificial propagation of Japanese scallop. -- Proc. Sov.-Jpn. Jt. Symp. Aquacul. 2(1973): 75-120.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Management / Life history / Adults / Fishery / Gametogenesis / Aquaculture / Hatchery / Spawning / Spat collectors / Larvae / Temperature / Settlement and metamorphosis / Population / Distribution / Juvenile growth / Nursery / Mortality / Energetics / Hanging culture / Bottom culture

360

Mottet, M. 1984.
Summaries of Japanese papers on hatchery technology and intermediate rearing facilities for clams, scallops, and abalones. -- Washington Dept. Fish. Prog. Rep. 203: 86 p.

KEYWORDS: *Chlamys nobilis* / *Patinopecten yessoensis* / Pacific, Western / Japan / Bibliography / Aquaculture / Mortality / Hanging culture / Hatchery / Juveniles / Equipment design / Shell deformity / Salinity / Larvae / Bottom culture / Phytoplankton

361

Mottet, M.G. 1979.
A review of the fishery biology of scallops. -- Washington Dept. Fish. Tech. Rep. 39: 292 p.

KEYWORDS: Pectinidae / Atlantic, Eastern / Atlantic, Western / Pacific, Eastern / Pacific, Western / Bibliography / Hanging culture / Morphology / Behaviour / Taxonomy / Fishery / Mortality / Adult growth / Spawning / Gonad index / Larval development / Juvenile development / Aquaculture / Management / Population / Bottom culture / Hatchery / Nursery / Spat collectors

362

Murdock, J., and C.P. Idyll. 1953.
An outline of the scallop industry of Florida. -- Oyster Inst. North Am. Trade Rep. 135: 5p.

KEYWORDS: Argopecten gibbus / Atlantic, Western / Florida / Fishery / Economics / Spawning / Adults

363

Nagata, W.D., and H. Hirata. 1986.
Mariculture in Japan: past, present and future prospectives. -- Mini. Rev. Data File Fish. Res. 4: 1-38.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Fishery / Aquaculture / Spat collectors / Hanging culture / Bottom culture

364

Naidu, K.S. 1969.
Growth, reproduction, and unicellular endosymbiotic alga in the giant scallop, Placopecten magellanicus (Gmelin), in Port au Port Bay, Newfoundland. -- M.Sc. thesis. -- Memorial University of Newfoundland, St. John's, Newfoundland. -- 169 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Newfoundland / Fishery / Tagging / Mortality / Aging / Adult growth / Parasites / Histology / Age/height relation / Gametogenesis / Reproduction / Population / Age composition / Spawning

365

Naidu, K.S. 1970.
Reproduction and breeding cycle of the giant scallop Placopecten magellanicus (Gmelin) in Port au Port Bay, Newfoundland. -- Can. J. Zool. 48: 1003-1012.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Newfoundland / Gametogenesis / Spawning / Juveniles / Size distribution / Spat collectors / Population / Adults / Reproduction

366

Naidu, K.S. 1971.
Infection of the giant scallop Placopecten magellanicus from Newfoundland with an endozoic algae. -- J. Invertebr. Pathol. 17(2): 145-157.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Newfoundland / Georges Bank / Parasites / Phytoplankton / Shell morphology / Age/weight relation / Histology / Adults

367

Naidu, K.S. 1983.
A first estimate of indirect fishing mortality in the Iceland scallop *Chlamys islandica* (Müller). [Abstract] -- J. Shellfish Res. 3(1): 98.

KEYWORDS: *Chlamys islandica* / Atlantic, Western / Newfoundland / Mortality / Fishery / Adults

368

Naidu, K.S., and J.R. Botta. 1978.
Taste panel assessment and proximate composition of cultured and wild sea scallops, *Placopecten magellanicus* (Gmelin). -- Aquaculture 15: 243-247.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Newfoundland / Adults / Biochemical composition / Economics

369

Naidu, K.S., and F.M. Cahill. 1978.
Scallop culture in Newfoundland: A progress report for 1977-1978. Submitted to the Department of Fisheries, Government of Newfoundland and Labrador. -- Research and Resources Services Branch, Newfoundland. -- 32 p.

KEYWORDS: Atlantic, Western / Newfoundland / Aquaculture / Spat collectors / Predators / Hanging culture / Fouling organisms / Juveniles / Bottom culture / Mortality / Economics / Equipment design

370

Naidu, K.S., and F.M. Cahill. 1986.
Culturing giant scallops in Newfoundland waters. -- Can. Manuscr. Rep. Fish. Aquat. Sci. No 1876: 23 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Newfoundland / Life history / Spat collectors / Hanging culture / Aquaculture / Bottom culture / Equipment design / Juveniles / Adults / Management

371

Naidu, K.S., F.M. Cahill, and D.B. Lewis. 1980.
Scallop culture report, 1979-80. Report submitted to the Department of Fisheries, Government of Newfoundland and Labrador. -- Research and Resource Services Branch, St. John's, Newfoundland. -- 40 p.

KEYWORDS: *Chlamys islandica* / *Placopecten magellanicus* / Atlantic, Western / Newfoundland / Spat collectors / Aquaculture / Management / Hanging culture / Bottom culture / Economics / Juvenile growth

372

Naidu, K.S., F.M. Cahill, and D.B. Lewis. 1981.
Relative efficacy of two artificial substrates in the collection of sea scallop (Placopecten magellanicus) spat. -- J. World. Maricul. Soc. 12(2): 165-171.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Newfoundland / Spat collectors / Mortality / Predators / Juveniles

373

Naidu, K.S., F.M. Cahill, and D.B. Lewis. 1981.
Scallop culture report, 1980-81. Report submitted to the Department of Fisheries, Government of Newfoundland and Labrador. -- Research and Resource Services Branch, St. John's, Newfoundland. -- 46 p.

KEYWORDS: Chlamys islandica / Placopecten magellanicus / Atlantic, Western / Newfoundland / Spat collectors / Hanging culture / Aquaculture / Management / Juveniles / Equipment design / Juvenile growth

374

Naidu, K.S., F.M. Cahill, and D.B. Lewis. 1982.
Status and assessment of the Iceland scallop, Chlamys islandica in the northeastern Gulf of St. Lawrence. -- CAFSAC Res. Doc. 82/02: 66 p.

KEYWORDS: Chlamys islandica / Atlantic, Western / Gulf of St. Lawrence / Age composition / Fishery / Distribution / Population / Equipment design / Mortality / Height/weight relation / Economics / Age/height relation / Adult growth / Fouling organisms

375

Naidu, K.S., and R. Scalpen. 1979.
Settlement and survival of the giant scallop, Placopecten magellanicus (Gmelin) larvae on enclosed polyethylene film collectors. Pp 379-381 in T.V.R. Pillay and W. A. Dill (eds.) Advances in aquaculture: papers presented at FAO Technical Conference on Aquaculture, Kyoto 1976. Fishing News Books, Farnham, England.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Newfoundland / Adults / Distribution / Spat collectors / Settlement and metamorphosis / Predators

376

Nelson, D.A., A. Calabrese, and J.R. MacInnes. 1977.
Mercury stress on juvenile bay scallops, Argopecten irradians, under various salinity-temperature regimes. -- Mar. Biol. 43: 293-297.

KEYWORDS: Argopecten irradians / Juveniles / Mortality / Mercury / Salinity / Temperature

377

Nelson, D.A., A. Calabrese, B.A. Nelson, J.R. MacInnes, and D.R. Wenzloff. 1976.

Biological effects of heavy metals on juvenile bay scallops, *Argopecten irradians* in short-term exposures. -- Bull. Envir. Contam. Toxicol. 16(3): 275-282.

KEYWORDS: *Argopecten irradians* / Juveniles / Toxicity / Mortality

378

Nicholson, J. 1978.

Feeding and reproduction in the New Zealand scallop *Pecten novaezelandiae*. -- M.Sc. thesis. -- University of Auckland, Auckland, New Zealand. -- 75 p.

KEYWORDS: *Pecten novaezelandiae* / Pacific, Western / New Zealand / Adults / Juveniles / Embryonic development / Age/height relation / Water currents / Height/weight relation / Recruitment / Feeding / Reproduction / Histology / Morphology / Temperature / Gonad index / Gametogenesis / Spawning / Mortality / Larvae / Diet / Hermaphroditism / Behaviour / Distribution / Phytoplankton / Respiration / Equipment design

379

Nikiforov, S.M., and S.M. Dolganov. 1982.

Genetic variation of the Japanese scallop *Patinopecten yessoensis* from the Vostok Bay, Sea of Japan. -- Biol. Morya (Vladivostok) 1982(2): 47-51.

In Russian; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Genetics / Adults

380

O'Brien, J.J. 1961.

New England sea scallop fishery, and marketing of sea scallop meats, 1939-60. -- U.S. Bureau of Commercial Fisheries, Market News Service, Boston, Massachusetts. -- 48 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Massachusetts / Maine / New England / Fishery / Economics / Adults

381

Obara, A., and M. Kuniyoshi. 1970.

[On collecting the larvae of the scallop, *Patinopecten yessoensis*, at Saroma Bay in 1969.] -- J. Hokkaido Fish. Exp. Stn. 27(1): 2-12.

In Japanese.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Aquaculture / Larvae

Obara, A., and K. Maru. 1982. 382

Scallop spat collection in Lake Saroma in 1969. -- Can. Transl. Fish. Aquat. Sci. Ser. 4879: 22 p.

[Translation from Japanese: Hokusuishi Geppo 27: 1-12 (1970).]

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Adults / Recruitment / Gonad index / Juveniles / Spat collectors / Temperature / Larval development / Distribution / Aquaculture / Settlement and metamorphosis

Ogawa, H., M. Yokoyama, A. Sato, and S. Ito. 1987. 383

Seed production of scallop - 1968. -- Can. Transl. Fish. Aquat. Sci. 5320: 10 p.

[Translation from Japanese: Hotategai no Shubyō Seisan: 110-114 (1968).]

KEYWORDS: *Patinopecten yessoensis* / Aquaculture / Hatchery / Reproduction / Diet / Adults / Spawning / Settlement and metamorphosis / Juveniles / Juvenile growth / Nursery / Larvae / Equipment design / Temperature / Spat collectors

Okesaku, H., and S. Tanaka. 1969. 384

[The efficiency of releasing the young of the scallop, *Patinopecten yessoensis*. 2. The results of a mass release of scallops less than one year old.] -- J. Hokkaido Fish. Exp. Stn. 26(3): 32-49.

In Japanese.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Aquaculture / Bottom culture / Juveniles

Olsen, S. 1981. 385

New candidates with aquaculture potential in Washington State: Pinto abalone (*Haliotis kamtschatkana*), weathervane scallop (*Pecten caurinus*), and purple-hinge rock scallop (*Hinnites multirugosus*). [Abstract] -- J. Shellfish Res. 1(1): 133.

KEYWORDS: *Patinopecten caurinus* / *Chlamys gigantea* / Spawning / Aquaculture / Larvae

Olsen, S. 1983. 386

Abalone and scallop culture in Puget Sound. [Abstract] -- J. Shellfish Res. 3(1): 113.

KEYWORDS: *Chlamys gigantea* / Aquaculture / Diet / Juvenile growth

387

Olsen, S.J. 1984.
Completion report on invertebrate aquaculture shellfish enhancement project 1978-1983. Shellfish enhancement project, final report, October 1, 1978 - March 30, 1983. -- Washington Department of Fisheries, Olympia. -- 85 p.

KEYWORDS: Patinopecten caurinus / Chlamys gigantea / Pacific, Western / Washington / Aquaculture / Hatchery / Spawning / Temperature / Diet / Salinity / Juvenile growth / Mortality / Hanging culture / Reproduction / Larval growth / Adults

388

Osanai, K. 1975.
Seasonal gonad development and sex alteration in the scallop, Patinopecten yessoensis. -- Bull. Mar. Biol. Stn. Asamushi 15(2): 81-88.

KEYWORDS: Patinopecten yessoensis / Atlantic, Western / Japan / Adults / Gametogenesis / Temperature / Hermaphroditism / Reproduction

389

Palmer, R.E. 1980.
Observations on shell deformities, ultrastructure, and increment formation in the bay scallop Argopecten irradians. -- Mar. Biol. 58: 15-23.

KEYWORDS: Argopecten irradians / Larval growth / Phytoplankton / Juvenile growth / Shell morphology / Aquaculture

390

Palmer, R.E. 1980.
Behavioural and rhythmic aspects of filtration in the bay scallop, Argopecten irradians concentricus (Say), and the oyster, Crassostrea virginica (Gmelin). -- J. Exp. Mar. Biol. Ecol. 45: 273-295.

KEYWORDS: Argopecten irradians / Behaviour / Feeding / Juvenile growth / Physiology / Adults

391

Palmer, R.E., and L.G. Williams. 1980.
Effect of particle concentration on filtration efficiency of the bay scallop Argopecten irradians and the oyster Crassostrea virginica. -- Ophelia 19(2): 163-174.

KEYWORDS: Argopecten irradians / Adults / Physiology / Feeding

392

Paul, J.D. 1980.
Salinity-temperature relationships in the queen scallop Chlamys opercularis. -- Mar. Biol. 56: 295-300.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Salinity / Temperature / Mortality / Behaviour / Adults

393

Paul, J.D. 1980.
Upper temperature tolerance and the effects of temperature on byssus attachment in the queen scallop, Chlamys opercularis (L.). -- J. Exp. Mar. Biol. Ecol. 46: 41-50.

KEYWORDS: Chlamys opercularis / Temperature / Mortality / Adults

394

Paul, J.D. 1981.
Natural settlement and early growth of spat of the queen scallop Chlamys opercularis (L.) with reference to the formation of the first growth ring. -- J. Molluscan Stud. 47: 53-58.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Settlement and metamorphosis / Habitat / Spat collectors / Juvenile growth / Size distribution

395

Paul, J.D. 1985.
Scallop cultivation: A simple method of separating spat of Pecten maximus (L.) and Chlamys opercularis (L.) by means of behavioural differences. -- Aquaculture 50: 161-167.

KEYWORDS: Pecten maximus / Chlamys opercularis / Behaviour / Juveniles / Aquaculture

396

Paul, J.D., A.R. Brand, and J.N. Hoogesteger. 1981.
Experimental cultivation of the scallops Chlamys opercularis (L.) and Pecten maximus (L.) using naturally produced spat. -- Aquaculture 24: 31-44.

KEYWORDS: Chlamys opercularis / Pecten maximus / Atlantic, Eastern / Great Britain / Spat collectors / Equipment design / Aquaculture / Mortality / Settlement and metamorphosis / Hanging culture / Juvenile growth

397

Paul, J.D., and I.M. Davies. 1986.
Effects of copper and tin based anti-fouling compounds on the growth of scallops (Pecten maximus) and oysters (Crassostrea gigas). -- Aquaculture 54: 191-203.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Adults / Juveniles / Toxicity / Fouling organisms / Mortality / Adult growth / Juvenile growth

398

Peirson, W.M. 1983.
Utilization of eight algal species by the bay scallop, Argopecten irradians concentricus (Say). -- J. Exp. Mar. Biol. Ecol. 68: 1-11.

KEYWORDS: Argopecten irradians / Phytoplankton / Adults / Biochemical composition / Feeding / Diet / Physiology / Energetics

399

Pereyra, W.T., and C.R. Hitz. 1969.
Exploratory scallop (Patinopecten caurinus) surveys off the Oregon and Washington coast. [Abstract] -- Proc. Natl. Shellfish. Assoc. 59: 12.

KEYWORDS: Patinopecten caurinus / Pacific, Eastern / Oregon / Washington / Distribution / Sampling / Population / Adults / Predators

400

Perkins, E.J., and E. Gribbon. 1972.
Method for queen scallop culture. -- Mar. Pollut. Bull. 3(4): 60-61.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Equipment design / Hanging culture / Juvenile growth / Aquaculture / Spat collectors

401

Perodou, D., and D. Latrouite. 1981.
Contribution à l'étude de la reproduction du pétoncle noir (Chlamys varia) de la baie de Quiberon. [A contribution to the study of the reproduction in the black scallop (Chlamys varia) in Quiberon Bay.] -- Int. Counc. Explor. Sea C.M. 1981/K:33: 10 p.

In French; English abstract.

KEYWORDS: Chlamys varia / Atlantic, Eastern / France / Adults / Spawning / Gametogenesis / Management / Hermaphroditism / Reproduction / Recruitment / Gonad index / Sex ratio

402

Phleger, C.F., and S.C. Cary. 1983.
Settlement of spat of the purple-hinge rock scallop Hinnites multirugosis (Gale) on artificial collectors. -- J. Shellfish Res. 3(1): 71-73.

KEYWORDS: Chlamys gigantea / Pacific, Eastern / California / Spat collectors / Aquaculture / Equipment design / Juveniles

403

Phleger, C.F., S.C. Cary, and D.L. Leighton. 1981.
Algae and detrital matter as food for juvenile purple-hinge rock scallops, Hinnites multirugosus Gale. -- J. World Maricul. Soc. 12(2): 180-185.

KEYWORDS: Chlamys gigantea / Diet / Juveniles / Biochemical composition

404

Phleger, C.F., and D.L. Leighton. 1977.
Aquaculture of the purple-hinge rock scallop. -- Calif. Sea Grant College Prog. Annu. Rep. 1975-76: 74-76.

KEYWORDS: Chlamys gigantea / Pacific, Eastern / California / Juvenile growth / Hanging culture / Toxicity / Aquaculture

405
Phleger, C.F., and D.L. Leighton. 1980.
Refinements in culture technology for the purple-hinge rock scallop. University of California Sea Grant Project R/A-31 Technical Report 1978-1980. -- San Diego State University, San Diego. -- 22 p.

KEYWORDS: Chlamys gigantea / Pacific, Eastern / California / Aquaculture / Larvae / Diet / Larval growth / Mortality / Phytoplankton / Juvenile growth / Settlement and metamorphosis / Hatchery / Equipment design / Hanging culture

406
Phleger, C.F., and D.L. Leighton. 1980.
Studies to refine hatchery and ocean rearing methods for the purple-hinge rock scallop. -- Univ. Calif. Sea Grant Proj. R/A-31. Tech. Rep. 1978-1980: 81-82.

KEYWORDS: Chlamys gigantea / Pacific, Eastern / California / Aquaculture / Hatchery / Diet / Larval growth / Juveniles

407
Phleger, C.F., and S.S. Rossi. 1982.
Dissolved organic matter accumulation by juveniles of the purple-hinge rock scallop, Hinnites multirugosus Gale. -- Comp. Biochem. Physiol. 71(A): 453-456.

KEYWORDS: Chlamys gigantea / Juveniles / Biochemical composition / Diet / Energetics / Physiology

408
Pollero, R.J., M.E. Ré, and R.R. Brenner. 1979.
Seasonal changes of the lipids of the mollusc Chlamys tehuelcha. -- Comp. Biochem. Physiol. 64A: 257-263.

KEYWORDS: Chlamys tehuelchus / Atlantic, Western / Argentina / Biochemical composition / Adults / Production

409
Ponurousky, S.K., and A.V. Silina. 1983.
The determination of age and linear growth rate in the scallop Swiftopecten swifti. -- Biol. Morya (Vladivostok) 1983(1): 20-24.

In Russian; English abstract.

KEYWORDS: Swiftopecten swifti / Pacific, Western / USSR / Adults / Shell morphology

410

Posgay, J.A. 1953.
Sea scallop investigations. Pp. 9-24 in H.J. Turner, Jr. (ed.) 1953. Sixth report on investigations of the shellfisheries of Massachusetts. Prepared by Woods Hole Oceanographic Institution. -- Massachusetts Department of National Resources Division of Marine Fisheries, Woods Hole. -- Mass. Dept. Natl. Resour. Div. Mar. Fish. 6.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / United States / Fishery / Spawning / Adults / Size distribution / Age composition / Population / Length/weight relation / Distribution

411

Posgay, J.A. 1957.
Sea scallops boats and gear. -- U.S. Fish. Wildl. Serv. Fish. Leafl. 442: 10 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Fishery / Adults / Equipment design

412

Posgay, J.A. 1957.
The range of the sea scallop. -- Nautilus 71(2): 55-57.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Canada / United States / Adults / Distribution / Population

413

Posgay, J.A. 1958.
A recording measuring board. -- Prog. Fish. Cult. 20(3): 142.

KEYWORDS: *Placopecten magellanicus* / Equipment design

414

Posgay, J.A. 1958.
Maximum yield in the sea scallop fishery. -- Int. Comm. Northw. Atl. Fish. Ser. 554 Doc. 58/28: 17 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Fishery / Distribution / Population / Adults / Mortality / Age/weight relation / Size distribution

415

Posgay, J.A. 1960.
United States sea scallop research during 1959 in subarea 5z. -- Int. Comm. Northw. Atl. Fish. Ser. 748 Doc. 60/30: 10 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Georges Bank / Adults / Fishery / Population / Distribution / Size distribution

416

Posgay, J.A. 1961.
U.S. research on the Georges Bank sea scallop fishery during 1960. -- Int. Comm. Northw. Atl. Fish. Ser. 893 Doc. 61/31: 7 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Fishery / Size distribution / Population / Size frequency / Length/weight relation / Mortality / Adults

417

Posgay, J.A. 1962.
Maximum yield per recruit of sea scallops. -- Int. Comm. Northw. Atl. Fish. Ser. 1016 Doc. 73: 20 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada / United States / Adults / Fishery / Size distribution / Population / Recruitment / Adult growth / Mortality / Length/weight relation

418

Posgay, J.A. 1963.
Tagging as a technique in population studies of the sea scallop. -- Pp. 268-271 In North Atlantic Fish Marking Symposium, 1961. Int. Comm. Northw. Atl. Fish. Spec. Pub. 4: 268-271.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Adults / Distribution / Adult growth / Mortality / Population / Tagging

419

Posgay, J.A. 1967.
Trends in the Atlantic sea scallop fishery. -- Comm. Fish. Rev. 30(5): 24-26.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada / United States / Fishery / Distribution / Adults

420

Posgay, J.A. 1979.
Population assessment of the Georges Bank sea scallop stocks. Pp. 109-113 in H.J. Thomas (ed.) Population assessments of shellfish stocks. -- Rapp. P.-V. Réun. Cons. Int. Explor. Mer 175.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Fishery / Adults / Juvenile growth / Mortality / Length/weight relation / Population

421

Posgay, J.A. 1979.
Depth as a factor affecting the growth rate of the sea scallop. -- Int. Counc. Explor. Sea Doc. C.M. 1979/K:27: 5 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Distribution / Adult growth / Diet

422

Posgay, J.A. 1981.
Movement of tagged sea scallops on Georges Bank. -- Mar. Fish. Rev. 43(4): 19-25.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Tagging / Mortality / Population / Adults / Behaviour

423

Posgay, J.A., and K.D. Norman. 1958.
An observation on the spawning of the sea scallop, Placopecten magellanicus (Gmelin), on Georges Bank. -- Limnol. Oceanogr. 3(4): 478.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Spawning / Adults / Reproduction

424

Proctor, S. 1980.
The eyes of a scallop. -- Waters J. Vancouver Aquarium 4(2): 5-14.

KEYWORDS: Chlamys sp. / Pecten sp. / Adults / Histology / Predators / Behaviour

425

Pyen, C.K., and Y.G. Rho. 1978.
Studies on the early development and spat collection of Patinopecten yessoensis (Jay) under laboratory conditions. -- Bull. Fish. Res. Dev. Agency (Korea) 20: 141-155.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Adults / Embryonic development / Spat collectors / Spawning / Temperature / Length/height relation / Phytoplankton / Juveniles / Larval development / Settlement and metamorphosis

426

Quayle, D.B. 1960.
The intertidal bivalves of British Columbia. -- B.C. Prov. Mus. Handbook 17: 104 p.

KEYWORDS: Patinopecten caurinus / Chlamys gigantea / Pacific, Eastern / British Columbia / Life history / Adults / Taxonomy / Distribution / Habitat / Morphology

427

Quayle, D.B. 1961.
Deep water clam and scallop survey in British Columbia, 1960. -- Fish. Res. Board Can. Manuscr. Rep. Ser. (Biol.) 717: 76 p.

KEYWORDS: Chlamys sp. / Patinopecten caurinus / Pacific, Eastern / British Columbia / Equipment design / Fishery / Adults / Habitat / Population / Distribution

428

Quayle, D.B. 1963.
Deep water clam and scallop survey in British Columbia, 1961. -- Fish. Res. Board Can. Manuscr. Rep. Ser. (Biol.) 746: 38 p.

KEYWORDS: Patinopecten caurinus / Chlamys rubida / Chlamys hastata / Pacific, Eastern / British Columbia / Sampling / Habitat / Population / Distribution / Adults

429

Quiroga, H., and J. Mejuto. 1983.
Experiencias sobre el cultivo de la vieira, Pecten maximus L. en la Ria de Sada-Betanzos (Galicia España). [Experiments on the cultivation of the scallop Pecten maximus in the Sada-Betanzos estuary (Galicia, Spain).] -- Bol. Inst. Esp. Oceanog. 1(1): 55-64.

In Spanish; English abstract.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Spain / Hanging culture / Length/height relation / Length/weight relation / Mortality / Juveniles / Aquaculture

430

Rathjen, W.F., and J.B. Rivers. 1964.
Gulf of Alaska scallop explorations, 1963. -- Commer. Fish. Rev. 26(3): 7 p.

KEYWORDS: Patinopecten caurinus / Pacific, Eastern / Gulf of Alaska / Adults / Distribution / Population / Size distribution / Fishery / Economics

431

Ray, S., and V. Jerome. 1987.
Copper, zinc, cadmium, and lead in scallops (Placopecten magellanicus) from the Maritimes. -- Can. Tech. Rep. Fish. Aquat. Sci. 1519: 29p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Canada / Adults / Heavy metals

432

Reddiah, K. 1962.
The sexuality and spawning of Manx pectinids. -- J. Mar. Biol. Assoc. U.K. 42: 683-703.

KEYWORDS: Chlamys varia / Chlamys distorta / Chlamys tigerina / Chlamys striata / Chlamys furtiva / Atlantic, Eastern / Great Britain / Adults / Fecundity / Gametogenesis / Reproduction / Spawning

433

Rees, C.B. 1950.
The identification and classification of lamellibranch larvae. -- Hull. Bull. Mar. Ecol. 3(19): 73-104.

KEYWORDS: Pectinidae / Taxonomy / Larvae / Shell morphology / Hinge morphology

434

Rhodes, E.W., R. Goldberg, and J.C. Widman. 1981.
The role of raceways in mariculture systems for the bay scallop, *Argopecten irradians irradians*, and the surf clam, *Spisula solidissima*. Pp. 227-251 in C. Claus, N. De Pauw and E. Jaspers (eds.) Nursery culturing of bivalve molluscs. -- Eur. Maricul. Soc. Spec. Publ. 7.

KEYWORDS: *Argopecten irradians* / Adults / Raceways / Aquaculture / Phytoplankton / Juvenile growth / Length/weight relation / Temperature / Phytoplankton / Economics / Nursery

435

Rhodes, E.W., and J.C. Widman. 1980.
Some aspects of the controlled production of the bay scallop (*Argopecten irradians*). -- Proc. World Maricul. Soc. 11: 235-246.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Connecticut / Raceways / Hanging culture / Juvenile growth / Aquaculture / Nursery

436

Rhodes, E.W., and J.C. Widman. 1984.
Density-dependent growth of the bay scallop, *Argopecten irradians irradians* in suspension culture. -- Int. Counc. Explor. Sea C.M. 1984/K:18: 12 p.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Connecticut / Fishery / Adults / Hanging culture / Mortality / Shell deformity / Juvenile growth / Height/weight relation

437

Rhodes, E.W., J.C. Widman, and P.A. Boyd. 1981.
Experimental evaluation of nursery and grow-out methods for the bay scallop, *Argopecten irradians*. -- Int. Counc. Explor. Sea CM 1981/F:25: 15p.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Connecticut / Spawning / Raceways / Hanging culture / Juvenile growth / Nursery / Aquaculture

438

Richardson, C.A., A.C. Taylor, and T.J. Venn. 1982.
Growth of the queen scallop *Chlamys opercularis* in suspended cages in the Firth of Clyde. -- J. Mar. Biol. Assoc. U.K. 62: 157-169.

KEYWORDS: *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Size distribution / Hanging culture / Juvenile growth / Phytoplankton / Aquaculture

439

Rivers, J.B. 1962.
Fishing vessels and gear developments. -- Commer. Fish. Rev. 24(5): 11-14.

KEYWORDS: Atlantic, Western / North Carolina / Equipment design

440

Robert, G. 1978.
Biological assessment of the bay scallop (Argopecten irradians) for Maritime waters. -- Can. Fish. Mar. Serv. Tech. Rep. 778: 13 p.

KEYWORDS: Argopecten irradians / Atlantic, Western / Distribution / Adults / Aquaculture / Fishery / Population / Spawning / Reproduction / Temperature / Behaviour / Predators / Salinity

441

Robert, G., and G.S. Jamieson. 1983.
Assessment of Northumberland Strait scallop stocks and review, 1978 to 1981. -- Can. Tech. Rep. Fish. Aquat. Sci. 1150: 37 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Northumberland Strait / Fishery / Adults / Age composition / Distribution / Management / Population / Recruitment

442

Robert, G., M.J. Lundy, and R.A. Chandler. 1984.
Recent trends in the Grand Manan scallop fishery. -- Can. Tech. Rep. Fish. Aquat. Sci. 1267: 78 p.

KEYWORDS: Placopecten magellanicus / Chlamys islandica / Atlantic, Western / New Brunswick / Fishery / Management / Population / Mortality / Adults / Recruitment / Size distribution

443

Robinson, W.E., W.E. Wehling, M.P. Morse, and G.C. McLeod. 1981.
Seasonal changes in soft-body component indices and energy reserves in the Atlantic deep-sea scallop, Placopecten magellanicus. -- Fish. Bull. (U.S.) 79(3): 449-458.

KEYWORDS: Placopecten magellanicus / Energetics / Gametogenesis / Reproduction / Biochemical composition / Production / Adults

444

Rodger, R.W., and N.D. Davis. 1982.
Exploratory Grand Banks scallop survey, 1982. -- Can. Ind. Rep. Fish. Aquat. Sci. No 137: 29 p.

KEYWORDS: Chlamys islandica / Placopecten magellanicus / Atlantic, Western / Newfoundland / Grand Banks / Fishery / Distribution / Adults / Economics / Equipment design / Population

445

Rodhouse, P.G., B. Ottway, and G.M. Burnell. 1981.
Bivalve production and food chain efficiency in an experimental nursery system. -- J. Mar. Biol. Assoc. U.K. 61: 243-256.

KEYWORDS: Chlamys varia / Production / Nursery / Phytoplankton / Juvenile growth / Equipment design / Temperature / Mortality / Energetics / Feeding

446

Roels, O.A., J.B. Sunderlin, and S. Laurence. 1979.
Bivalve molluscan culture in an artificial upwelling system. -- Proc. World Maricul. Soc. 10: 122-138.

KEYWORDS: Argopecten irradians / Atlantic, Western / Texas / Phytoplankton / Aquaculture / Equipment design / Juveniles / Diet / Nursery

447

Rolfe, M.S. 1969.
The determination of the abundance of escallops and of the efficiency of the Baird escallop dredge. -- Int. Counc. Explor. Sea C.M. 1969/K:22: 8 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Adults / Distribution / Population

448

Rolfe, M.S. 1969.
Escallops off Plymouth: report of a survey made October 5-30th, 1968. -- Gt. Britain Minist. Agric. Fish. Food Info. Leafl. (Burnham-on-Crouch)13: 18 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Adults / Fishery / Population / Distribution / Economics / Age composition / Size distribution

449

Rolfe, M.S. 1973.
Notes on queen scallops and how to catch them. -- Gt. Britain Minist. Agric. Fish. Food Shellfish Info. Leafl. 27: 13 p.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Distribution / Fishery / Equipment design / Morphology / Habitat / Reproduction / Adults / Age/length relation / Size frequency

450

Ronholt, L.L., and C.R. Hitz. 1968.
Scallop explorations off Oregon. -- Commer. Fish. Rev. 30(7): 42-49.

KEYWORDS: Patinopecten caurinus / Pacific, Eastern / Oregon / Adults / Distribution / Population / Fishery

451
Rose, R.A., and T.G. Dix. 1984.
Larval and juvenile development of the doughboy scallop, Chlamys (Chlamys) asperrimus (Lamark) (Mollusca: Pectinidae). -- Aust. J. Mar. Freshwater Res. 35: 315-323.

KEYWORDS: Chlamys asperrimus / Larval development / Adults / Spawning / Length/height relation / Reproduction / Juveniles / Larval growth / Life history

452
Royce, W.F. 1948.
Gear used in the sea scallop fishery. -- U.S. Fish. Wildl. Serv. Fish. Leafl. 225: 5 p.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Georges Bank / Adults / Equipment design

453
Ruzzante, D.E., and H.E. Zaixso. 1985.
Settlement of Chlamys tehuelchus (D'orb.) on artificial collectors: seasonal changes in spat settlement. -- Mar. Ecol. Prog. Ser. 26: 195-197.

KEYWORDS: Chlamys tehuelchus / Atlantic, Western / Argentina / Spat collectors / Juveniles / Spawning

454
Saito, K. 1984.
Ocean ranching of abalone and scallops in northern Japan. -- Aquaculture 39: 361-373.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Aquaculture / Fishery / Adults

455
Sakaguchi, M., D.F. Hiltz, and W.J. Dyer. 1975.
Metabolism of pyruvate in postmortem adductor muscle of the sea scallop (Placopecten magellanicus) during iced storage. -- J. Fish. Res. Board Can. 32: 1329-1337.

KEYWORDS: Placopecten magellanicus / Biochemical composition / Adults

456

Sakai, K. 1979.

[Scallop culture in Japan.] Pp. 101-187 in M.G. Mottet (ed.) 1979. A review of the fishery biology of scallops. -- Wash. Dept. Fish. Tech. Rep. 39.

[Partial translation from Japanese: Suisan Hokkaido Kyodai [Hokkaido Fisheries Association], Hokkaido. 750 p. (1976).]

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Nursery / Hatchery / Management / Spawning / Spat collectors / Gonad index / Temperature / Mortality / Equipment design / Production / Adults / Aquaculture / Hanging culture / Larvae / Juveniles / Juvenile growth / Shell morphology / Economics

457

Sanders, M.J. 1967.

Catch predictions for Port Phillips Bay scallop fishery. -- Aust. Fish. Newsl. Fish. Circ. 16: 3 p.

KEYWORDS: Pacific, Western / Australia / Fishery / Adults

458

Sanders, M.J. 1973.

Culture of the scallop, Patinopecten yessoensis (Jay), in Japan. -- Aust. Dept. Fish. Wildl. Fish. Contri. (Victoria) 29: 24 p.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Fishery / Reproduction / Spat collectors / Hanging culture / Juvenile growth / Adult growth / Economics / Spawning / Phytoplankton / Settlement and metamorphosis / Aquaculture / Mortality / Larval development

459

Sastri, A.N. 1981.

Regulation of nutrient transfer for gametogenesis in some marine invertebrates. Pp. 70-80 In A.V. Zhirmunskij (ed.) Fiziologiya I Biokhimiya Adaptatsij Morskikh Zhivotnykh. [Physiology and Biochemistry of Adaptiations in Marine Animals.] -- Pacific Science Congress on Marine Biology, Khabarovsk, USSR, 13 August, 1979. -- Far East Science Center, Academy of Sciences of the U.S.S.R, Vladivostok.

In Russian; English abstract.

KEYWORDS: Argopecten irradians / Adults / Gametogenesis / Reproduction / Production

460

Sastry, A.N. 1962.

Some morphological and ecological differences in two closely related species of scallops, Aequipecten irradians Lamark and Aequipecten gibbus Dall from the Gulf of Mexico. -- Quart. J. Fla. Acad. Sci. 25(2): 29-95.

KEYWORDS: Argopecten irradians / Argopecten gibbus / Atlantic, Western / Gulf of Mexico / Adults / Distribution / Morphology / Length/height relation / Population

Sastry, A.N. 1963. 461
Reproduction of the bay scallop, *Aequipecten irradians* Lamark. Influence of temperature on maturation and spawning. -- Biol. Bull. (Woods Hole) 125: 146-153.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Florida / Reproduction / Spawning / Temperature / Gametogenesis / Salinity / Gonad index / Adults

Sastry, A.N. 1965. 462
The development and external morphology of pelagic larval and post-larval stages of the bay scallop, *Aequipecten irradians* concentricus Say reared in the laboratory. -- Bull. Mar. Sci. 15(2): 417-435.

KEYWORDS: *Argopecten irradians* / Embryonic development / Larval development / Morphology / Settlement and metamorphosis / Juvenile development / Juvenile growth / Life history

Sastry, A.N. 1966. 463
The relationships among food, temperature and gonad development of the bay scallop *Aequipecten irradians* Lamark. -- Physiol. Zool. 41: 44-53.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / North Carolina / Adults / Gonad index / Temperature / Phytoplankton / Gametogenesis / Reproduction

Sastry, A.N. 1966. 464
Temperature effects in reproduction of the bay scallop, *Aequipecten irradians* Lamark. -- Biol. Bull. (Woods Hole) 130(1): 118-134.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / North Carolina / Adults / Temperature / Reproduction / Gonad index / Gametogenesis

Sastry, A.N. 1970. 465
Environmental regulation of oocyte growth in the bay scallop *Aequipecten irradians* Lamark. -- Experientia (Basel) 26: 1371-1372.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / North Carolina / Adults / Gametogenesis / Phytoplankton / Reproduction

466
Sastry, A.N. 1970.
Reproductive physiological variation in latitudinally separated populations of the bay scallop, *Aequipecten irradians* Lamark. -- Biol. Bull. (Woods Hole) 138: 56-65.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / North Carolina / Massachusetts / Reproduction / Adults / Temperature / Population / Gonad index / Gametogenesis / Physiology / Distribution

467
Sastry, A.N., and N.J. Blake. 1971.
Regulation of gonad development in the bay scallop, *Aequipecten irradians* Lamark. -- Biol. Bull. (Woods Hole) 140: 274-283.

KEYWORDS: *Argopecten irradians* / Adults / Reproduction / Diet / Gonad index / Gametogenesis

468
Sato, O., K. Yokoyama, H. Ogawa, H. Soyama, and S. Ito. 1987.
Tests in artificial scallop seed collection 1967. -- Can. Transl. Fish. Aquat. Sci. 5290: 15 p.

[Translation from Japanese: Aomori-ken Mutsu-wan Suisan Zoshoku Kenkyusho Shiryo [Bulletin from the Aomori Prefectural Aquaculture Institute in the Mutsu Bay] 2: 1-12 (1967).]

KEYWORDS: Adults / Spawning / Larvae / Larval growth / Juveniles / Diet / Spat collectors / Embryonic development / Adults / Temperature

469
Schwartz, F.J., and H.J. Porter. 1977.
Fishes, macroinvertebrates, and their ecological interrelationships with a calico scallop bed off North Carolina. -- Fish. Bull. (U.S.) 75(2): 427-446.

KEYWORDS: *Argopecten gibbus* / Atlantic, Western / North Carolina / Adults / Distribution / Fishery / Temperature / Salinity / Phytoplankton / Population / Predators / Habitat

470
Shafee, M.S. 1981.
Seasonal changes in the biochemical composition and calorific content of the black scallop *Chlamys varia* (L.) from Lanveoc, Bay of Brest. -- Oceanol. Acta 4(3): 331-341.

KEYWORDS: *Chlamys varia* / Atlantic, Eastern / France / Biochemical composition / Reproduction / Height/weight relation / Adults / Juveniles / Energetics / Gametogenesis / Spawning / Production

471

Shafee, M.S., and G. Conan. 1984.
Energetic parameters at a population of Chlamys varia (Bivalvia: pectinidae). -- Mar. Ecol. Prog. Ser. 18: 253-262.

KEYWORDS: Chlamys varia / Atlantic, Eastern / France / Energetics / Population / Mortality / Size distribution / Recruitment / Reproduction / Production

472

Shafee, M.S., and A. Lucas. 1980.
Quantitative studies on the reproduction of black scallop, Chlamys varia (L.) from Canveoc area (Bay of Brest). -- J. Exp. Mar. Biol. Ecol. 42: 171-186.

KEYWORDS: Chlamys varia / Atlantic, Eastern / France / Reproduction / Adults / Gonad index / Energetics / Histology / Spawning / Size distribution / Population / Production

473

Shafee, M.S., and A. Lucas. 1982.
Variations saisonnières du bilan énergétique chez les individus d'une population de Chlamys varia (L.): Bivalvia, pectinidae. [Seasonal variation of the energy budget in individual animals from a population of Chlamys varia (L.): Bivalvia, pectinidae]. -- Oceanol. Acta 5(3): 331-338.

In French; English abstract.

KEYWORDS: Chlamys varia / Atlantic, Eastern / France / Energetics / Adults / Reproduction / Population / Production

474

Shafer, S., and H. Goche. 1981.
Oregon scallops. Boom to bust in one quick lesson. -- Pac. Fishing 2(10): 61-67.

KEYWORDS: Patinopecten caurinus / Pacific, Eastern / Oregon / Adults / Distribution / Fishery

475

Shumway, S.E., T.L. Cucci, R.C. Newell, and C.M. Yentsch. 1985.
Particle selection, ingestion, and absorbtion in filter-feeding bivalves. -- J. Exp. Mar. Biol. Ecol. 91: 77-92.

KEYWORDS: Placopecten magellanicus / Feeding / Diet / Adults / Physiology

Siewers, A.K. 1983. 476
Commercial mariculture of a bay scallop Argopecten circularis (Sowerby) in the Ensenada of La Paz, Baja California Sur, Mexico. [Abstract] -- J. Shellfish Res. 3(1): 114.

KEYWORDS: Argopecten circularis / Aquaculture / Hanging culture / Spat collectors / Nursery / Hatchery / Fouling organisms / Predators / Larvae / Juvenile growth / Economics

Silina, A.V. 1979. 477
Determination of age and growth rate of yezo scallop by the sculpture of its shell surface. -- Sov. J. Mar. Biol. 5: 827-836.

KEYWORDS: Patinopecten yessoensis / Pacific, Eastern / USSR / Shell morphology / Adult growth

Sinclair, M., R.K. Mohn, G. Robert, and D.L. Roddick. 1985. 478
Considerations for the effective management of Atlantic scallops. -- Can. Tech. Rep. Fish. Aquat. Sci. No 1382: 113 p.

KEYWORDS: Placopecten magellanicus / Chlamys opercularis / Pecten maximus / Atlantic, Western / New Brunswick / Management / Fishery / Mortality / Population / Adults / Distribution / Recruitment

Skreslet, S. 1973. 479
Spawning in Chlamys islandica (O.F. Müller) in relation to temperature variations caused by vernal meltwater discharge. -- Astarte 6: 9-14.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Adults / Temperature / Spawning / Gonad index / Reproduction

Skreslet, S., and E. Brun. 1969. 480
On the reproduction of Chlamys islandica (O.F. Müller) and its relation to depth and temperature. -- Astarte 2(1-2): 1-6.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Reproduction / Spawning / Temperature / Gonad index / Adults / Gametogenesis / Habitat

Slater, J. 1980. 481
Scallop culture work in the British Isles. -- Fish Farming Int. 7(4): 31-32.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Ireland / Aquaculture / Juveniles / Spat collectors

482

Soemodihardjo, S. 1974.
Aspects of the biology of *Chlamys opercularis* (L.) (Bivalvia) with comparative notes on four allied species. -- Ph.D. thesis. -- University of Liverpool, Liverpool, Great Britain. -- 110 p.

KEYWORDS: *Chlamys distorta* / *Chlamys tigerina* / *Notovola meridionalis* / *Chlamys opercularis* / *Pecten maximus* / *Chlamys varia* / Atlantic, Eastern / Great Britain / Spawning / Production / Habitat / Morphology / Physiology / Shell morphology / Juveniles / Age composition / Adults / Reproduction / Distribution / Population / Behaviour / Predators / Length/height relation / Height/weight relation / Size distribution / Age/height relation / Gametogenesis / Histology / Hermaphroditism

483

Somerville, G.M., and L.M. Dickie. 1957.
Offshore scallop explorations --- 1957. -- Fish. Res. Board Can. Biol. Stn. St. Andrews Gen. Ser. Circ. 30: 4 p.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / St. Pierre Bank / Nova Scotia / Adults / Distribution / Fishery

484

Squires, H.J. 1962.
Giant scallops in Newfoundland coastal waters. -- Fish. Res. Board Can. Bull. 135: 29 p.

KEYWORDS: *Placopecten magellanicus* / *Chlamys islandica* / Atlantic, Western / Newfoundland / Adults / Distribution / Population / Production / Fishery / Habitat / Temperature

485

Stanley, C.A. 1967.
The commercial scallop, *Pecten maximus* in northern Irish waters. -- Ph.D. thesis. -- Queen's University of Ireland, Belfast. -- 111 p.

KEYWORDS: *Pecten maximus* / Atlantic, Eastern / Ireland / Shell morphology / Size distribution / Height/weight relation / Height/width relation / Diet / Biochemical composition / Distribution / Age/weight relation / Habitat / Spawning / Gametogenesis / Adults / Temperature / Reproduction / Production / Population

486

Stark, J.R., and R.S. Walker. 1983.
Carbohydrate digestion in *Pecten maximus*. -- Comp. Biochem. Physiol. 76B(1): 173-177.

KEYWORDS: *Pecten maximus* / Adults / Biochemical composition / Diet / Physiology

487

Starr, R.M., and J.E. McCrae. 1982.
Scallop resource assessment: annual report, March 1, 1982 to September 30, 1982. -- Oregon Department of Fish and Wildlife, Newport, Oregon. 70 p.

KEYWORDS: *Patinopecten caurinus* / Pacific, Eastern / Oregon / Fishery / Distribution / Population / Adults / Sex ratio / Age composition / Equipment design / Behaviour

488

Stevenson, J.A. 1934.
The growth rate of Canadian scallops. -- Biol. Board Can. Prog. Rep. Atl. Biol. Stn. St. Andrews, N.B. Fish. Exp. Stn. (Atl.) Halifax, N.S. 11: 10-11.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / New Brunswick / Nova Scotia / Quebec / Adult growth / Juvenile growth / Age/height relation / Population

489

Stevenson, J.A., and L.M. Dickie. 1954.
Annual growth rings and rate of growth of the giant scallop, *Placopecten magellanicus* (Gmelin) in the Digby area of the Bay of Fundy. -- J. Fish. Res. Board Can. 11(5): 660-671.

KEYWORDS: *Placopecten magellanicus* / Atlantic, Western / Nova Scotia / Juvenile growth / Adult growth / Age composition / Age/length relation / Population

490

Stockton, W.L. 1984.
The biology and ecology of the epifaunal scallop *Adamussium colbecki* the west side of McMurdo Sound, Antartica. -- Mar. Biol. 78: 171-178.

KEYWORDS: *Adamussium colbecki* / Pacific, Western / Antarctica / Shell morphology / Distribution / Population / Size distribution / Behaviour / Mortality / Habitat / Temperature

491

Sundet, J.H., and J.B. Lee. 1984.
Seasonal variations in gamete development in the Iceland scallop, *Chlamys islandica*. -- J. Mar. Biol. Assoc. U.K. 64: 411-416.

KEYWORDS: *Chlamys islandica* / Atlantic, Eastern / Norway / Gametogenesis / Reproduction / Adults / Energetics

492

Sundet, J.H., and O. Vahl. 1981.

Seasonal changes in dry weight and biochemical composition of the tissues of sexually mature and immature Iceland scallops, Chlamys islandica. -- J. Mar. Biol. Assoc. U.K. 61: 1001-1010.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Biochemical composition / Diet / Energetics / Gametogenesis / Production / Reproduction / Adults

493

Tabarini, C.L. 1980.

A partial bibliography of the bay scallop, Argopecten irradians Lamark 1960-1980. -- Marine Advisory Program Communications Office, Orono, Maine. -- 14 p.

KEYWORDS: Argopecten irradians / Bibliography

494

Tabarini, C.L. 1984.

Induced triploidy in the bay scallop, Argopecten irradians, and its effect on growth and gametogenesis. -- Aquaculture 42: 151-160.

KEYWORDS: Argopecten irradians / Gametogenesis / Adults / Genetics / Reproduction / Energetics

495

Taguchi, K. 1976.

Japanese scallop culture techniques boost yield. -- Aust. Fish. 35(3): 20-23.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Hanging culture / Juveniles / Mortality / Fecundity / Spat collectors / Aquaculture / Bottom culture / Nursery

496

Taguchi, K. 1978.

A manual of scallop culture methodology and management. -- Fish. Mar. Serv. (Can.) Transl. Ser. 4198: 146 p.

[Translation from Japanese: Kaigai gyogyo kyoryoku zaidan [Overseas Fishery Cooperative Foundation]. 128 p. (1977).]

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Adults / Distribution / Spawning / Settlement and metamorphosis / Reproduction / Spat collectors / Recruitment / Bottom culture / Aquaculture / Equipment design / Economics / Fishery

497

Taguchi, K., and J. Walford. 1976.
Techniques and economics of Japanese scallop culture in Mutsu Bay, *Aomori Prefecture*. -- [Unpublished report], -- 14 p.

KEYWORDS: *Patinopecten yessoensis* / *Pecten albicans* / Pacific, Western / Japan / Distribution / Aquaculture / Mortality / Spawning / Fishery / Spat collectors / Hanging culture / Economics / Juvenile growth / Bottom culture / Nursery

498

Tamura, T. 1966.
Marine aquaculture. -- U.S. Dept. Comm. Natl. Tech. Info. Serv. P13-194 051-T.

[Translation from Japanese: Suisan Zoshokagaku. Charles E. Tuttle Co. Inc., Tokyo (1966).]

KEYWORDS: *Patinopecten yessoensis* / *Chlamys farreri akazara* / *Pecten laqueatus* / Pacific, Western / Japan / Aquaculture / Life history / Behaviour / Diet / Fishery / Spat collectors / Nursery / Larval development / Adult growth / Age/height relation / Hanging culture / Bottom culture

499

Tanaka, K. 1980.
On the mass survivors of Japanese scallop, *Pecten* (*Notovola*) *albicans*, in Tateyama Bay. -- Bull. Jpn. Sea Reg. Fish. Res. Lab. (31): 165-168.

In Japanese; English abstract.

KEYWORDS: *Pecten albicans* / Pacific, Western / Japan / Population / Juveniles / Adults / Habitat / Distribution

500

Tanaka, S. 1982.
Scallop culture. -- Can. Transl. Fish. Aquat. Sci. 4885: 65 p.

[Translation from Japanese: Shadanhojin Hokkaido Sailbaigyogyo Shinko Kosha [Hokkaido Culture Fishery Promotion Corporation], Hokkaido, Japan. 37 p. (1980)].

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Distribution / Morphology / Physiology / Habitat / Behaviour / Recruitment / Reproduction / Aquaculture / Hanging culture / Adults / Juveniles / Mortality / Toxicity / Fishery / Bottom culture / Economics

501
Tanaka, S., A. Sato, and K. Kawamura. 1977.
Growth of scallop spats. -- Can. Transl. Fish Aquat. Sci. 5322: 5 p.

[Translation from Japanese: Aomori Prefecture Fish Culture Report 6: 65-78 (1977).]

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Recruitment / Spat collectors / Juvenile growth / Hanging culture / Nursery

502
Tanaka, T., A. Sato, and K. Kawamura. 1987.
The production of seed of the scallop "hotategai". -- Can. Transl. Fish. Aquat. Sci. 5296: 27 p.

[Translation from Japanese: Aomori-ken Matsu-wan Suisan Zoshoku Kenkyusho Shiryo [Bulletin of the Aomori Prefectural Aquaculture Center in the Mutsu Bay]: 65-78 (1975)].

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Spawning / Gonad index / Fecundity / Temperature / Adults / Settlement and metamorphosis / Juvenile growth / Reproduction / Nursery / Aquaculture

503
Tanaka, T., A. Sato, and K. Kawamura. 1987.
Production of scallop seed - spawning induction. -- Can. Transl. Fish. Aquat. Sci. 5297: 9 p.

[Translation from Japanese: Aomori-Ken Matsu-wan Suisan Zoshoku Kenkyusho Shiryo [Bulletin of the Aomori Prefectural Aquaculture Station in the Mutsu Bay]: 28-31 (1976).]

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Adults / Spawning / Gonad index / Temperature / Hanging culture / Bottom culture / Reproduction / Aquaculture

504
Tanaka, T., A. Sato, and K. Kawamura. 1987.
The production of scallop seed. -- Can. Transl. Fish. Aquat. Sci. 5294: 4 p.

[Translation from Japanese: Aomori-Ken suisan Zoshoku Ken Kyusho Jigyō Gaigō [Bulletin of the Aquaculture Institute of the Aomori Prefecture] 3: 100-102 (1974).]

KEYWORDS: Patinopecten yessoensis / Adults / Spawning / Hatchery / Larvae / Temperature / Gonad index

505

Tanaka, T., A. Sato, and K. Kawamura. 1987.
The production of scallop seed -- Can. Transl. Fish. Aquat. Sci. 5295: 8 p.

[Translation from Japanese: Aomori-ken Suisan Zoshoku Kenkyusho Jigyo Gaigo [Bulletin of the Aquaculture Institute of the Aomori Prefecture] 4: 47-50 (1975).]

KEYWORDS: Patinopecten yessoensis / Adults / Spawning / Hatchery / Larvae / Larval growth

506

Tanaka, Y. 1984.
On the development of Pecten albicans Schroter (i-ta-ya ga-i). -- Can. Transl. Fish. Aquat. Sci. 5321: 7 p.

[Translation from Japanese: Bull. Natl. Res. Inst. Aquacul. (Jpn.) 5: 19-25].

KEYWORDS: Pecten albicans / Larval development / Length/height relation / Embryology / Larval growth / Morphology / Hatchery / Adults / Spawning / Hinge morphology

507

Tanaka, Y., and M. Murakoshi. 1985.
Spawning induction of the hermaphrodite scallop, Pecten albicans, by injection with serotonin. -- Bull. Natl. Res. Inst. Aquacul. (Jpn.) (7): 9-12.

In Japanese; English abstract.

KEYWORDS: Pecten albicans / Serotonin / Adults / Spawning / Hermaphroditism

508

Tang, S.F. 1941.
The breeding of the escallop [Pecten maximus (L.)] with a note on the growth rate. -- Proc. Transl. Liverpool Biol. Soc. 54: 9-28.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Population / Management / Spawning / Adult growth / Gametogenesis / Reproduction / Age/length relation / Age/height relation / Juveniles / Gonad index / Larvae / Shell morphology

509

Taylor, A.C., and T.J. Venn. 1978.
Growth of the queen scallop, Chlamys opercularis, from the Clyde Sea area. -- J. Mar. Biol. Assoc. U.K. 58: 687-700.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Great Britain / Recruitment / Length/height relation / Height/weight relation / Adult growth / Spawning / Age composition / Population

510
Taylor, A.C., and T.J. Venn. 1979.
Seasonal variation in weight and biochemical composition of the tissues of the queen scallop, *Chlamys opercularis*, from the Clyde Sea area. -- J. Mar. Biol. Assoc. U.K. 59: 605-621.

KEYWORDS: *Chlamys opercularis* / Atlantic, Eastern / Great Britain / Biochemical composition / Adults / Gametogenesis / Spawning / Reproduction / Production / Energetics

511
Taylor, R.E. 1981.
Preliminary investigations of local populations of the bay scallop *Argopecten irradians* Lamarck in Falmouth, Massachusetts. [Abstract] -- J. Shellfish Res. 1(1): 124.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Massachusetts / Population / Distribution / Adults / Juveniles / Gametogenesis / Juvenile growth / Behaviour / Fishery / Reproduction

512
Taylor, R.E., and J.M. Capuzzo. 1983.
The reproductive cycle of the bay scallop, *Argopecten irradians irradians* (Lamark), in a small coastal embayment on Cape Cod, Massachusetts. -- Estuaries 6(4): 431-435.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Massachusetts / Adults / Reproduction / Spawning / Temperature / Gametogenesis / Histology

513
Tenore, K.R., and W.M. Dunstan. 1973.
Growth comparisons of oysters, mussels and scallops cultivated on algae grown with artificial medium and treated sewage effluent. -- Chesapeake Sci. 14(1): 64-66.

KEYWORDS: *Argopecten irradians* / Phytoplankton / Adult growth / Mortality / Juvenile growth / Toxicity / Length/weight relation / Diet / Phytoplankton

514
Tettelbach, S.T. 1979.
The combined effects of temperature and salinity of embryos and larvae of the northern bay scallop *Argopecten irradians irradians* (Lamark). -- M.Sc. thesis. -- University of Washington, Seattle, Washington. -- 74 p.

KEYWORDS: *Argopecten irradians* / Mortality / Embryonic development / Embryos / Larvae / Temperature / Salinity

515

Tettelbach, S.T., and E.W. Rhodes. 1981.
Combined effects of temperature and salinity on embryos and larvae of the northern bay scallop Argopecten irradians irradians. -- Mar. Biol. 63: 249-256.

KEYWORDS: Argopecten irradians / Temperature / Salinity / Larvae / Embryology / Embryonic development

516

Thomas, G.E., and Ll.D. Gruffydd. 1971.
The types of escape reactions elicited in the scallop Pecten maximus by selected sea-star species. -- Mar. Biol. 10: 87-93.

KEYWORDS: Pecten maximus / Behaviour / Predators / Adults

517

Thompson, D., N. Bourne, and C. Manson. 1985.
Scallop breeding studies. Pp. 97-107 in Jamieson, G.S. (ed.) 1983 and 1984 invertebrate management advice, Pacific Region. -- Can. Manuscr. Rep. Fish. Aquat. Sci. 1848,

KEYWORDS: Chlamys rubida / Placopecten magellanicus / Patinopecten caurinus / Chlamys gigantea / Chlamys hastata / Patinopecten yessoensis / Pacific, Eastern / British Columbia / Diet / Hatchery / Adults / Spat collectors / Mortality / Spawning / Serotonin / Reproduction / Larvae / Temperature

518

Thompson, R.J. 1977.
Blood chemistry, biochemical composition, and the annual reproductive cycle in the giant scallop, Placopecten magellanicus, from southeast Newfoundland. -- J. Fish. Res. Board Can. 34(11): 2104-2116.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Newfoundland / Adults / Reproduction / Biochemical composition / Gonad index / Energetics / Spawning / Gametogenesis

519

Thompson, R.J., D.R. Livingstone, and A. de Zwann. 1980.
Physiological and biochemical aspects of the valve snap and valve closure responses in the giant scallop Placopecten magellanicus. -- J. Comp. Physiol. 137: 97-104.

KEYWORDS: Placopecten magellanicus / Adults / Physiology / Behaviour / Energetics

520

Thorburn, I.W., and Ll.D. Gruffydd. 1973.
Studies of the behaviour of the scallop Chlamys opercularis (L.) and its shell in flowing sea water. -- J. Mar. Biol. Assoc. U.K. 59: 1003-1023.

KEYWORDS: Chlamys opercularis / Behaviour / Adults / Shell morphology

521

Townshend, E.R., and J.M. Worms. 1983.
Introduction of a new pectinid species *Argopecten irradians irradians* to the Gulf of St. Lawrence, Canada. -- Int. Coun. Explor. Sea C.M. 1983/K:44: 13 p.

KEYWORDS: *Argopecten irradians* / Aquaculture / Spawning / Hatchery / Age/height relation / Equipment design / Larvae / Adults

522

Trueman, E.R. 1953.
The ligament of Pecten. -- Quart. J. Microsc. Sci. 94(2): 193-202.

KEYWORDS: *Pecten maximus* / Morphology / Adults

523

Tsuchiya, M. 1981.
Biodeposit production and oxygen uptake by the Japanese common scallop, *Patinopecten yessoensis* (Jay). -- Bull. Mar. Biol. Stn. Asamushi Tohoku Univ. 17(1): 1-15.

KEYWORDS: *Patinopecten yessoensis* / Adults / Respiration / Temperature / Energetics / Digestion

524

Tunbridge, B.R. 1968.
The Tasman Bay scallop fishery. -- N.Z. Mar. Dept. Fish. Tech. Rep. 18: 78 p.

KEYWORDS: *Pecten novaezelandiae* / *Pecten rakiura* / Pacific, Western / New Zealand / Age/length relation / Gonad index / Distribution / Fishery / Economics / Population / Adults / Juveniles / Gametogenesis / Spawning / Management / Behaviour / Mortality / Predators / Habitat / Recruitment

525

Turner, Jr., H.J., and J.E. Hanks. 1959.
Infestation of *Pecten irradians* by Polydora. -- Nautilus 72(4): 109-111.

KEYWORDS: *Argopecten irradians* / Atlantic, Western / Massachusetts / Adults / Parasites / Fouling organisms / Mortality

526

Turner, Jr., H.J., and J.E. Hanks. 1960.
Experimental stimulation of gametogenesis in *Hydroides dianthus* and *Pecten irradians* during the winter. -- Biol. Bull. (Woods Hole) 119(10): 145-152.

KEYWORDS: *Argopecten irradians* / Adults / Reproduction / Gametogenesis / Temperature

527

Uki, N., and S. Kikuchi. 1974.
On the effect of irradiated sea water with ultraviolet rays on inducing spawning of the scallop, Patinopecten yessoensis (Jay). -- Bull. Tohoku Reg. Fish. Res. Lab. (34): 87-92.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Adults / Spawning

528

Ursin, E. 1956.
Distribution and growth of the queen Chlamys opercularis (Lamellibranchiata), in Danish and Faroese waters. -- Medd. Dan. Fisk. Havunders. 13: 32 p.

KEYWORDS: Chlamys opercularis / Atlantic, Eastern / Denmark / Population / Size distribution / Gametogenesis / Distribution / Habitat / Temperature / Reproduction / Adults / Juveniles / Age composition / Age/height relation / Gonad index

529

Vahl, O. 1972.
Particle retention and relation between water transport and oxygen uptake in Chlamys opercularis (L.) (Bivalvia). -- Ophelia 10: 67-74.

KEYWORDS: Chlamys opercularis / Feeding / Respiration / Energetics / Adults

530

Vahl, O. 1973.
Efficiency of particle retention in Chlamys islandica (O.F. Müller). -- Astarte 6: 21-25.

KEYWORDS: Chlamys islandica / Adults / Feeding / Morphology / Energetics

531

Vahl, O. 1978.
Seasonal changes in oxygen consumption of the Iceland scallop (Chlamys islandica) (O.F. Müller) from 70° N. -- Ophelia 17(1): 143-154.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Respiration / Temperature / Adults / Energetics

532

Vahl, O. 1980.
Seasonal variations in seston and in the growth rate of the Iceland scallop, Chlamys islandica (O.F. Müller) from Balsfjord, 70° N. -- J. Exp. Mar. Biol. Ecol. 48: 195-204.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Energetics / Feeding / Temperature / Phytoplankton / Adult growth

533

Vahl, O. 1980.
Volume of water pumped and particulate matter deposited by the Iceland scallop (Chlamys islandica) in Balsfjord, northern Norway. Pp. 639-644 in H.J. Freeland, D.M. Farmer, and C.D. Levings (eds.) Fjord Oceanography. -- NATO Conf. Ser. 4 Mar. Sci. 4.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Phytoplankton / Feeding / Adults / Energetics

534

Vahl, O. 1981.
Age-specific residual reproductive value and reproductive effort in the Iceland scallop, Chlamys islandica (O.F. Müller). -- Oecologia (Berlin) 51: 53-56.

KEYWORDS: Chlamys islandica / Reproduction / Population / Fecundity / Production / Adults

535

Vahl, O. 1981.
Energy transformations by the Iceland scallop, Chlamys islandica (O.F. Müller), from 70 [degrees] N. I. The age-specific energy budget and net growth efficiency. -- J. Exp. Mar. Biol. Ecol. 53: 281-296.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Respiration / Energetics / Reproduction / Gametogenesis / Production / Diet / Age/height relation / Adults

536

Vahl, O. 1981.
Energy transformations by the Iceland scallop, Chlamys islandica (O.F. Müller), from 70 [degrees] N. II. The population energy budget. -- J. Exp. Mar. Biol. Ecol. 53: 297-303.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Energetics / Population / Recruitment / Production / Adults

537

Vahl, O. 1982.
Long-term variations in recruitment of the Iceland scallop, Chlamys islandica from northern Norway. -- Neth. J. Sea Res. 16: 80-87.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Recruitment / Population / Age composition / Adults / Juveniles

538

Vahl, O. 1985.
Size-specific reproductive effort in (Chlamys islandica): Reproductive senility or stabilizing selection? -- Pp. 521-527 in P. E. Gibbs (ed.) Proceedings of the 19th European Marine Biology Symposium, Plymouth, Devon, U.K., 16-21 September, 1984. Cambridge University Press, Cambridge.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Adults / Production / Recruitment / Reproduction / Population

539

Vahl, O., and B. Clausen. 1980.
Frequency of swimming and energy cost of byssus production in Chlamys islandica (O.F. Müller). -- J. Cons. Cons. Int. Explor. Mer 39(1): 101-103.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Adults / Behaviour / Energetics

540

Ventilla, R.F. 1982.
The scallop industry in Japan. -- Adv. Mar. Biol. 20: 309-382.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Distribution / Larval development / Aquaculture / Equipment design / Spat collectors / Recruitment / Hanging culture / Nursery / Fishery / Predators / Disease / Phytoplankton / Gonad index / Bottom culture / Mortality / Economics

541

Venvick, T., and O. Vahl. 1985.
Opportunities and limitations for harvesting and processing Iceland scallops. -- Can. Transl. Fish. Aquat. Sci. 5191: 76p.

[Translation from Norwegian: Serie E: Fiskeriteknologi nr. 2/79. (1979) 52 p.]

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Iceland / Norway / Feeding / Reproduction / Fishery / Economics / Morphology / Habitat / Equipment design / Size distribution / Adults

542
Volkov, Y.P., A.A. Dadaev. V.S. Levin, and A.M. Murakhveri. 1985.
Changes in the distribution of the "yezo scallop" (Pecten yessoensis) and starfishes after mass planting of the scallop on the bottom of the Vityaz Bay (Sea of Japan). -- Can. Transl. Fish. Aquat. Sci. 5165: 13 p.

[Translation from Russian: Biol. Morya (Vladivostok) 1982(4): 37-43.]

KEYWORDS: Patinopecten yessoensis / Pacific, Western / USSR / Distribution / Behaviour / Predators / Bottom culture / Habitat / Aquaculture / Adults

543
Wakui, T., and A. Obara. 1967.
On the seasonal change of the gonads of scallop, Patinopecten yessoensis (Jay), in Lake Saroma, Hokkaido. -- Bull. Hokkaido Reg. Fish. Lab. 32: 15-22.

In Japanese; English abstract.

KEYWORDS: Patinopecten yessoensis / Pacific, Western / Japan / Gonad index / Temperature / Reproduction / Gametogenesis

544
Wallace, J.C. 1982.
The culture of the Iceland scallop, Chlamys islandica (O.F. Müller). I. Spat collection and growth during the first year. -- Aquaculture 26: 311-320.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Spat collectors / Settlement and metamorphosis / Size distribution / Juvenile growth / Juveniles / Aquaculture

545
Wallace, J.C., and T.G. Reinsnes. 1984.
Growth variation with age and water depth in the Iceland scallop (Chlamys islandica, Pectinidae). -- Aquaculture 41: 141-146.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Hanging culture / Juvenile growth / Adult growth / Aquaculture

546
Wallace, J.C., and T.G. Reinsnes. 1985.
The significance of various environmental parameters for growth of the Iceland scallop, Chlamys islandica (Pectinidae), in hanging culture. -- Aquaculture 44: 229-242.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Hanging culture / Temperature / Salinity / Phytoplankton / Spawning / Aquaculture / Adult growth

547

Waller, T.R. 1984.
The ctenolium of scallop shells: functional morphology and evolution of a key family-level character in the Pectinacea (Mollusca-bivalvia). -- Malacologia 25(1): 203-219.

KEYWORDS: Argopecten irradians / Pectinidae / Morphology / Taxonomy / Behaviour / Shell morphology / Adults / Paleontology

548

Walsh, D. 1981.
Limitations and potentials of bay scallop (Argopecten irradians) culture in New England. [Abstract] -- J. Shellfish Res. 1(1): 125-126.

KEYWORDS: Argopecten irradians / Atlantic, Western / Massachusetts / Aquaculture / Bottom culture / Juveniles / Economics / Nursery / Juvenile growth

549

Wang, Z.-R. 1984.
Studies on species of pectinidae of the China coasts. II. Subfamily Amusiinae. -- Stud. Mar. Sin. 22: 245-253.

In Chinese; English abstract.

KEYWORDS: Amusium pleuronectes / Amusium japonicum formosum / Amusium japonicum balloti / Pacific, Western / China / Taxonomy / Distribution / Adults / Morphology

550

Wehling, W.E., W.E. Robinson, and M.P. Morse. 1981.
Seasonal variations in body component indices and energy stores in the sea scallop Placopecten magellanicus (Gmelin). [Abstract] -- J. Shellfish Res. 1(1): 126.

KEYWORDS: Placopecten magellanicus / Energetics / Adults / Production

551

Wells, H.W., and M.J. Wells. 1962.
The polychaete Ceratonereis tridentata as a pest of the scallop Aequipecten gibbus. -- Biol. Bull. (Woods Hole) 122(1): 149-159.

KEYWORDS: Argopecten gibbus / Atlantic, Western / North Carolina / Adults / Fouling organisms

552

Wheeler, A.P., P.L. Blackwelder, and K.M. Wilbur. 1975.
Shell growth in the scallop Argopecten irradians. I. Isotope incorporation with reference to diurnal growth. -- Biol. Bull. (Woods Hole) 148: 472-482.

KEYWORDS: Argopecten irradians / Shell morphology / Adult growth

553

Wheeler, A.P., and K.M. Wilbur. 1977.
Shell growth in the scallop Argopecten irradians (Say). II. Processes of shell growth. -- J. Molluscan Stud. 43: 155-161.

KEYWORDS: Argopecten irradians / Shell morphology / Adult growth / Height/weight relation

554

White Fish Authority. 1977.
Overwinter growth of Pecten maximus in a nursery. -- White Fish Auth. Tech. Rep. 152: 29 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Temperature / Diet / Juvenile growth / Equipment design / Height/weight relation / Mortality / Nursery / Juveniles

555

White Fish Authority. 1977.
Food preference in Pecten maximus (L). -- White Fish Auth. Field Rep. 503: 11 p.

KEYWORDS: Pecten maximus / Diet / Juveniles / Juvenile growth / Size distribution / Aquaculture / Nursery

556

White Fish Authority. 1978.
Collection of naturally released scallop spat, 1977. -- White Fish Auth. Field Rep. 597: 20 p.

KEYWORDS: Pecten maximus / Atlantic, Eastern / Great Britain / Juveniles / Spat collectors / Size distribution

557

White Fish Authority. 1978.
The effect of stocking densities on the on-growing of Pecten maximus (L.) and Chlamys opercularis (L.). -- White Fish Auth. Interim Field Rep. 651: 15 p.

KEYWORDS: Pecten maximus / Chlamys opercularis / Atlantic, Eastern / Great Britain / Juvenile growth / Mortality / Nursery / Hanging culture / Aquaculture

558

Wiborg, K.F. 1962.
[Iceland scallop, Chlamys islandica (O.F. Müller), in north Norweigan fjords.] -- Fiskets Gang 47(22): 640-646.

In Norweigan; English summary.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Distribution / Population / Size distribution / Age/height relation / Habitat / Adults

559

Wiborg, K.F. 1963.
Some observations on the Iceland scallop Chlamys islandica (Müller)in Norwegian waters. -- Fiskeridir. Skr. Ser. Havunders. 13(6): 38-53.

KEYWORDS: Chlamys islandica / Atlantic, Eastern / Norway / Adults / Distribution / Habitat / Size distribution / Age composition / Length/height relation / Height/width relation / Fishery / Reproduction / Population

560

Widman, J.C., E.W. Rhodes, and P.A. Boyd. 1983.
Nursery culture of the bay scallop Argopecten irradians (Lamark) in suspended mesh enclosures. [Abstract] -- J. Shellfish Res. 3(1): 104.

KEYWORDS: Argopecten irradians / Atlantic, Western / Long Island / Nursery / Aquaculture / Hanging culture / Raceways / Juveniles

561

Wildish, D.J. 1984.
On growth and behavioural experiments with suspension-feeding animals. Pp. 21-23 in D.J. Wildish (ed.) Biology of the sediment-water interface: Report of the St. Andrews Biological Station's 75th Anniversary Benthic Workshop. -- Can. Tech. Rep. Fish. Aquat. Sci. 1263.

KEYWORDS: Placopecten magellanicus / Behaviour / Feeding / Physiology / Adult growth

562

Williams, M.J., and M.C.L. Dredge. 1981.
Growth of the saucer scallop, Amusium japonicum balloti Habe in central eastern Queensland. -- Aust. J. Mar. Freshwater Res. 32: 657-666.

KEYWORDS: Amusium japonicum balloti / Pacific, Western / Australia / Tagging / Population / Adult growth / Height/weight relation / Behaviour / Distribution

563

Wilton, G. 1981.
Exploratory fishing for scallops in selected areas from Bonne Bay to Strait of Belle Isle during 1980. -- Newfoundland Dept. Fish. Dev. Branch Rep. 20: 37 p.

KEYWORDS: Chlamys islandica / Placopecten magellanicus / Atlantic, Western / Newfoundland / Fishery / Adults / Equipment design / Population / Distribution / Economics / Size distribution

564
Winter, J.E., J.E. Toro, J.M. Navarro, G.S. Valenzuela, and O.R. Chaparro. 1984.

Recent developments, status and prospects of molluscan aquaculture on the Pacific coast of South America. -- Pp. 95-134 in D. E. Morse, K. K. Chew and R. Mann (eds). Recent innovations in cultivation of Pacific molluscs: proceedings of an international symposium, La Jolla, California, December 1982. Aquaculture 39.

KEYWORDS: Chlamys purpurata / Pacific, Eastern / Chile / Columbia / Peru / Equador / Aquaculture / Fishery / Adults / Spat collectors / Paralytic shellfish poisoning / Spawning / Juveniles / Nursery

565
Worms, J. 1984.

Scallop biomass and density estimates in the southern Gulf of St. Lawrence. -- CAFSAC Res. Doc. 84/90: 3-26.

KEYWORDS: Placopecten magellanicus / Atlantic, Western / Gulf of St. Lawrence / Population / Fishery / Distribution / Adults / Height/weight relation

566
Wrenn, S.L. 1972.

Daily increment formation and synchronization in the shell of the bay scallop. [Abstract] -- Am. Zool. 12(3): xxxvii.

KEYWORDS: Argopecten irradians / Juvenile growth / Shell morphology

567
Wright, D.A., V.S. Kennedy, W.H. Roosenburg, M. Castagna, and J.A. Mihursky. 1983.

Temperature tolerance of embryos and larvae of five bivalve species under simulated power plant entrainment conditions: a synthesis. -- Mar. Biol. 77: 271-278.

KEYWORDS: Argopecten irradians / Larvae / Temperature / Mortality / Embryos

568
Wright, D.A., W.H. Roosenburg, and M. Castagna. 1984.

Thermal tolerance in embryos and larvae of the bay scallop Argopecten irradians under stimulated power plant entrainment conditions. -- Mar. Ecol. Prog. Ser. 14: 269-273.

KEYWORDS: Argopecten irradians / Larvae / Temperature / Mortality / Embryos

569

Yabu, H., and K. Maru. 1987.
Chromosome number of *Patinopecten yessoensis* and *Chlamys farreai nipponensis*. -- Nippon Suisan Gakkaishi 53(2): 319.

KEYWORDS: *Patinopecten yessoensis* / *Chlamys farreai nipponensis* / Adults / Genetics

570

Yamamoto, G. 1950.
Ecological note of the spawning cycle of the scallop, *Pecten yessoensis* Jay, in Mutsu Bay. -- Sci. Rep. Tohoku Univ. 4th Ser. (Biol.) 18(4): 477-481.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Spawning / Temperature / Reproduction / Adults

571

Yamamoto, G. 1951.
Ecological note on transplantation of the scallop, *Pecten yessoensis* Jay, in Mutsu Bay, with special reference to the sucession of the benthic communities. -- Sci. Rep. Tohoku Univ. 4th Ser. (Biol.) 12(1): 11-16.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Adults / Distribution / Population / Aquaculture / Bottom culture

572

Yamamoto, G. 1951.
Induction of spawning in the scallop, *Pecten yessoensis* Jay. -- Sci. Rep. Tohoku Univ. 4th Ser. (Biol.) 19(1): 7-10.

KEYWORDS: *Patinopecten yessoensis* / Adults / Spawning / Temperature / Gametogenesis

573

Yamamoto, G. 1951.
On acceleration of maturation and ovulation of the ovarian eggs *in vitro* in the scallop, *Pecten yessoensis* Jay. -- Sci. Rep. Tohoku Univ. 4th Ser. (Biol.) 19(2): 161-166.

KEYWORDS: *Patinopecten yessoensis* / Adults / Spawning / Temperature / Reproduction

574

Yamamoto, G. 1951.
Ecological study on the spawning of the scallop, *Pecten* (*Patinopecten*) *yessoensis* in Mutsu Bay. -- Bull. Jpn. Soc. Sci. Fish. 17(2): 53-56.

In Japanese; English abstract.

KEYWORDS: *Patinopecten yessoensis* / Adults / Spawning / Temperature

575

Yamamoto, G. 1952.
Seasonal changes of benthonic communities and the succession in the benthos caused by the production of the scallop. -- Sci. Rep. Tohoku Univ. 4th Ser. (Biol.) 11(4): 302-314.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Adults / Population / Distribution / Habitat / Bottom culture

576

Yamamoto, G. 1952.
Further study on the ecology of spawning in the scallop, in relation to lunar phases, temperature and plankton. -- Sci. Rep. Tohoku Univ. 4th Ser. (Biol.) 12(3): 302-314.

KEYWORDS: *Patinopecten yessoensis* / Japan / Adults / Spawning / Temperature / Reproduction / Phytoplankton

577

Yamamoto, G. 1953.
Ecology of the scallop, *Pecten yessoensis* Jay. -- Sci. Rep. Tohoku Univ. 4th Ser. (Biol.) 20(1): 11-32.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Adults / Distribution / Population / Settlement and metamorphosis / Behaviour / Gametogenesis / Larval growth / Larval development / Reproduction / Life history / Diet

578

Yamamoto, G. 1955.
On rearing of the scallop spats in tank and pool. -- Bull. Mar. Biol. Stn. Asamushi 7: 69-73.

KEYWORDS: *Patinopecten yessoensis* / Juveniles / Temperature / Phytoplankton / Mortality / Aquaculture / Nursery

579

Yamamoto, G. 1956.
Habitats of spats of the scallop, *Pecten yessoensis* Jay, which turned to bottom life. -- Sci. Rep. Tohoku Univ. 4th Ser. (Biol.) 22: 149-156.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Juveniles / Mortality / Distribution / Habitat

580

Yamamoto, G. 1957.
Tolerance of scallop spats to suspended silt, low oxygen tension, high and low salinities and sudden temperature changes. -- Sci. Rep. Tohoku Univ. 4th Ser. (Biol.) 23: 73-82.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Temperature / Salinity / Juveniles / Mortality / Respiration / Physiology / Energetics

581

Yamamoto, G. 1960.
Mortalities of the scallop during its life cycle. -- Bull. Mar. Biol. Stn. Asamushi 10(2): 149-152.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Juveniles / Life history / Temperature / Larval development / Mortality / Embryonic development / Habitat

582

Yamamoto, G. 1968.
Studies on the propagation of the scallop, *Patinopecten yessoensis* (Jay), in Mutsu Bay. -- Fish. Res. Board Can. Transl. Ser. 1054: 68 p.

[Translation from Japanese: Suisan Zoyoshoku Sosho Nippon Suisan Shigen Hogo Kyokai. [Marine culture and propagation. Japanese Marine Resources Protection Association] 6: 2-80 (1964).]

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Salinity / Distribution / Management / Bottom culture / Fishery / Spawning / Gametogenesis / Adults / Reproduction / Life history / Population / Embryonic development / Temperature / Mortality / Larvae / Physiology / Habitat / Larval development / Nursery / Shell morphology / Hanging culture / Juveniles / Juvenile growth / Hatchery

583

Yamamoto, G. 1975.
Recent advances in the ecological studies on the Japanese scallop. -- Bull. Mar. Biol. Stn. Asamushi 15(2): 53-57.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Aquaculture / Economics

584

Yamamoto, G. 1977.
Some problems of aquaculture in northern Japan, with special reference to the ecology of the scallop. [Abstract] -- Proc. Sov.-Jpn. Jt. Symp. Aquacul. 4(1975): 11-13.

KEYWORDS: *Patinopecten yessoensis* / Pacific, Western / Japan / Aquaculture / Mortality / Juveniles / Hanging culture

585

Yonge, C.M. 1951.
Studies on Pacific coast mollusks. III. Observations on *Hinnites multirugosus* (Gale). -- Univ. Calif. Publ. Zool. 55(8): 409-420.

KEYWORDS: *Chlamys gigantea* / Pacific, Eastern / Morphology / Behaviour / Life history / Settlement and metamorphosis / Juveniles / Adults

586

Yonge, C.M. 1981.
On adaptive radiation in the Pectinacea with a description of Hemipecten forbesianus. -- Malacologia 21: 23-34.

KEYWORDS: Hemipecten forbesianus / Chlamys sp. / Pedum spondyloideum / Taxonomy

587

Yoo, S.K., H.Y. Ryu, and K.V. Park. 1981.
The growth of the cultured scallop, Patinopecten yessoensis. -- Bull. Korean Fish. Soc. 14(4): 221-226.

In Korean; English abstract.

KEYWORDS: Patinopecten yessoensis / Juvenile growth / Aquaculture / Age/height relation / Adult growth / Height/weight relation / Size distribution

588

Yvin, Y.C., L. Chevolot, A.M. Chevolot-Magueur, and J.C. Cochard. 1985.
First isolation of jacaranone from an alga, Delesseria sanguinea: a metamorphosis inducer of Pecten larvae. -- J. Natural Prod. 48(5): 814-816.

KEYWORDS: Pecten maximus / Larvae / Settlement and metamorphosis

589

Zavarzina, E.G. 1981.
A method of estimating the rate of development of a culture of mollusc embryos. -- Dokl. Biol. Sci. (Engl. Transl.) 266(3): 527-528.

KEYWORDS: Patinopecten yessoensis / Embryonic development / Embryos / Temperature

AUTHOR INDEX

Alarcon, E., 134
Allen, D.M., 1 to 2, 341 to 342
Allen, J.A., 3
Amirthalingham, C., 4
Anonymous., 5 to 8
Ansell, A.D., 9
Antoine, L., 10
Aprieto, V.L., 265
Aravindakshan, I., 11
Arima, K, 12
Arzel, P., 10, 65
Asakawa, M., 13
Aurell, T., 14
Auster, P.J., 15

Baird, Jr, F.T., 20 to 22, 141
Baird, R.H., 16 to 19
Baqueiro, C.E., 23
Barber, B.J., 24 to 28
Barber, R.T., 244
Barichiuith, J.U., 29
Barrett, R.L., 165
Bates, K.T., 156
Bayliss, L.E., 30
Beattie, H., 269
Beaumont, A.R., 31 to 39, 120, 191 to 192, 194
Belding, D.L., 40
Belogrudov, E.A., 41 to 42
Beninger, P.G., 43
Bergman, K.M., 44
Bernard, F.R., 45 to 46
Bernier, L., 47
Berry, T., 75
Beveridge, C.M., 33, 37
Blackwelder, P.L., 552
Blake, J.A., 48
Blake, N.J., 24 to 28, 467
Bligh, E.G., 56
Bongrain, M., 157
Botta, J.R., 368
Bourne, N., 49 to 57, 271, 323, 517
Boyd, P.A., 437, 560
Boyland, E., 30
Brand, A.R., 58, 396
Bregman, Yu.E., 195
Brenner, R.R., 408
Briggs, R.P., 59
Broom, M.J., 60 to 61
Brun, E., 62, 480
Budd, M.D., 34 to 35, 37
Budiman, A., 193
Buestel, D., 63 to 67
Bull, M.F., 68 to 69
Bullis, Jr., H.R., 70 to 72
Burch, J.B., 332
Burle, E., 73
Burnell, G.M., 37, 74 to 75, 445

Cabello, G.R., 76
Caddy, J.F., 77 to 88
Cahill, F.M., 369 to 374
Calabrese, A., 376 to 377
Camacho, A.P., 76
Caputi, N., 210
Capuzzo, J.M., 512
Cary, S.C., 89 to 91, 402 to 403
Castagna, M., 92 to 93, 172, 246, 269, 567 to 568
Cavanaugh, C., 94
Chandler, R.A., 86, 223, 442
Chang, J.W., 234
Chang, P.W., 196 to 197
Chang, S., 257
Chanley, P., 95, 266
Chaparro, O.R., 564
Chapman, C.J., 308
Chapman, S., 269
Chen, H., 268
Chen, X.-H., 268
Cheong, S.C., 234
Chestnut, A., 269
Chevolot, L., 588
Chevolot-Magueur, A.M., 588
Chew, K.K., 96, 178
Chiasson, L.P., 97, 129
Chipman, W.A., 98
Choat, J.H., 99
Chouinard, G.A., 100
Clark II, G.R., 101 to 103, 132
Clarke, A.H., Jr., 104
Claude, S., 252
Clausen, B., 539
Cochard, J.C., 588
Colins, N., 317
Colman, J.S., 309
Comely, C.A., 105 to 106
Conan, G., 107, 471

Connor, P.M., 164
Cooke, C.A., 108
Cooper, K.R., 109
Cooper, R.A., 110
Cornillet, P., 65
Costello, T.J., 2, 111, 341 to 342
Cota, A.M., 158
Couturier, C.Y., 112
Cox, R.K., 113
Cragg, S.M., 114
Crisp, D.J., 282
Cucci, T.L., 475
Culliney, J.L., 115
Cummins, Jr., R., 70, 116

D'Amours, D., 117
Dadaev. A.A., 542
Dao, J.C., 65 to 67, 118
Dautov, S.Sh., 119
Davalos, C.R., 256
Davenport, J., 120
Davies, I.M., 121 to 122, 397
Davis, H.C., 266
Davis, L., 123
Davis, N.D., 444
Day, T.R., 36
De Kergariou, G., 150
de Zwann, A., 124, 519
Deguchi, Y., 125
Densaburd, I., 125
Dickie, L.M., 126 to 131, 483, 489
Didou, H., 118
Dillon, J.F., 132
Dionne, S., 133
Disalvo, L.H., 134
Dix, T.G., 135 to 137, 451
Doherty, R.M., 138
Dolganov, S.M., 379
Dow, R.L., 139 to 141
Draheim, G.P., 138
Dredge, M., 142, 562
Drew, G.A., 143 to 144
Drinkwater, J., 145, 310, 314
Drinnan, R.E., 104
Duggan, N.A., 279
Duggan, W.P., 93, 146 to 147
Dunstan, W.M., 513
Dupouy, H., 148 to 150
Dupuy, J.L., 111
Durfee, W., 109
Dyer, W.J., 455

Easley, J.E., Jr., 240
Eckman, J.E., 151
Eggleston, D., 152
Elner, R.W., 44, 153
Epifanio, C.E., 154
Etter, M., 225
Evans, J.W., 48, 155

Falmagne, C., 269
Farlinger, S., 156
Fatton, E., 157
Fedoruk, A., 133
Felix Pico, E., 158
Fleming, C.A., 159 to 160
Foltz, D.W., 161
Forester, A.J., 162
Frair, W., 163
Franklin, A., 164 to 165
Fraser, D.I., 166, 216, 310, 313
Fritz, L.W., 167
Fuji, A., 168 to 169
Fullarton, J.H., 170

Gade, G., 36
Gagayev, D.D., 171
Gibbons, M.C., 172
Gibson, F.A., 19, 173 to 176
Gilmour, T.H.J., 177
Glude, J.B., 178
Goche, H., 474
Goldberg, R., 269, 434
Goodsell, J., 269
Gosling, E.M., 37
Gould, E., 179
Graham, R., 180
Grau, G., 181
Greve, L., 182
Gribbon, E., 400
Griffith, D.G., 183
Gruffydd, Ll.D., 38 to 39, 120, 184 to 194, 516, 520
Guida, G.M., 195
Gulka, G., 196 to 197
Gutsell, J.S., 198
Gwyther, D., 322

Hamilton, L.D., 199
Hammarstrom, L.F., 200
Hanks, J.E., 525 to 526
Hashizume, M., 169
Haven, D.S., 167
Hayakawa, Y., 201 to 203
Hayashi, T., 204, 233
Haynes, E.B., 205 to 209

Heald, D.I., 210
Hennick, D.P., 211 to 212
Hertlein, L.G., 213
Hidu, H., 214, 269
Hiltz, D.F., 455
Hiraoka, K., 318
Hirata, H., 229, 363
Hitz, C.R., 207, 215, 399, 450
Hoenig, J.M., 288
Holme, N.A., 165
Hondo, T., 201 to 203
Hoogesteger, J.N., 58, 396
Hooker, N., 357
Hopkins, J.G., 98
Howard, F.G., 314
Howell, T.R.W., 216, 310
Hudson, J.H., 111, 217, 341

Ichisugi, T., 218
Idyll, C.P., 362
Ikenoue, H., 237
Imai, T., 219
Imajima, M., 353
Ingle, R.M., 71
Ioku, S., 229
Ito, H., 204
Ito, S., 220 to 221, 383, 468

Jablonski, D., 269
Jacobsen, F.R., 222
Jamieson, G.S., 153, 223 to 227, 441
Jerome, V., 431
Jo, M.K., 258
Jo, Y.J., 234
Johannessen, O.H., 228
Johnson, T., 240
Jones, D.S., 247

Kadowaki, S., 229
Kaiser, R.J., 230
Kalashnikov, V.Z., 231
Kalashnikova, C.A., 171, 232
Kan-no, H., 233
Kang, H.W., 234
Kanneko, H., 218
Kanno, H., 221
Karma, M.Y., 235
Karney, R.C., 236
Karpenko, A.A., 119
Kasedo, T., 229
Katuku, T., 237
Kawamata, K., 238 to 239
Kawamura, K., 501 to 505
Kellogg, R.L., 240
Kennedy, V.S., 269, 567
Kerr, G., 224
Kikuchi, S., 527
King, M.R., 241
Kingzett, B., 133
Kinnear, J.A.M., 308
Kirby-Smith, W.W., 73, 242 to 244
Kiruchi, K., 298
Kobashi, T., 125
Kodama, M., 245
Kraeuter, J.N., 246
Krantz, D.E., 247
Kuniyoshi, M., 248, 381

Lane, D.J.W., 194
Langton, R.W., 249
Larsen, P.F., 250
Latrouite, D., 150, 251 to 252, 401
Laurec, A., 10
Lauren, D.J., 253
Laurence, S., 446
Le Borgne, Y., 254
Le Pennec, M., 255 to 256
Lee, B.H., 257 to 258
Lee, J.B., 491
Lee, J.K., 234
Lee, R.M., 250
Leighton, D.L., 90 to 91, 259 to 263, 403 to 406
Lemarie, G., 67
Levin, V.S., 542
Lewis, D.B., 371 to 374
Liao, C.-Y., 264
Libby, S., 358
Ling, X.-H., 268
Livingstone, D.R., 124, 519
Llana, M.E.G., 265
Loosanoff, V.L., 266
Lord, E.I., 86 to 87
Love, T.D., 72
Lubet, P., 267
Lucas, A., 472 to 473
Lundy, M.J., 224, 226 to 227, 442
Luo, Y.-S., 268
Lutz, R., 269

MacDonald, B.A., 270 to 275
MacInnes, J.R., 376 to 377
Mackay, J., 276
MacKenzie, C.L., Jr., 277 to 278
Macleod, J.A.A., 279

MacPhail, J.S., 280
Maiolo, J.R., 281
Makarova, L.G., 195
Manahan, D.T., 282
Mann, R., 269, 283
Manson, C., 517
Maoka, T., 318
Marshall, N., 110, 123, 284 to 286, 352
Marti, K.A., 197, 287 to 288
Martinez, E., 134
Maru, K., 289 to 298, 382, 569
Masahiko, N., 125
Mason, J., 61, 299 to 314
Masso, R.J.A., 23
Masuda, K., 315
Mathers, N.F., 316 to 317, 346
Matsui, T., 12
Matsuno, T., 318
Matsutani, T., 319
Matsuya, M., 204
McCrae, J.E., 487
McIntyre, A.D., 311
McIver, A., 57
McKie, J.C., 121
McKoy, J.L., 241
McLean, N., 320
McLeod, G.C., 443
McLusky, D.S., 321
McMullen, J.C., 208
McShane, P., 322
Medcof, J.C., 104, 130 to 131, 323
Mejuto, J., 429
Mercaldo, R.S., 324
Merrill, A.S., 278, 325 to 335
Merritt, M.F., 200
Meyhofer, E., 336
Middleton, K.C., 337
Mihursky, J.A., 567
Mikami, T., 338 to 339
Mikulich, L.V., 340
Miller, G.C., 341 to 342
Minchin, D., 343 to 346
Mohn, R.K., 347 to 349, 478
Monical, J.B.,Jr., 350
Monura, T., 353
Moore, J.D., 351
Moore, J.K., 352
Morales, H.R., 158
Mori, K., 353
Morize, E., 10
Morizur, Y., 354
Morrison, C., 355 to 356
Morse, D.E., 357
Morse, M.P., 336, 358, 443, 550
Motoda, S., 359
Mottet, M.G., 360, 361
Murakhveri, A.M., 542
Murakoshi, M., 507
Murdock, J., 362

Nagata, W.D., 363
Naidu, K.S., 364 to 375
Nakazono, T., 229
Navarro, J.M., 564
Nelson, B.A., 377
Nelson, D.A., 376 to 377
Newell, C., 269
Newell, R.C., 475
Nicholson, J., 378
Nicholson, M.D., 312
Nichy, F.E., 335
Nikiforov, S.M., 379
Ninomiya, S., 125
Nishiyama, S., 201 to 203
Nomura, T., 319
Norman, K.D., 423
Nott, J.A., 193

O'Brien, J.J., 380
Obara, A., 296 to 298, 381 to 382, 543
Ogata, T., 245
Ogawa, H., 383, 468
Oishi, K., 13
Okesaku, H., 298, 384
Olsen, S.J., 385 to 387
Osanai, K., 388
Ottway, B., 445

Palmer, R.E., 389 to 391
Park, K.V., 587
Paul, J.D., 58, 121 to 122, 392 to 397
Peirson, W.M., 398
Pena, R.I., 23
Pereyra, W.T., 399
Perkins, E.J., 400
Perodou, D., 401
Phleger, C.F., 90 to 91, 262 to 263, 402 to 407
Pickett, G.D., 164 to 165
Pilote, S., 117
Poirer, L., 47
Pollero, R.J., 408
Ponurousky, S.K., 409

Porter, H.J., 469
Posgay, J.A., 333 to 335, 410 to 423
Powell, G.C., 209
Price, A.H. II, 214
Proctor, S., 424
Pyen, C.K., 425

Quayle, D.B., 426 to 428
Quiroga, H., 429

Rathjen, W.F., 430
Ray, S., 431
Re, M.E., 408
Reddiah, K., 432
Rees, C.B., 433
Reinsnes, T.G., 545 to 546
Ren, J.-Z., 268
Rho, Y.G., 425
Rhodes, E.W., 324, 434 to 437, 515, 560
Richardson, C.A., 438
Richmond, M.S., 214
Rish, M.J., 44
Ritchie, A.D., 30
Rivers, J.B., 430, 439
Rivkin, S., 111
Robert, G., 347 to 349, 440 to 442, 478
Robinson, W.E., 249, 358, 443, 550
Roddick, D.L., 347 to 349, 478
Rodger, R.W., 444
Rodhouse, P.G., 445
Roels, O.A., 446
Rolfe, M.S., 447 to 449
Ronholt, L.L., 450
Roosenburg, W.H., 567 to 568
Rose, R.A., 451
Rossi, S.S., 407
Royce, W.F., 452
Ruzzante, D.E., 453
Ryu, H.Y., 587

Saila, S.B., 288
Saito, K., 454
Sakaguchi, M., 455
Sakai, K., 456
Samuelsen, T.J., 182
Sanders, M.J., 457 to 458
Sastry, A.N., 459 to 467
Sato, A., 383, 501 to 505
Sato, O., 468
Sato, W., 353
Scalpen, R., 375
Schick, D., 249
Schwartz, F.J., 469
Serchuk, F.M., 278
Shafee, M.S., 107, 470 to 473
Shafer, S., 474
Shanks, A.M., 312 to 313
Shelton, R.G.J., 314
Shimazaki, H., 12
Shum, G., 355 to 356
Shumway, S.E., 276, 475
Siddall, S., 269
Siewers, A.K., 476
Silina, A.V., 409, 477
Sinclair, M., 478
Singh, C.J., 158
Sjardin, M.J., 137
Skreslet, S., 479 to 480
Slater, J., 481
Smith, T., 317
Soemodihardjo, S., 482
Somerville, G.M., 483
Soyama, H., 468
Squires, H.J., 484
Sreedharam, A., 88
Stanley, C.A., 485
Stanley, D.J., 104
Stark, J.R., 486
Starr, R.M., 487
Stefoni, D.L., 29
Stevenson, J.A., 488 to 489
Stewart, L.L., 15
Stockton, W.L., 490
Stone, H., 225
Sugiya, T., 12
Sunderlin, J.B., 446
Sundet, J.H., 491 to 492

Tabarini, C.L., 493 to 494
Taguchi, K., 495 to 497
Takagi, M., 13
Takahashi, H., 218
Takahashi, K., 221
Tamura, T., 498
Tanaka, K., 499
Tanaka, S., 384, 500 to 501
Tanaka, T., 502 to 505
Tanaka, Y., 506 to 507
Tang, S.F., 508
Taylor, A.C., 438, 509 to 510
Taylor, R.E., 283, 511 to 512
Tenore, K.R., 513
Tettelbach, S.T., 514 to 515

Thomas, G.E., 516
Thompson, D., 517
Thompson, R.J., 124, 272 to 275,
518 to 519
Thorburn, I.W., 520
Thorpe, J.P., 279
Tomita, K., 204
Toro, J.E., 564
Townshend, E.R., 521
Trueman, E.R., 351, 522
Tsikhon-Lukanina, E.A., 340
Tsuchiya, M., 523
Tunbridge, B.R., 524
Turner, Jr., H.J., 525 to 526

Uki, N., 527
Uribe, E., 134
Ursin, E., 528

Vahl, O., 492, 529 to 539, 541
Valenzuela, G.S., 564
Van Dessel, R., 246
Vaughn, C.L., 138
Venn, T.J., 438, 509 to 510
Ventilla, R.F., 540
Venvick, T., 541
Viktorovskaya, G.I., 195
Volkov, Y.P., 542

Wakui, T., 204, 543
Walford, J., 497
Walker, R.S., 486
Wallace, J.C., 544 to 546
Waller, T.R., 547
Walsh, D., 548
Wang, Y.-L., 264
Wang, Z.-R., 549

Wehling, W.E., 358, 443, 550
Wells, H.W., 551
Wells, M.J., 551
Wenzloff, D.R., 377
Werdugo, H.J., 158
Wheeler, A.P., 552 to 553
White Fish Authority., 554 to 557
White, D.J., 138
Wiborg, K.F., 558 to 559
Widman, J.C., 434 to 437, 560
Wilbur, K.M., 552 to 553
Wildish, D.J., 561
Williams, D.F., 247
Williams, L.G., 391
Williams, M.J., 562
Wilton, G., 563
Winter, J.E., 564
Witherspoon, N.B., 226 to 227
Worms, J.M., 521, 565
Wrenn, S.L., 566
Wright, D.A., 567 to 568

Xu, Y.-F., 264

Yabu, H., 569
Yamamoto, G., 570 to 584
Yentsch, C.M., 475
Yokoyama, K., 468
Yokoyama, M., 383
Yonge, C.M., 585 to 586
Yoo, S.K., 587
Yvin, Y.C., 588

Zaixso, H.E., 453
Zavarzina, E.G., 589
Zhao, H., 268
Zouros, E., 161

SPECIES INDEX

Adamussium colbecki, 490
Aequipecten gibbus, 48
Aequipecten irradians, 110, 123
Aequipecten lineolaris, 8
Amusium balloti, 142, 210
Amusium japonicum balloti, 549, 562
Amusium japonicum formosum, 549
Amusium laurenti, 8
Amusium papyraceum, 8
Amusium pleuronectes, 265, 549
Argopecten aequisulcatus, 320
Argopecten circularis, 23, 158, 476
Argopecten gibbus, 1 to 2, 60, 70 to 72, 103, 111, 116, 149, 198, 217, 242, 341 to 342, 362, 460, 469, 551
Argopecten irradians, 8, 15, 24 to 28, 40, 48, 60, 73, 92 to 93, 95, 98, 104, 109, 146 to 147, 149, 151, 154, 172, 180, 236, 240, 242 to 244, 246, 266, 269, 283 to 286, 324, 337, 344, 352, 355 to 356, 358, 376 to 377, 389 to 391, 398, 410, 434 to 437, 440, 446, 459 to 467, 493 to 494, 511 to 515, 521, 525 to 526, 547 to 548, 552 to 553, 560, 566 to 568

Chlamys sp., 213, 424, 427, 586
Chlamys albina, 157
Chlamys asperrimus, 451
Chlamys assimilata, 157
Chlamys delicatula, 276
Chlamys distorta, 33, 36, 38, 432, 482
Chlamys farreri, 264, 268
Chlamys farreri akazara, 498
Chlamys farreri nipponensis, 232, 569
Chlamys furtiva, 432
Chlamys gigantea, see Crassadoma gigantea
Chlamys hastata, 45, 54 to 55, 108, 113, 133, 156, 181, 336, 428, 517
Chlamys islandica, 8, 14, 38, 47, 49 to 50, 62, 97, 117, 149, 182, 187 to 189, 228, 235, 306, 367, 371, 373 to 374, 442, 444, 479 to 480, 484, 491 to 492, 530 to 539, 541, 544 to 546, 558 to 559, 563
Chlamys multistriata, 157
Chlamys nobilis, 229, 360
Chlamys novaezelandiae, 149
Chlamys opercularis, 4, 6, 11, 30 to 33, 36, 38 to 39, 58, 60 to 61, 66 to 67, 145, 149, 152, 165 to 166, 170, 188, 251, 255, 279, 305 to 307, 314, 321, 343 to 344, 351, 354, 392 to 396, 400, 438, 449, 478, 482, 509 to 510, 520, 528 to 529, 557
Chlamys patriae, 29
Chlamys purpurata, 134, 564
Chlamys purpuratus, 149
Chlamys radians, 157
Chlamys rubida, 45, 54 to 55, 156, 181, 428, 517
Chlamys septemradiata, 3, 9
Chlamys striata, 432
Chlamys tehuelchus, 149, 408, 453
Chlamys tigerina, 432, 482
Chlamys varia, 7 to 8, 30, 33, 36, 38, 66 to 67, 74, 107, 162, 193, 251, 267, 317, 354, 401, 432, 445, 470 to 473, 482
Crassadoma gigantea 45, 48, 54 to 55, 89 to 91, 96, 133, 156, 178, 181, 199, 222, 253, 259 to 263, 350, 357, 385 to 387, 402 to 407, 426, 517, 585
Cyclopecten sp., 45
Cyclopecten nanus, 325

Equichlamys bifrons, 135

Hemipecten forbesianus, 586
Hinnites multirugosus, see Crassadoma gigantea

Leptopecten latiauratus, 101

Notovola meridionalis, 482

Patinopecten caurinus, 45 to 46, 48, 54 to 55, 96, 149, 156, 178, 181, 199 to 200, 205, 207 to 209, 211 to 212, 215, 230, 271, 385, 387, 399, 426 to 428, 430, 450, 474, 487, 517
Patinopecten yessoensis, 12 to 13, 41 to 42, 63, 96, 119, 125, 149, 168 to 169, 171, 195, 201 to 204, 218 to 221, 231, 233 to 234, 237 to 239, 245, 248, 257 to 258, 289 to 298, 315, 318 to 319, 338 to 340, 343 to 344, 353, 359 to 360, 363, 379, 381 to 384, 388, 425, 454, 456, 458, 477, 495, 497 to 498, 500 to 505, 517, 523, 527, 540, 542 to 543, 569 to 584, 587, 589
Pecten sp., 213, 424
Pecten albicans, 497, 499, 506 to 507
Pecten benedictus, 159
Pecten diegensis, 102
Pecten diomedeus, 160
Pecten jacobaeus, 8, 159 to 160
Pecten laqueatus, 498
Pecten maximus, 6 to 8, 10, 16 to 19, 30, 33 to 38, 58 to 59, 63 to 67, 75 to 76, 94, 105 to 106, 114, 118, 120 to 122, 132, 145, 149 to 150, 152, 164 to 166, 173 to 174, 176 to 177, 183 to 186, 188, 190 to 192, 194, 216, 251 to 252, 254, 256, 267, 282, 299 to 304, 306 to 312, 316, 343 to 346, 395 to 397, 429, 447 to 448, 478, 481 to 482, 485 to 486, 508, 516, 522, 554 to 557, 588
Pecten meridionalis, 136 to 137, 149
Pecten novaezelandiae, 68 to 69, 99, 241, 378, 524
Pecten rakiura, 524
Pecten subarcuatus, 157
Pectinidae, 181, 361, 433, 547
Pedum spondyloideum, 586
Placopecten magellanicus, 5, 8, 20 to 22, 30, 38, 40, 43 to 44, 48 to 53, 56 to 57, 77 to 88, 97, 100, 112, 115, 117, 124, 126 to 131, 138 to 141, 143 to 144, 148 to 149, 153, 155, 161, 163, 167, 179, 188, 196 to 197, 206, 214, 223 to 227, 247, 249 to 250, 269 to 270, 272 to 275, 277 to 278, 280 to 281, 287 to 288, 306, 323, 325 to 335, 347 to 349, 364 to 366, 368, 370 to 373, 375, 380, 411 to 423, 431, 441 to 444, 452, 455, 475, 478, 483 to 484, 488 to 489, 517 to 519, 550, 561, 563, 565
Propeamussium sp., 45

Swiftopecten swifti, 119, 409

GEOGRAPHIC INDEX

Adults, 569
Alaska, 181, 200, 209, 211 to 212, 230
Antarctica, 490
Argentina, 408, 453
Atlantic, Eastern, 3 to 4, 6 to 11, 18 to 19, 31, 37, 58 to 67, 74 to 75, 94, 106 to 107, 118, 121 to 122, 145, 148, 150, 152, 162, 164 to 166, 173 to 176, 182 to 187, 216, 228, 235, 251 to 252, 279, 299 to 314, 316, 344 to 346, 354, 361, 392, 394, 396 to 397, 400 to 401, 429, 432, 438, 447 to 449, 470 to 473, 479 to 482, 485, 491 to 492, 508 to 510, 528, 531 to 533, 535 to 539, 541, 544 to 546, 554, 556 to 559
Atlantic, Western, 1 to 2, 5, 15 to 16, 20 to 22, 24 to 25, 40, 43, 47, 49 to 53, 56 to 57, 60, 70 to 71, 77 to 81, 83 to 88, 92 to 93, 97, 100, 103 to 104, 109 to 110, 112, 116 to 117, 123, 126 to 131, 138 to 141, 151, 155, 161, 167, 179, 196 to 198, 206, 214, 223 to 227, 240, 242, 247, 249 to 250, 270, 272 to 273, 275, 277 to 278, 280 to 281, 284 to 285, 287 to 288, 306, 323, 326, 329, 333, 335, 341 to 342, 347 to 349, 352, 358, 361 to 362, 364 to 375, 380, 388, 408, 410 to 412, 414 to 423, 431, 435 to 437, 439 to 442, 444, 446, 452 to 453, 460 to 461, 463 to 466, 469, 478, 483 to 484, 488 to 489, 511 to 512, 518, 525, 548, 551, 560, 563, 565
Australia, 135, 137, 142, 210, 322, 457, 562

Bay of Fundy, 51, 85 to 86, 126 to 128, 130, 280
Bermuda, 103
British Columbia, 45 to 46, 54 to 55, 96, 133, 156, 181, 199, 207, 271, 426 to 428, 517

California, 101, 181, 213, 222, 259 to 263, 350, 402, 404 to 406
Canada, 412, 417, 419, 431
Chile, 134, 564
China, 264, 268, 549
Columbia, 564
Connecticut, 15, 110, 123, 284 to 285, 352, 435 to 437

Delaware, 179
Denmark, 528

Equador, 564
Europe, 8, 60

Florida, 1 to 2, 24 to 25, 70 to 71, 116, 341 to 342, 362, 461
France, 6 to 8, 10, 63 to 67, 107, 118, 148, 150, 251 to 252, 306, 344, 354, 401, 470 to 473

Genetics, 569
Georges Bank, 49, 51 to 53, 56, 79 to 81, 83, 87 to 88, 130, 138, 196, 206, 223, 250, 277 to 278, 287, 323, 326, 329, 333, 335, 347 to 349, 366, 411, 414 to 416, 418, 420 to 423, 452
Grand Banks, 444
Great Britain, 3 to 4, 6, 8 to 9, 11, 16, 18 to 19, 31, 58, 61, 106, 121 to 122, 145, 152, 162, 164 to 166, 184 to 186, 216, 279, 299 to 314, 344, 392, 394, 396 to 397, 400, 432, 438, 447 to 449, 482, 508 to 510, 554, 556 to 557
Gulf of Alaska, 205, 208, 430
Gulf of Mexico, 2, 60, 460
Gulf of St. Lawrence, 51, 57, 77, 97, 128, 131, 374, 565

Hawaii, 160

Iceland, 6, 541
Ireland, 6, 37, 59, 74 to 75, 94, 173 to 176, 183, 306 to 307, 316, 344 to 346, 481, 485

Japan, 12, 125, 169, 201, 204, 218 to 221, 233, 237 to 239, 248, 289 to 291, 293 to 294, 296 to 298, 344, 353, 359 to 360, 363, 381 to 382, 384, 388, 454, 456, 458, 495 to 503, 527, 540, 543, 570 to 571, 575 to 577, 579 to 584

Korea, 234, 257 to 258

Long Island, 167, 560

Maine, 20 to 22, 140 to 141, 179, 206, 214, 249, 380
Maryland, 179
Massachusetts, 5, 40, 179, 358, 380, 466, 511 to 512, 525, 548
Mexico, 23, 158
Morocco, 60

New Brunswick, 43, 226, 270, 272 to 273, 306, 442, 478, 488
New England, 380
New Hampshire, 179
New Jersey, 167, 179, 270
New York, 151
New Zealand, 68 to 69, 99, 159, 241, 378, 524
Newfoundland, 129, 155, 270, 272 to 273, 275, 306, 364 to 373, 375, 444, 484, 518, 563
North Carolina, 2, 93, 116, 167, 198, 240, 242, 281, 439, 463 to 466, 469, 551
Northumberland Strait, 78, 84, 100, 223, 225 to 227, 441
Norway, 62, 182, 187, 228, 479 to 480, 491 to 492, 531 to 533, 535 to 539, 541, 544 to 546, 558 to 559
Nova Scotia, 85, 112, 129, 138, 161, 224, 226, 323, 483, 488 to 489

Oregon, 181, 211, 399, 450, 474, 487

Pacific, Central, 160
Pacific, Eastern, 23, 45 to 46, 54 to 55, 96, 101, 133 to 134, 156, 158, 178, 181, 199 to 200, 207 to 209, 211 to 213, 222, 230, 253, 259 to 263, 271, 350, 361, 399, 402, 404 to 406, 426 to 428, 430, 450, 474, 477, 487, 517, 564, 585
Pacific, Western, 12, 41 to 42, 68 to 69, 99, 125, 135 to 137, 142, 159, 169, 171, 201, 204, 210, 218 to 221, 231 to 234, 237 to 239, 241, 248, 257 to 258, 264 to 265, 268, 289 to 291, 293 to 294, 296 to 298, 322, 344, 353, 359 to 361, 363, 378, 381 to 382, 384, 387, 409, 454, 456 to 458, 490, 495 to 503, 524, 527, 540, 542 to 543, 549, 562, 570 to 571, 575, 577, 579 to 584
Peru, 564
Philippines, 265

Quebec, 47, 117, 488

Rhode Island, 109, 123, 179, 196 to 197, 287 to 288

Sable Island, 104
Spain, 8, 306, 429
St. Pierre Bank, 483

Tasmania, 136
Texas, 446

United States, 60, 410, 412, 417, 419
USSR, 41 to 42, 171, 231 to 232, 235, 409, 477, 542

Virginia, 92 to 93, 179, 247

Washington, 96, 178, 181, 207, 211, 253, 387, 399

SUBJECT INDEX

Adult growth, 2, 10 to 11, 23, 25, 40, 50, 59 to 61, 66, 68, 74, 99, 106 to 107, 117, 125, 130, 132, 164, 169, 174, 185, 190, 200, 205, 207, 210, 218 to 219, 230, 237, 242, 247, 262, 270, 272, 296, 299, 307, 333, 335, 349, 361, 364, 374, 397, 417 to 418, 421, 458, 477, 488 to 489, 498, 508 to 509, 513, 532, 545 to 546, 552 to 553, 561 to 562, 587

Adults, 1 to 7, 9, 11, 13 to 15, 17 to 20, 23 to 24, 26 to 28, 30 to 33, 36 to 40, 43 to 44, 46 to 55, 57, 62 to 64, 66, 70 to 72, 77 to 81, 83 to 88, 92 to 95, 97 to 98, 100 to 104, 109 to 110, 112 to 113, 116 to 119, 121 to 124, 127 to 131, 134, 138 to 145, 147 to 150, 153, 155 to 156, 159 to 163, 165, 167 to 168, 170, 172 to 173, 175 to 186, 188 to 189, 193, 196 to 201, 206, 208 to 209, 211 to 218, 220 to 228, 230, 232, 234 to 236, 238 to 241, 245, 249, 251 to 253, 259, 263 to 265, 267, 271, 273 to 281, 284 to 288, 290, 292 to 295, 297, 300 to 306, 308 to 311, 314, 316 to 323, 325 to 333, 336, 338 to 342, 344, 346 to 349, 351 to 353, 355 to 356, 358 to 359, 362, 365 to 368, 370, 375, 378 to 380, 382 to 383, 387 to 388, 390 to 393, 397 to 399, 401, 408 to 412, 414 to 420, 422 to 428, 430 to 432, 434, 436, 440 to 444, 447 to 452, 454 to 457, 459 to 461, 463 to 470, 472 to 475, 478 to 480, 482 to 487, 491 to 492, 494, 496, 499 to 500, 502 to 507, 510 to 512, 516 to 531, 533 to 539, 541 to 542, 547, 549 to 551, 558 to 559, 563 to 565, 570 to 577, 582, 585

Age composition, 11, 18 to 19, 59 to 60, 86, 107, 110, 117, 127, 167, 183, 186, 200, 224, 226 to 227, 230, 308, 313, 333, 346, 364, 374, 410, 441, 448, 482, 487, 489, 509, 528, 537, 559

Age/height relation, 1, 10, 67 to 68, 200, 210, 242, 272, 364, 374, 378, 482, 488, 498, 508, 521, 528, 535, 558, 587

Age/length relation, 59, 117, 164, 287, 307, 449, 489, 508, 524

Age/weight relation, 68, 230, 247, 313, 366, 414, 485

Aging, 228, 247, 364

Antibiotics, 95

Aquaculture, 8, 12, 41, 46, 63 to 69, 74 to 75, 89 to 96, 105, 112, 118, 125, 133 to 134, 136, 145 to 146, 148, 154, 158, 164, 166, 171, 178, 180, 199, 201 to 204, 218 to 221, 229, 231, 233, 236 to 237, 239, 248, 251 to 252, 254 to 255, 259 to 260, 262 to 263, 268, 293 to 294, 307, 337 to 339, 343 to 344, 350, 353, 359 to 361, 363, 369 to 371, 373, 381 to 387, 389, 395 to 396, 400, 402, 404 to 406, 429, 434 to 435, 437 to 438, 440, 446, 454, 456, 458, 476, 481, 495 to 498, 500, 502 to 503, 521, 540, 542, 544 to 546, 548, 555, 557, 560, 564, 571, 578, 583 to 584, 587
    See also Bottom culture, Hanging culture, Hatchery, Nursery, Raceways, Spat collectors

Artificial diet, 73

Behaviour, 1, 17, 19 to 20, 30, 40, 50, 60, 68, 74, 77, 82, 98, 114, 119, 123 to 124, 128, 143, 147, 151, 162, 175, 187 to 188, 194, 196, 210, 216, 230, 247, 250, 276 to 277, 298, 306 to 307, 316, 344, 346, 351 to 352, 361, 378, 390, 392, 395, 422, 424, 440, 482, 487, 490, 498, 500, 511, 516, 519 to 520, 524, 539, 542, 547, 561 to 562, 577, 585
Bibliography, 8, 360 to 361, 493
Biochemical composition, 9, 24, 26, 73 to 74, 106, 112, 179, 245, 263, 303, 368, 398, 403, 407 to 408, 443, 455, 470, 485 to 486, 492, 510, 518
Bottom culture, 63, 66, 74, 118, 145, 204, 218 to 221, 231, 237, 252, 359 to 361, 363, 369 to 371, 384, 495 to 498, 500, 503, 540, 542, 548, 571, 575, 582

Condition index, 265
    See also Gonad index
Conditioning, 255

Diet, 40, 60, 73 to 74, 76, 89 to 91, 105, 123, 169, 192, 195, 202, 229, 242, 244, 256, 260, 262 to 263, 270, 272 to 274, 283, 306, 340, 344, 378, 383, 386 to 387, 398, 403, 405 to 407, 421, 446, 467 to 468, 475, 485 to 486, 492, 498, 513, 517, 535, 554 to 555, 577
    See also Phytoplankton
Digestion, 306, 316 to 317, 523
    See also Feeding, Physiology
Disease, 60, 92, 95, 109, 131, 196 to 198, 207, 219, 288, 353, 355 to 356, 540
    See also Parasites
Distribution, 1 to 3, 11, 16, 19 to 20, 23, 40, 47, 50, 55, 57, 60, 68, 74, 78, 83, 86, 99 to 100, 104, 107, 117, 126, 129, 134, 139, 143, 149, 159, 164 to 165, 167, 173, 175, 179, 181 to 183, 199 to 200, 206 to 207, 209, 211 to 213, 215 to 216, 219 to 221, 224, 226 to 227, 230, 232, 250, 257, 268, 270, 277 to 280, 293 to 294, 298, 304, 306, 308 to 311, 314, 325 to 326, 333, 346, 348 to 349, 359, 374 to 375, 378, 382, 399, 410, 412, 414 to 415, 418 to 419, 421, 426 to 428, 430, 440 to 441, 444, 447 to 450, 460, 466, 469, 474, 478, 482 to 485, 487, 490, 496 to 497, 499 to 500, 511, 524, 528, 540, 542, 549, 558 to 559, 562 to 563, 565, 571, 575, 577, 579, 582

Ecology, 237, 297
Economics, 5, 7, 68, 75, 138, 158, 198 to 199, 218, 230, 237, 259, 280 to 281, 344, 362, 368 to 369, 371, 374, 380, 430, 434, 444, 448, 456, 458, 476, 496 to 497, 500, 524, 540 to 541, 548, 563, 583
Embryology, 40, 506, 515
Embryonic development, 60, 108, 143, 170, 246, 378, 425, 462, 468, 514 to 515, 581 to 582, 589
Embryos, 114, 295, 514, 567 to 568, 589
Energetics, 9, 24, 26 to 28, 106, 112, 124, 168 to 169, 179, 270 to 275, 306, 359, 398, 407, 443, 445, 470 to 473, 491 to 492, 494, 510, 518 to 519, 523, 529 to 533, 535 to 536, 539, 550, 580

Equipment design, 1, 50, 52 to 53, 60, 64, 68, 73, 75, 77, 97, 99, 120, 126, 133, 142, 154, 164, 166, 180, 184, 199, 219, 230, 234, 243 to 244, 260 to 263, 280, 306 to 308, 310 to 311, 344, 360, 369 to 370, 373 to 374, 378, 383, 396, 400, 402, 405, 411, 413, 427, 439, 444 to 446, 449, 452, 456, 487, 496, 521, 540 to 541, 554, 563

Fecundity, 42, 68, 76, 110, 180, 219, 249, 270, 341, 432, 495, 502, 534
Feeding, 50, 98, 123, 282, 378, 390 to 391, 398, 445, 475, 529 to 530, 532 to 533, 541, 561
See also Digestion, Physiology
Fishery, 2, 5 to 7, 14, 16, 18 to 19, 21, 23, 40, 47, 49 to 50, 52 to 57, 59 to 60, 63, 68, 70 to 72, 74, 77, 79 to 81, 83 to 88, 92, 97, 116 to 117, 126 to 127, 129 to 130, 138 to 142, 149 to 150, 156, 164 to 165, 174 to 176, 178, 184, 199, 206, 208 to 209, 211, 215, 219, 224, 226 to 227, 230, 237, 240 to 241, 277 to 278, 280 to 281, 285, 294, 299 to 300, 303 to 307, 311 to 314, 322, 326, 329, 333, 343 to 344, 347 to 349, 359, 361 to 364, 367, 374, 380, 410 to 411, 414 to 417, 419 to 420, 427, 430, 436, 440 to 442, 444, 448 to 450, 454, 457 to 458, 469, 474, 478, 483 to 484, 487, 496 to 498, 500, 511, 524, 540 to 541, 559, 563 to 565, 582
Food, 261
Fouling organisms, 44, 48, 68, 99, 155, 162, 183, 306, 327, 330, 369, 374, 397, 476, 525, 551

GABA, 108
Gametogenesis, 4, 11, 24 to 27, 43, 60 to 61, 68, 74, 99, 112, 170, 209 to 210, 212, 222, 234 to 235, 238 to 239, 252 to 253, 264 to 265, 267, 270, 273 to 274, 290 to 292, 294, 302, 306 to 307, 332, 341, 358 to 359, 364 to 365, 378, 388, 401, 432, 443, 459, 461, 463 to 467, 470, 480, 482, 485, 491 to 492, 494, 508, 510 to 512, 518, 524, 526, 528, 535, 543, 572, 577, 582
Genetics, 31 to 33, 35 to 39, 161, 279, 379, 494
Gonad index, 4, 9, 11, 43, 69, 74, 232, 234, 238 to 239, 252, 264, 290 to 291, 294, 297, 306 to 307, 341, 361, 378, 382, 401, 456, 461, 463 to 464, 466 to 467, 472, 479 to 480, 502 to 504, 508, 518, 524, 528, 540, 543
See also Condition index
Gonad weight, 253, 296
Growth, see Larval growth, Juvenile growth, Adult growth

Habitat, 1 to 3, 11, 40, 42, 46, 50, 68, 74, 77, 86, 99, 103, 110, 117, 134, 141, 143, 151, 181 to 183, 185, 198, 207, 219, 221 to 222, 225, 230 to 231, 242, 251, 263, 271, 284 to 285, 306 to 307, 342, 345, 394, 426 to 428, 449, 469, 480, 482, 484 to 485, 490, 499 to 500, 524, 528, 541 to 542, 558 to 559, 575, 579, 581 to 582
Hanging culture, 41, 63 to 64, 74 to 75, 107, 112, 118, 121 to 122, 133 to 134, 136, 148, 158, 180, 219 to 221, 237, 252, 257, 307, 337, 344, 350, 359 to 361, 363, 369 to 371, 373, 387, 396, 400, 404 to 405, 429, 435 to 438, 456, 458, 476, 495, 497 to 498, 500 to 501, 503, 540, 545 to 546, 557, 560, 582, 584

Hatchery, 64 to 65, 91, 93 to 95, 105, 111, 134, 136, 171, 192, 202 to 203, 229, 234, 237, 255, 263, 293 to 294, 359 to 361, 383, 387, 405 to 406, 456, 476, 504 to 506, 517, 521, 582
Heavy Metals, 113
Heavy metals, 431
Height/length relation
    See Length/height relation
Height/weight relation, 6, 127, 183, 200, 208, 210, 224, 226 to 227, 230, 272, 374, 378, 436, 470, 482, 485, 509, 553 to 554, 562, 565, 587
Height/width relation, 485, 559
Hermaphroditism, 170, 222, 238, 253, 265, 267, 290, 292, 307, 332, 378, 388, 401, 482, 507
Hinge morphology, 29, 108, 228, 266, 269, 289, 294, 335, 433, 506
Histology, 4, 11, 37, 43, 68, 112, 189, 193 to 194, 196 to 197, 222, 265, 267, 282, 290 to 292, 294, 302, 316 to 317, 332, 355 to 356, 358, 364, 366, 378, 424, 472, 482, 512
Hydrogen peroxide, 357

Juvenile development, 11, 22, 58, 60, 65 to 66, 92 to 93, 105, 152, 192, 198, 262, 285, 328, 361, 462
Juvenile growth, 1, 12, 15, 37, 40 to 41, 59, 61, 64, 68, 73 to 75, 89, 99, 107, 134, 146, 151, 158, 164, 169, 183, 195, 210, 243 to 244, 247, 250, 260 to 261, 283, 294, 306 to 307, 334, 344, 350, 354, 359, 371, 373, 383, 386 to 387, 389 to 390, 394, 396 to 397, 400, 404 to 405, 420, 434 to 438, 445, 456, 458, 462, 476, 488 to 489, 497, 501 to 502, 511, 513, 544 to 545, 548, 554 to 555, 557, 566, 582, 587
Juveniles, 1, 7, 10, 12, 17, 37, 40 to 42, 52, 58, 63, 66 to 67, 69, 79, 82, 90 to 91, 103, 112, 118, 121 to 122, 133, 136, 141, 148, 151, 153 to 154, 157 to 158, 166 to 167, 171, 180, 188, 190, 200 to 201, 203 to 204, 217, 219, 230 to 232, 234, 237, 248, 251 to 252, 254, 257 to 258, 263, 286, 291, 295, 302, 324, 337, 339, 344 to 346, 354, 360, 365, 369 to 370, 372 to 373, 376 to 378, 382 to 384, 395, 397, 402 to 403, 406 to 407, 425, 429, 446, 451, 453, 456, 468, 470, 481 to 482, 495, 499 to 500, 508, 511, 524, 528, 537, 544, 548, 554 to 556, 560, 564, 578 to 582, 584 to 585

L-Dopa, 108
Larvae, 1, 11, 29, 35, 40, 50, 68, 74, 76, 90 to 91, 94 to 95, 111, 114, 120, 130, 141, 157, 171, 194, 202, 230, 246, 256 to 258, 263, 266, 268 to 269, 282, 293, 295, 298, 302, 306 to 307, 344, 359 to 360, 378, 381, 383, 385, 405, 433, 456, 468, 476, 504 to 505, 508, 514 to 515, 517, 521, 567 to 568, 582, 588
Larval development, 35, 40, 60, 64 to 65, 76, 90, 92 to 93, 105, 108, 111, 115, 126, 130, 134 to 135, 137, 143, 170, 187, 191 to 192, 198 to 199, 203, 219, 234, 237, 255, 262, 277, 289, 328, 344, 361, 382, 425, 451, 458, 462, 498, 506, 540, 577, 581 to 582
Larval growth, 34 to 35, 76, 89, 95, 108, 112, 134, 195, 229, 294, 387, 389, 405 to 406, 451, 468, 505 to 506, 577
Length/height relation, 59, 164, 182, 299, 328, 354, 425, 429, 451, 460, 482, 506, 509, 559
Length/weight relation, 117, 206, 277, 297, 303, 350, 410, 416 to 417, 420, 429, 434, 513
Length/width relation, 266

Life history, 40, 42, 60, 68, 130, 134 to 135, 137, 143, 164, 170, 198, 230, 237, 307, 359, 370, 426, 451, 462, 498, 577, 581 to 582, 585
    See also Adult growth, Embryonic development, Juvenile development, Larval development

Management, 6 to 7, 23, 40, 47, 49 to 50, 55, 68, 81, 83, 85, 97, 138, 142, 150, 156, 175, 179, 230, 236, 240, 247, 254, 277, 281, 306 to 308, 313, 344, 347 to 349, 359, 361, 370 to 371, 373, 401, 441 to 442, 456, 478, 508, 524, 582
Mercury, 376
Metamorphosis, see Settlement and Metamorphosis
Modelling, 83, 240
Morphology, 1, 30, 40, 50, 60, 74, 101, 106, 119, 143 to 144, 170, 177, 181, 189, 193 to 194, 198, 214, 219, 230, 235, 266 to 267, 269, 277, 289, 307, 320, 328, 353, 356, 361, 378, 426, 449, 460, 462, 482, 500, 506, 522, 530, 541, 547, 549, 585
Mortality, 6, 34 to 35, 60, 67 to 68, 76 to 77, 80, 83, 89, 91, 93, 97, 99, 105, 108, 113, 120, 125, 127 to 128, 130 to 131, 134, 146, 151, 153, 164 to 165, 174, 179, 184, 186 to 187, 196 to 197, 216, 219 to 220, 225, 239, 246, 250, 252, 270, 277, 283, 286 to 288, 294 to 295, 306, 312 to 313, 323 to 324, 347 to 349, 359 to 361, 364, 367, 369, 372, 374, 376 to 378, 387, 392 to 393, 396 to 397, 405, 414, 416 to 418, 420, 422, 429, 436, 442, 445, 456, 458, 471, 478, 490, 495, 497, 500, 513 to 514, 517, 524 to 525, 540, 554, 557, 567 to 568, 578 to 582, 584
Neurotransmitters, See GABA, L-Dopa, Serotonin

Nursery, 12, 64, 68, 74, 118, 134, 136, 171, 180, 201, 203 to 204, 254, 263, 306 to 307, 337, 344, 359, 361, 383, 434 to 435, 437, 445 to 446, 456, 476, 495, 497 to 498, 501 to 502, 540, 548, 554 to 555, 557, 560, 564, 578, 582

Paleontology, 104, 157, 159 to 160, 315, 547
Paralytic shellfish poisoning, 13, 51, 223, 564
Parasites, 48, 60, 68, 99, 109, 116, 196, 277, 320, 323, 353, 355 to 356, 364, 366, 525
    See also Disease
Physiology, 4, 24, 26 to 28, 46, 98, 102, 124, 163, 168 to 169, 177, 219, 242 to 243, 256, 270, 274, 276, 282, 295, 316 to 318, 321, 336, 390 to 391, 398, 407, 466, 475, 482, 486, 500, 519, 561, 580, 582
    See also Digestion, Feeding, Respiration
Phytoplankton, 61, 74, 90 to 92, 95, 256, 272, 344, 350, 360, 366, 378, 389, 398, 405, 425, 434, 438, 445 to 446, 458, 463, 465, 469, 513, 532 to 533, 540, 546, 576, 578
    See also Diet
Population, 10, 15 to 16, 20, 23, 25, 42, 47, 52, 55, 59 to 60, 78 to 79, 85 to 86, 99 to 100, 103, 106, 116 to 117, 126 to 127, 129, 132, 140 to 141, 150, 165, 167 to 169, 173 to 174, 176, 179, 182 to 183, 185 to 186, 200, 205 to 209, 211 to 212, 215, 219, 222, 224, 226 to 227, 230, 250, 270, 272, 275, 277 to 279, 285, 287 to 288, 294, 299, 303 to 304, 306, 308, 312 to 313, 326, 333, 342, 344, 346, 348 to 349, 352, 358 to 359, 361, 364 to 365, 374, 399, 410, 412, 414 to 418, 420, 422, 427 to 428, 430, 440 to 442, 444, 447 to 448, 450, 460, 466, 469, 471 to 473, 478, 482, 484 to 485, 487 to 490

Population (cont'd), 499, 508 to 509,511, 524, 528, 534, 536 to 538, 558 to 559, 562 to 563, 565, 571, 575, 577, 582
See also Age composition, Distribution, Size distribution, Size frequency
Predators, 40, 42, 44, 50, 60, 62, 66, 68, 75, 92, 99, 118 to 119, 131, 133 to 134, 153, 155, 162, 164, 198 to 199, 219 to 220, 225, 277, 285 to 286, 306, 323, 333, 335, 342, 345, 369, 372, 375, 399, 424, 440, 469, 476, 482, 516, 524, 540, 542
Production, 9, 27 to 28, 74, 106, 112, 168 to 169, 179, 249, 270 to 271, 273 to 275, 297, 306 to 307, 344, 408, 443, 445, 456, 459, 470 to 473, 482, 484 to 485, 492, 510, 534 to 536, 538, 550
See also Reproduction

Raceways, 337, 434 to 435, 437, 560
See also Nursery
Recruitment, 6 to 7, 9, 58, 60, 65, 68 to 69, 74, 79, 83, 85 to 86, 88, 99, 107, 117 to 118, 126 to 127, 140, 148, 151 to 152, 164, 209 to 210, 220 to 221, 224, 226 to 227, 234, 237, 250, 262, 270, 277 to 279, 306, 312 to 313, 342, 347 to 349, 378, 382, 401, 417, 441 to 442, 471, 478, 496, 500 to 501, 509, 524, 536 to 538, 540
Reproduction, 2, 4, 11, 24 to 28, 35, 40, 43, 60, 64, 68, 74, 92, 94, 110, 112, 134, 170, 176, 180, 191, 198, 209 to 210, 212, 219, 222, 230, 234, 238, 249, 253, 263 to 265, 267, 270 to 271, 273 to 275, 290 to 292, 294, 297, 301 to 302, 306 to 307, 332, 341, 358, 364 to 365, 378, 383, 387 to 388, 401, 423, 432, 440, 443, 449, 451, 458 to 459
Reproduction (cont'd), 461, 463 to 467, 470 to 473, 479 to 480, 482, 485, 491 to 492, 494, 496, 500, 502 to 503, 508, 510 to 512, 517 to 518, 526, 528, 534 to 535, 538, 541, 543, 559, 570, 573, 576 to 577, 582
183, 187, 323 to 324, 360, 376, 387, 392, 440, 461, 469, 514 to 515, 546, 580, 582
See also Gametogenesis, Production, Spawning
Respiration, 27, 168 to 169, 242, 270, 274, 276, 282, 295, 321, 378, 523, 529, 531, 535, 580

Sampling, 52, 77 to 78, 86, 308, 310, 333, 399, 428
Salinity, 68, 74, 115, 120, 147,
Serotonin, 172, 319, 507, 517
Settlement and metamorphosis, 1, 29, 40, 42, 58, 64 to 65, 67 to 68, 74, 92 to 93, 95, 108, 115, 130, 134, 152, 187, 250, 262, 277, 285, 294, 344, 359, 375, 382 to 383, 394, 396, 405, 425, 458, 462, 496, 502, 544, 577, 585, 588
Sex ratio, 212, 401, 487
Shell deformity, 338 to 339, 353, 360, 436
Shell morphology, 44, 48, 59, 61, 102 to 103, 108, 132, 154 to 155, 157, 190, 247, 255, 296, 307, 328, 331, 335, 338 to 339, 354, 366, 389, 409, 433, 456, 477, 482, 485, 490, 508, 520, 547, 552 to 553, 566, 582
See also Hinge morphology
Size distribution, 20, 47, 59 to 60, 86, 99 to 100, 107, 117, 126 to 127, 148, 167, 174, 176, 182, 205, 207, 209 to 210, 228, 230, 261 to 262, 270, 272, 285, 287, 299, 308, 316, 322, 333, 365, 394, 410, 414 to 417, 430, 438, 442, 448, 471 to 472, 482, 485, 490, 528, 541, 544, 555 to 556, 558 to 559, 563, 587
Size frequency, 1, 52, 68, 416, 449

Spat collectors, 1, 42, 58, 65 to 69, 74 to 75, 94, 118, 133, 136, 145, 148, 152, 158, 164, 166, 171, 183, 201, 219 to 221, 233 to 234, 237, 248, 251, 257 to 258, 268, 293 to 294, 306 to 307, 343 to 344, 359, 361, 363, 365, 369 to 373, 375, 382 to 383, 394, 396, 400, 402, 425, 453, 456, 458, 468, 476, 481, 495 to 498, 501, 517, 540, 544, 556, 564
Spawning, 1, 4, 11, 18, 22, 35, 40, 50, 59 to 61, 64, 74, 93 to 95, 99, 105, 108, 111 to 112, 115, 130, 134, 141, 172, 174, 191 to 192, 198, 201 to 203, 212, 219, 222, 232, 234 to 235, 238, 246, 249, 253, 255, 258, 260, 262 to 264, 270 to 271, 277 to 278, 285, 293 to 294, 301 to 302, 307, 319, 341 to 343, 357, 359, 361 to 362, 364 to 365, 378, 383, 385, 387, 401, 410, 423, 425, 432, 437, 440, 451, 453, 456, 458, 461, 468, 470, 472, 479 to 480, 482, 485, 496 to 497, 502 to 510, 512, 517 to 518, 521, 524, 527, 546, 564, 570, 572 to 574, 576, 582
Species identification, 269, 354

Tagging, 20, 68, 74, 107, 127, 173 to 174, 184, 210, 216 to 217, 306, 309, 335, 364, 418, 422, 562
Taxonomy, 11, 45, 60, 68, 159 to 160, 181, 198, 213, 219, 230, 237, 266, 277, 289, 315, 325, 354, 361, 426, 433, 547, 549, 586
Temperature, 25, 34, 61, 64, 68, 74, 85, 100 to 101, 108, 115, 126 to 128, 131, 134, 140, 148, 155, 183, 190, 222, 232, 242, 244, 257 to 258, 260 to 262, 264, 270, 272 to 274, 293 to 295, 321, 323 to 324, 333, 342, 359, 376, 378, 382
Temperature (cont'd),to 383, 387 to 388, 392 to 393, 425, 434, 440, 445, 456, 461, 463 to 464, 466, 468 to 469, 479 to 480, 484 to 485, 490, 502 to 504, 512, 514 to 515, 517, 523, 526, 528, 531 to 532, 543, 546, 554, 567 to 568, 570, 572 to 574, 576, 578, 580 to 582, 589
Toxicity, 13, 91, 113, 121 to 122, 223, 377, 397, 404, 500, 513

Water currents, 151, 183, 378
Weight/height relation, See Height/weight relation